MATERIAL SAFETY DATA SHEET

BLACK MB0800

Version Number 1.0 Revision Date 04/04/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLACK MB0800
Product code	:	CC10067233
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **BLACK MB0800**

Version Number 1.0 Revision Date 04/04/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **BLACK MB0800**

Version Number 1.0 Revision Date 04/04/2005 Page 3 of 6 Print Date 11/17/2011

8. H	EXPOSURE	CONTROLS / PERSO	DNAL P	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	rotectiv	e equipment normally r	equired.
Eye/Face Protection	: S	afety glasses with side-s	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before break			afety practice
Engineering measures		leat only in areas with appropriate exhaust ventil			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Aver (TWA):	age	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:		Total dust. as carbon black	OSHA Z1
·	9. PHYSIC	CAL AND CHEMICAI	L PRO	PERTIES	
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Not a : Insol	ts CK I faint determined pplicable puble	Specific Bulk de Vapor p Vapour pH	e Gravity: : Not nsity : Not oressure : Not density : Not : Not	applicable determined established applicable applicable applicable
	10. 5	STABILITY AND REA	ACTIVI	TY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidizin ecomposition, do not ov		s and open flame. To a	void thermal
Incompatible Materials	. T.	ncompatible with strong	agida a	nd ovidizing agonts	



MATERIAL SAFETY DATA SHEET

BLACK MB0800

Version Number 1.0 Revision Date 04/04/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where



MATERIAL SAFETY DATA SHEET **BLACK MB0800**

ion Number 1.0 sion Date 04/04/2005			Prin	Page 5 at Date 11/17/2
	possible recycling is generator of waste m classification, transp applicable federal, st	aterial has the re ortation and disp	sponsibility for osal in accorda	proper waste nce with
Contaminated packaging	: Recycling is preferre has the responsibility and disposal in accor and local regulations	for proper wasted dance with appli	e classification,	transportation
	14. TRANSPORT INI	FORMATION		
U.S. DOT Classification	: Not regulated for tran	nsportation.		
ICAO/IATA (air)	: Refer to specific regu	ulation.		
IMO / IMDG (maritime)	: Refer to specific regu	ulation.		
	15. REGULATORY IN	FORMATION		
US Regulations:				
OSHA Status	: Classified as hazardo	ous based on com	ponents.	
TSCA Status	: All components of th Inventory.	nis product are lis	sted on or exemp	pt from the TSC
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)			
Not applicable				
California Proposition 65	This product does no	t contain a substa	ance listed by C	alifornia Prop 65
SARA Title III Section 302 E Not applicable	Extremely Hazardous Substar	nce		
SARA Title III Section 313 T	oxic Chemicals:			
Not applicable Canadian Regulations:				
National Pollutant Rel Chemical Name	ease Inventory (NPRI)	CAS-No.	Weight %	NPRI ID#



MATERIAL SAFETY DATA SHEET

BLACK MB0800

Version Number 1.0 Revision Date 04/04/2005 Page 6 of 6 Print Date 11/17/2011

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue	147-14-8	3.05	71
Phthalocyanine green	1328-53-6	2.89	71

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
1333-86-4	
147-14-8	
1328-53-6	

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

		44.0000
Philippines PICCS	:	Listed
Korea KECI	:	Listed
·	·	
Japan ENCS	:	Listed
Europe EINECS	:	Listed
China IECS	:	Listed
Australia AICS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.