## MATERIAL SAFETY DATA SHEET **WHITE NYLON**

Version Number 1.0 Revision Date 03/21/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).				
Product name	:	WHITE NYLON				
Product code	:	CC10067279				
Chemical Name	:	Mixture				
CAS-No.	:	Mixture				
Product Use	:	Industrial Applications				

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact			
Acute exposure				
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>			
Skin	: Experience shows no unusual dermatitis hazard from routine handling.			
Chronic exposure	: Refer to Section 11 for Toxicological Information.			
Medical Conditions Aggravated by Exposure:	: None known.			



### MATERIAL SAFETY DATA SHEET WHITE NYLON

Version Number 1.0 Revision Date 03/21/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET WHITE NYLON

Version Number 1.0 Revision Date 03/21/2005 Page 3 of 6 Print Date 11/17/2011

8. 1	XPOSURE	CONTROLS / PERSC	DNAL I	PROTECTION		
Respiratory protection	: N	o personal respiratory p	rotectiv	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-s	shields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with ash hands before break			afety practice	
Engineering measures		eat only in areas with appropriate exhaust venti			Provide	
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	List:	
Titanium dioxide	10 mg/m3	-			ACGIH	
	15 mg/m3	PEL:		Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
Form	: Solid	1	Evanor	ation rate : Not	applicable	
Appearance	: Pelle				determined	
Color	: WHI		Bulk de		Not established	
Odor	: Very	faint	Vapor pressure : Not applicable			
Melting point/range			Vapour density : Not applicable			
Boiling Point:			pН	: Not	applicable	
Water solubility	: Insol	uble				
	<b>10.</b> S	TABILITY AND REA	ACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	vill not occur.				
Conditions to avoid		eep away from oxidizin ecomposition, do not ov		s and open flame. To a	woid thermal	
conditions to avoid						



## MATERIAL SAFETY DATA SHEET **WHITE NYLON**

### Version Number 1.0

Revision Date 03/21/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ				
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.				
	12. ECOLOGIO	CAL INFORMATION	1				
Persistence and degrada	bility : Not readily b	iodegradable.					
Environmental Toxicity	Chemicals are polymer matr		as they are bound within the				
Bioaccumulation Poten	tial : Chemicals are polymer matr		not readily available as they are bound within the x.				
Additional advice	: No data avail	able	le ONSIDERATIONS noplastic plastics the product can be recycled. Where ng is preferred to disposal or incineration. The				
	13. DISPOSAL	CONSIDERATIONS	6				
Product Contaminated packagin	g : Recycling is phase the response of the recycling is phase the response of	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>					
	14. TRANSPO	RT INFORMATION					
U.S. DOT Classification	n : Not regulated	for transportation.					
ICAO/IATA (air)	: Refer to spec	: Refer to specific regulation.					
IMO / IMDG (maritime	e) : Refer to speci	ific regulation.					
	15. REGULATO	DRY INFORMATION	Ň				

PolyOne.

# MATERIAL SAFETY DATA SHEET WHITE NYLON

ersion Number 1.0 evision Date 03/21/2005				Prin		Page 5 of 11/17/201
US Regulations:						
OSHA Status	:	Classified as hazardou	us based on compo	nents.		
TSCA Status	:	All components of the Inventory.	is product are listed	l on or exemp	ot from th	e TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)				
Not applicable						
California Proposition 65	:	This product does not	contain a substance	e listed by Ca	alifornia	Prop 65.
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substand	ce			
SARA Title III Section 313 Tox	cic C	Chemicals:				
Not applicable Canadian Regulations:						
National Pollutant Relea	se Iı	nventory (NPRI)	CAS-No.	Weight 0/	NPRI I	7#
Aluminum oxide			1344-28-1	Weight % 0.40	13	<u>J</u> #
WHMIS Classification	:	Not controlled.				
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.					
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Listed				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16. OTHER INFOR	PMATION			
		100 0 111210 110 01				



MATERIAL SAFETY DATA SHEET WHITE NYLON

Version Number 1.0 Revision Date 03/21/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.