## MATERIAL SAFETY DATA SHEET

## 10799P BLUE V2

Version Number 1.0 Revision Date 03/31/2005 Page 1 of 6 Print Date 11/17/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	10799P BLUE V2
Product code :	CC10067753
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	5 - 10
Zinc stearate	557-05-1	10 - 30
Titanium dioxide	13463-67-7	30 - 60

## 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **10799P BLUE V2**

Version Number 1.0 Revision Date 03/31/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not relevant</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures Unusual Fire/Explosion	<ul> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen</li> </ul>
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 2 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET 10799P BLUE V2

Version Number 1.0 Revision Date 03/31/2005

\_

Page 3 of 6 Print Date 11/17/2011

and contamination. Keep in a dry, cool place.					
8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection : No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.					
Eye/Face Protection	: 5	Safety glasses with side-shields.			
Hand protection : Protective gloves. Refer to equipment supplier to ensure protection.					
Skin and body protection	: I	Long sleeved clothing.			
Additional Protective Measures	: 5	Safety shoes.			
General Hygiene Considerations					
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)					
Components	Value	Exposure time	Exposure ture	List:	
Components Silica amorphous		Exposure time PEL:	Exposure type Total dust.	OSHA	
Silica, amorphous	20 mppcf 20 mppcf	PEL: PEL:	Total dust.	Z3	
	10 mg/m3	Time Weighted Average		ACGIH	

	10 mg/ms	Time Weighten Tiverage		neom
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as stearates	ACGIH
	_	(TWA):		

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range **Boiling Point:** Water solubility
- : Solid powder, granular BLUE Very faint : Not determined : Not applicable : Insoluble

:

:

:

- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pН
- Not applicable : Not applicable : Not determined : Not applicable : : Not applicable : Not applicable

### **10. STABILITY AND REACTIVITY**

PolyOne.

## MATERIAL SAFETY DATA SHEET 10799P BLUE V2

Version Number 1.0 Revision Date 03/31/2005 Page 4 of 6 Print Date 11/17/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

**11. TOXICOLOGICAL INFORMATION** 

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

\_

\_

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chen	nical Name	Route	Value	Species	
557-05-1 Zinc stearate		Oral LD50	> 10 gm/kg	rat		
	1	2. ECOLOGICA	L INFORMATI	ON		
Persistence and degradability		Not readily biod	Not readily biodegradable.			
Environmental Toxicity : Chemical polymer i			•	le as they are bound	l within the	
Bioaccumulation Potential	:	: Chemicals are not readily available as they are bound within th polymer matrix.			l within the	
Additional advice : No data ava		No data availab	le			
	1	3. DISPOSAL C	ONSIDERATIO	NS		
Product	:	generator of was classification, tr	ste material has th ansportation and	rred to disposal or i ne responsibility for disposal in accordar al and local regulation	proper waste	



# MATERIAL SAFETY DATA SHEET **10799P BLUE V2**

ion Number 1.0 sion Date 03/31/2005				Prir	Page t Date 11/17
Contaminated packaging	has t and	ycling is preferred w the responsibility for disposal in accordar local regulations.	r proper waste c	classification,	transportation
	14. TR	RANSPORT INFO	RMATION		
U.S. DOT Classification	: Not	regulated for transpo	ortation.		
ICAO/IATA (air)	: Refe	er to specific regulat	ion.		
IMO / IMDG (maritime)	: Refe	er to specific regulat	ion.		
	15. RE(	GULATORY INFO	ORMATION		
US Regulations:					
OSHA Status	: Clas	sified as hazardous	based on compo	onents.	
TSCA Status	: All components of this product are listed on or exempt from the TSC. Inventory.				
US. EPA CERCLA Hazardo	us Substance	es (40 CFR 302)			
Not applicable					
California Propositio 65	n : This	s product does not co	ntain a substan	ce listed by C	alifornia Prop (
SARA Title III Section 302 I Not applicable	Extremely Ha	azardous Substance			
SARA Title III Section 313	Foxic Chemi	cals:			
Chemical Name			CAS-No.	Weight	%
ZINC COMPOUND	S		557-05-1	16.00	
Canadian Regulations:	1 T .				
Canadian Regulations: National Pollutant Re	lease Invento		TAS-No	Weight %	NPRI ID#
Canadian Regulations: National Pollutant Re Chemical Name	lease Invento	(	CAS-No. 47-14-8	Weight % 5.00	NPRI ID# 71
Canadian Regulations: National Pollutant Re	lease Invento	1			



## MATERIAL SAFETY DATA SHEET 10799P BLUE V2

Version Number 1.0 Revision Date 03/31/2005

Page 6 of 6 Print Date 11/17/2011

WHMIS Classification	on : :	Not controlled. All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Not determined
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.