MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

Version Number 1.0 Revision Date 04/05/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	CHERRY RED UV V2
Product code	:	CC10067938
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

Version Number 1.0 Revision Date 04/05/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

Version Number 1.0 Revision Date 04/05/2005 Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment norma	lly required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with Vash hands before breaks			
Engineering measures		leat only in areas with appropriate exhaust ventil			on. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age	1 71	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	L PRO	PERTIES	
Form	: Solid	1	Evanor	ation rate :	Not applicable
Appearance	: Pelle				Not determined
Color	: RED		Bulk de		Not established
Odor	: Very				Not applicable
Melting point/range	: Not o	determined	Vapour	density :	Not applicable
Boiling Point:			pН	:	Not applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidizin ecomposition, do not ov		ts and open flame.	Γo avoid thermal

PolyOne

MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

Version Number 1.0

Revision Date 04/05/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGIO	CAL INFORMATION				
Persistence and degrada	bility : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Poten	tial : Chemicals are polymer matrix		as they are bound within the			
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	generator of v generator of v classification applicable fea g : Recycling is p has the respon and disposal	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 				
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classification	n : Not regulated	for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spece	ific regulation.				
	15. REGULATO	DRY INFORMATION	I			

PolyOne.

MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

sion Date 04/05/2005				Prir	Page : t Date 11/17/
US Regulations:					
OSHA Status	:	Classified as hazard	ous based on com	ponents.	
TSCA Status	:	All components of t Inventory.	his product are list	ted on or exemp	ot from the TSC
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	WARNING! This p California to cause of		chemical know	on to the State of
SARA Title III Section 302 Ex Not applicable	trem	ely Hazardous Substa	nce		
SARA Title III Section 313 To	xic (Chemicals:			
Not applicable Canadian Regulations:					
Canadian Regulations: National Pollutant Relea Chemical Name	ase I	nventory (NPRI)	CAS-No. 1344-28-1	Weight % 0.10	NPRI ID#
Canadian Regulations: National Pollutant Relea	ase In	nventory (NPRI)	CAS-No. 1344-28-1	Weight % 0.10	NPRI ID# 13
Canadian Regulations: National Pollutant Relea Chemical Name					
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide			1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification		Not controlled.	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL		Not controlled.	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories:		Not controlled. All components of Substances List (DS	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS		Not controlled. All components of Substances List (DS Listed	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS		Not controlled. All components of Substances List (DS Listed Listed	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS		Not controlled. All components of f Substances List (DS Listed Listed Not determined	1344-28-1 his product are or	0.10	13
Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS Japan ENCS		Not controlled. All components of t Substances List (DS Listed Listed Not determined Not determined	1344-28-1 his product are or	0.10	13



MATERIAL SAFETY DATA SHEET CHERRY RED UV V2

Version Number 1.0 Revision Date 04/05/2005

Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.