MATERIAL SAFETY DATA SHEET ORANGE POC L 17646 2A

Version Number 1.1 Revision Date 11/09/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number		Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	ORANGE POC L 17646 2A
Product code	:	CC10067964
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **ORANGE POC L 17646 2A**

Version Number 1.1 Revision Date 11/09/2006 Page 2 of 6 Print Date 11/25/2011

	4. [IRST AID MEASURES
Inhalation	overl	e to fresh air in case of accidental inhalation of fumes from heating or combustion. When symptoms persist or in all cases of t seek medical advice.
Ingestion		ot induce vomiting without medical advice. When symptoms st or in all cases of doubt seek medical advice.
Eyes		e immediately with plenty of water, also under the eyelids, for at 15 minutes. If eye irritation persists, seek medical attention.
Skin		n off with soap and plenty of water. If skin irritation persists seek cal attention.
	5. FIR	E-FIGHTING MEASURES
Flash point	: Not a	pplicable
Flammable Limits		
Upper explosion limit	· Not :	pplicable
Lower explosion limit		pplicable
Autoignition temperature		pplicable
Suitable extinguishing media		on dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	press	ace self-contained breathing apparatus (SCBA) used in positive ure mode should be worn to prevent inhalation of airborne minants.
Unusual Fire/Explosion Hazards	: Carb	on dioxide (CO2), carbon monoxide (CO), oxides of nitrogen x), other hazardous materials, and smoke are all possible.
	ACCID	ENTAL RELEASE MEASURES
Personal precautions		appropriate personal protection during cleanup, such as rvious gloves, boots and coveralls.
Environmental precautions		ld not be released into the environment. The product should not lowed to enter drains, water courses or the soil.
Methods for cleaning up	plast	n up promptly by sweeping or vacuum. Package all material in ic, cardboard or metal containers for disposal. Refer to Section 13 s MSDS for proper disposal methods.
	7. HA	NDLING AND STORAGE
Handling		measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage	: Keep	containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET ORANGE POC L 17646 2A

Version Number 1.1 Revision Date 11/09/2006 Page 3 of 6 Print Date 11/25/2011

8. 1	EXPOSURE	CONTROLS / PERSON	NAL PROTECTION		
Respiratory protection	: N	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		Iandle in accordance with Vash hands before breaks			
Engineering measures		leat only in areas with app ppropriate exhaust ventila		tion. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	e List:	
Calcium carbonate	5 mg/m3	PEL:	Respirable fracti		
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	10 mg/m3	Time Weighted Average (TWA):	ge	MX OEL	
	20 mg/m3	Short Term Exposure Li (STEL):	mit	MX OEL	
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	ge	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z	
	20 mg/m3	Short Term Exposure Li (STEL):	mit as Ti	MX OEL	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solic	i E	vaporation rate :	Not applicable	
Appearance	: Pelle		pecific Gravity: :	Not determined	
Color	: ORA		ulk density :	Not established	
Odor			apor pressure :	Not applicable	
Melting point/range			apour density :	Not applicable	
Boiling Point:		applicable pl	H :	Not applicable	
Water solubility	: Insol	luble			
	10. 8	STABILITY AND REAG	CTIVITY		
	G	table.			

PolvOne

MATERIAL SAFETY DATA SHEET **ORANGE POC L 17646 2A**

Version Number 1.1 Revision Date 11/09/2006 Page 4 of 6 Print Date 11/25/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.

PolyOne.

MATERIAL SAFETY DATA SHEET **ORANGE POC L 17646 2A**

Version Number 1.1 Revision Date 11/09/2006 Page 5 of 6 Print Date 11/25/2011

Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	as Substances (40 CFR 302)
Not applicable	
California Proposition	: Not applicable
65	
SARA Title III Section 302 E	xtremely Hazardous Substance
Unless specific chemicals are	identified under this section, this product is Not Applicable under this regula

MATERIAL SAFETY DATA SHEET ORANGE POC L 17646 2A

Version Number 1.1 Revision Date 11/09/2006 Page 6 of 6 Print Date 11/25/2011

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.