MATERIAL SAFETY DATA SHEET

BLUE PEARL

Version Number 1.0 Revision Date 04/05/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE PEARL
Product code	:	CC10067974
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Aluminum	7429-90-5	1 - 5
Mica	12001-26-2	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. 		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		



MATERIAL SAFETY DATA SHEET BLUE PEARL

Version Number 1.0 Revision Date 04/05/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE PEARL**

Version Number 1.0 Revision Date 04/05/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	: Protective gloves.			
Skin and body protection	: L	: Long sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Aluminum	10 mg/m3	Time Weighted Average (TWA):	Dust.	ACGIH	
	15 mg/m3	PEL:	Total dust. as Al	OSHA ZI	
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA ZI	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
		CAL AND CHEMICAL PRO	NDEDTIES		
	9. PH 1510	LAL AND CHEMICAL PRO	JPERTIES		
Form	: Solid	Evapo	ration rate : Not	applicable	
Appearance	: Pelle		Specific Gravity: : Not determined		
Color	: GRE			established	
Odor				applicable	
Melting point/range				applicable	
Boiling Point:		applicable pH	: Not	applicable	
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REACTIV	/ITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
Conditions to avoid	: K	eep away from oxidizing ager	nts and open flame. To av	void thermal	



MATERIAL SAFETY DATA SHEET BLUE PEARL

Incompatible Materials : Ir Hazardous decomposition : C products (1	ncompatible wi Carbon dioxide NOx), other ha		xidizing agents. xide (CO), oxides of nitrogen d smoke are all possible.	
Incompatible Materials : In Hazardous decomposition : C products (1) 11. TO This mixture has not been evaluated as	ncompatible wi Carbon dioxide NOx), other ha	ith strong acids and o (CO2), carbon mono zardous materials, an	xide (CO), oxides of nitrogen	
Hazardous decomposition : C products (1 11. TO This mixture has not been evaluated as	Carbon dioxide NOx), other has	(CO2), carbon mono zardous materials, an	xide (CO), oxides of nitrogen	
products (1 11. TO This mixture has not been evaluated as	NOx), other has	zardous materials, an		
This mixture has not been evaluated as		CAL INFORMATIC		
			DN	
Toxicity Overview			re effects listed are based on existi	
This product contains the following co	omponents which	ch in their pure form	have the following characteristics:	
CAS-No. Chemica	al Name	Effect	Target Organ	
7429-90-5 Aluminum		Irritant	Skin, Respiratory system.	
		Systemic effects	Eyes, Skin, Respiratory system.	
12001-26-2 Mica		Systemic effects	Respiratory system.	
		L INFORMATION		
P Bioaccumulation Potential : C P	 Chemicals are not readily available as they are bound within the polymer matrix. Chemicals are not readily available as they are bound within the polymer matrix. No data available 			
13. I	DISPOSAL C	ONSIDERATIONS		
p g cl	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
haan	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
14.	TRANSPORT	FINFORMATION		
U.S. DOT Classification : N	Not regulated fo	or transportation.		

POLYONE CORPORA	ATION		PolyOn	<u>e</u> .
MATERIAL SAFETY DATA SH				
BLUE PEARL				
Version Number 1.0 Revision Date 04/05/2005			Print Da	Page 5 of 6 ate 11/17/2011
ICAO/IATA (air)	: Refer to specific regula	tion.		
IMO / IMDG (maritime)	: Refer to specific regula	tion.		
	15. REGULATORY INFO	ORMATION		
US Regulations:				
OSHA Status	: Classified as hazardous	based on compo	onents.	
TSCA Status	: All components of this Inventory.	product are liste	d on or exempt fro	om the TSCA
US. EPA CERCLA Hazardou	s Substances (40 CFR 302)			
Not applicable				
California Proposition 65	California to cause cano	cer.	nemical known to	the State of
SARA Title III Section 302 E Not applicable	xtremely Hazardous Substance			
SARA Title III Section 313 T	oxic Chemicals:			
Chemical Name		CAS-No.	Weight %	
ALUMINUM (FUMI	E OR DUST)	7429-90-5	0.82	
Canadian Regulations:				
National Pollutant Rel	ease Inventory (NPRI)			
Chemical Name		CAS-No.	0	PRI ID#
Aluminum WHMIS Classification WHMIS Ingredient Di	n : D2B	7429-90-5	0.82 12	
CAS-No. 7429-90-5 12001-26-2				
DSL	: All components of this Substances List (DSL)		he Canadian Don	nestic

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET BLUE PEARL

Version Number 1.0 Revision Date 04/05/2005

Page 6 of 6 Print Date 11/17/2011

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.