MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	MOUSSE BRONZER BEIGE
Product code :	CC10068123
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	5 - 10
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 6. ACCIDENTAL RELEASE MEASURES Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	o personal respiratory protecti	ive equipment normally r	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and a		afety practice
Engineering measures	: H aj	eat only in areas with appropr ppropriate exhaust ventilation	iate exhaust ventilation. at machinery.	Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL PRO	DPERTIES	
	: Solid	Evono	notion noto . Not	applicable
Form		i Evapo		determined
		ts Specif		uctorinineu
Appearance	: Pelle	1		established
Form Appearance Color Odor	: Pelle : BRO	WN Bulk d	lensity : Not	established applicable
Appearance Color Odor	: Pelle : BRO : Very	WN Bulk d faint Vapor	lensity : Not pressure : Not	applicable
Appearance Color Odor Melting point/range	: Pelle : BRO : Very : Not o	WN Bulk d faint Vapor determined Vapou	lensity : Not pressure : Not r density : Not	applicable applicable
Appearance Color Odor	: Pelle : BRO : Very : Not o	WN Bulk d faint Vapor determined Vapou applicable pH	lensity : Not pressure : Not r density : Not	applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a : Insol	WN Bulk d faint Vapor determined Vapou applicable pH	lensity : Not pressure : Not ir density : Not : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BRO : Very : Not o : Not a : Insol	WN Bulk d faint Vapor determined Vapou applicable pH uble	lensity : Not pressure : Not ir density : Not : Not	applicable applicable
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BRO : Very : Not c : Not a : Insol 10. S : S	WN Bulk d faint Vapor determined Vapou applicable pH uble	lensity : Not pressure : Not ir density : Not : Not	applicable applicable

PolyOne.

MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005 Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.

PolyOne.

MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005 Page 5 of 6 Print Date 11/17/2011

	15. REGULATORY IN	FORMATION		
US Regulations:				
OSHA Status	: Classified as hazardo	ous based on com	ponents.	
TSCA Status	: All components of th Inventory.	nis product are list	ted on or exemp	ot from the TSC.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)			
Not applicable				
California Propositio 65	n : This product does no	t contain a substa	nce listed by C	alifornia Prop 6:
SARA Title III Section 302 I	Extremely Hazardous Substar	nce		
Not applicable				
Not applicable SARA Title III Section 313 7 Not applicable				
Not applicable SARA Title III Section 313				
Not applicable SARA Title III Section 313 Not applicable Canadian Regulations: <u>National Pollutant Re</u>				
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> Chemical Name	Foxic Chemicals: lease Inventory (NPRI)	CAS-No.	Weight %	NPRI ID#
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> Chemical Name	Foxic Chemicals:		Weight % 0.55	NPRI ID# 231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> Chemical Name	Foxic Chemicals: lease Inventory (NPRI) el (C.I. Pigment Yellow 119)	CAS-No.		
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u> Zinc ferrite brown spine	Foxic Chemicals: lease Inventory (NPRI) el (C.I. Pigment Yellow 119)	CAS-No. 68187-51-9 his product are or	0.55	231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Re Chemical Name Zinc ferrite brown spine WHMIS Classificatio	Foxic Chemicals: lease Inventory (NPRI) El (C.I. Pigment Yellow 119) on : Not controlled. : All components of t	CAS-No. 68187-51-9 his product are or	0.55	231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Re Chemical Name Zinc ferrite brown spine WHMIS Classification DSL	Foxic Chemicals: lease Inventory (NPRI) El (C.I. Pigment Yellow 119) on : Not controlled. : All components of t	CAS-No. 68187-51-9 his product are or	0.55	231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u> Zinc ferrite brown spine WHMIS Classification DSL National Inventories:	Foxic Chemicals: lease Inventory (NPRI) el (C.I. Pigment Yellow 119) on : Not controlled. : All components of t Substances List (DSI	CAS-No. 68187-51-9 his product are or	0.55	231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u> Zinc ferrite brown spine WHMIS Classificatio DSL National Inventories: Australia AICS	Foxic Chemicals: lease Inventory (NPRI) el (C.I. Pigment Yellow 119) on : Not controlled. : All components of t Substances List (DSI : Listed	CAS-No. 68187-51-9 his product are or	0.55	231
Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u> Zinc ferrite brown spine WHMIS Classification DSL National Inventories: Australia AICS China IECS	Foxic Chemicals: lease Inventory (NPRI) el (C.I. Pigment Yellow 119) on : Not controlled. : All components of t Substances List (DSI : Listed : Listed	CAS-No. 68187-51-9 his product are or	0.55	231



MATERIAL SAFETY DATA SHEET MOUSSE BRONZER BEIGE

Version Number 1.0 Revision Date 04/07/2005 Page 6 of 6 Print Date 11/17/2011

Philippines PICCS

: Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.