MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

Version Number 1.0 Revision Date 04/11/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	HUNTER GREEN UNIT
Product code	:	CC10068183
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	5 - 10
Silica, amorphous, precipitated and gel	112926-00-8	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion			
Acute exposure				
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 			
Chronic exposure Medical Conditions	Refer to Section 11 for Toxicological Information.None known.			
Aggravated by Exposure:				



MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

Version Number 1.0 Revision Date 04/11/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

Version Number 1.0 Revision Date 04/11/2005 Page 3 of 6 Print Date 11/17/2011

8. H	EXPOSURE	CONTROLS / PERS	ONAL	PROTECTION	N	
Respiratory protection		lo personal respiratory usty conditions occur v				
Eye/Face Protection	: S	afety glasses with side-	-shields.			
Hand protection	: P	rotective gloves. Refer	oment supplier t	o ensure	protection.	
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance wi Vash hands before brea				afety practic
Engineering measures		leat only in areas with a ppropriate exhaust vent			tilation.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure t	ype	List:
Calcium carbonate	5 mg/m3	PEL:		Respirable fra		OSHA Z
	15 mg/m3	PEL:		Total due	st.	OSHA Z
Silica, amorphous,	10 mg/m3	Time Weighted Ave	erage	Dust.		ACGIH
precipitated and gel		(TWA):				0.077.1 7
	5 mg/m3	PEL:		Respirable fra		OSHA Z
	15 mg/m3	PEL:		Total due	st.	OSHA Z
	0.8 mg/m3	Time Weighted Ave (TWA):	erage			Z3
	9. PHYSIC	CAL AND CHEMICA	L PRO	PERTIES		
Form	: Solid	1	Evanor	ation rate	· Not	applicable
Appearance		der, granular		c Gravity:		applicable
Color	: GRE	-	Bulk de			determined
Odor		y faint	Vapor	pressure	: Not	applicable
Melting point/range		determined	-	density		applicable
Boiling Point:		applicable	pН		: Not	applicable
Water solubility	: Insol	uble				
	10. 8	STABILITY AND RE	ACTIV	ITY		
		table.				

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

sion Number 1.0 /ision Date 04/11/2005	Page 4 Print Date 11/17/2
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Keep away from oxidizing agents and open flame.
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

112926-00-8 S p Persistence and degradabi Environmental Toxicity		rphous, 1 and gel 2. ECOLOGICA Not readily bio	Irritant Systemic effects Irritant AL INFORMATION odegradable.	Eyes, Skin. Eyes, Skin, Respiratory system Respiratory system, Eyes.		
Persistence and degradabi Environmental Toxicity	recipitated	and gel	Irritant AL INFORMATION	Respiratory system, Eyes.		
Persistence and degradabi Environmental Toxicity	recipitated	and gel	AL INFORMATION			
Persistence and degradabi Environmental Toxicity	12	2. ECOLOGICA		1		
Environmental Toxicity		Not readily bio		1		
Environmental Toxicity	lity : :	•	odegradable.			
	:	Chemicals are				
Bioaccumulation Potentia		polymer matrix	Is are not readily available as they are bound within the matrix.			
Bioaccumulation Potential : Chemicals are polymer matrix		not readily available as they are bound within the x.				
Additional advice : No data availab			ble			
	1.	3. DISPOSAL (CONSIDERATIONS	1		
Product	:	generator of wa classification, t	aste material has the r	d to disposal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.		
has the response			sibility for proper was accordance with app	e. The generator of waste materia te classification, transportation licable federal, state/provincial		
	1	4. TRANSPOR	TINFORMATION			

PolyOne.

MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

Version Number 1.0	
Revision Date 04/11/2005	

Page 5 of 6 Print Date 11/17/2011

U.S. DOT Classification	:	Not regulated for tran	nsportation.		
ICAO/IATA (air)	:	Refer to specific regu	ilation.		
IMO / IMDG (maritime)	:	Refer to specific regu	llation.		
	15	. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardo	us based on com	ponents.	
TSCA Status	: All components of this product are listed on or exempt from the TSC Inventory.				
US. EPA CERCLA Hazardous	s Sub	stances (40 CFR 302)			
Not applicable					
California Proposition 65	:	This product does no	t contain a substa	ince listed by C	alifornia Prop
Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations:	oxic C	Chemicals:			
-	T.				
National Pollutant Rele	ase Ir	iventory (NPRI)	CAS-No.	Weight %	
Dhith also and a surray				TT CIGIL /0	NPRI ID#
Phthalocyanine green			1328-53-6	40.21	NPRI ID# 71
WHMIS Classification WHMIS Ingredient Dis CAS-No. 1328-53-6		D2B re List	1328-53-6		
WHMIS Classification WHMIS Ingredient Dis CAS-No.			nis product are of	40.21	71

PolyOne

MATERIAL SAFETY DATA SHEET HUNTER GREEN UNIT

Version Number 1.0 Revision Date 04/11/2005 Page 6 of 6 Print Date 11/17/2011

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.