MATERIAL SAFETY DATA SHEET EXPRESS LINE WHITE PET

Version Number 1.1 Revision Date 10/30/2007

Page 1 of 6 Print Date 12/2/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	EXPRESS LINE WHITE PET
Product code	:	CC10068385
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling. 		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **EXPRESS LINE WHITE PET**

Version Number 1.1 Revision Date 10/30/2007 Page 2 of 6 Print Date 12/2/2011

	4. FIRST AID MEAS	SURES
Inhalation		e of accidental inhalation of fumes from ion. When symptoms persist or in all cases of ice.
Ingestion		g without medical advice. When symptoms doubt seek medical advice.
Eyes		a plenty of water, also under the eyelids, for at e irritation persists, seek medical attention.
Skin	Wash off with soap and medical attention.	plenty of water. If skin irritation persists seek
	5. FIRE-FIGHTING M	EASURES
Flash point	Not applicable	
Flammable Limits		
Upper explosion limit	Not applicable	
Lower explosion limit	Not applicable	
Autoignition temperature	Not relevant	
Suitable extinguishing media		, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures		breathing apparatus (SCBA) used in positive worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	Carbon dioxide (CO2),	carbon monoxide (CO), oxides of nitrogen materials, and smoke are all possible.
	CCIDENTAL RELEAS	E MEASURES
Personal precautions	Wear appropriate perso impervious gloves, boo	nal protection during cleanup, such as ts and coveralls.
Environmental precautions		into the environment. The product should not ns, water courses or the soil.
Methods for cleaning up		coop or vacuum. Package all material in etal containers for disposal. Refer to Section 13 or disposal methods.
	7. HANDLING AND S	TORAGE
Handling		ent the build up of electrostatic charge. Heat opriate exhaust ventilation.
Storage	Keep containers dry and	d tightly closed to avoid moisture absorption

PolyOne

MATERIAL SAFETY DATA SHEET EXPRESS LINE WHITE PET

Version Number 1.1 Revision Date 10/30/2007 Page 3 of 6 Print Date 12/2/2011

and contamination. Keep in a dry, cool place.					
8. 1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection		No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.			
Eye/Face Protection	: S	afety glasses			
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	Safety shoes			
General Hygiene Considerations	p	Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.			
Engineering measures		Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	0.8 mg/m3	Time Weighted Average (TWA):		Z3	
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL	
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL	

(TWA): Titanium dioxide 10 mg/m3 Time Weighted Average ACGIH (TWA): 15 mg/m3 PEL: OSHA Z1 Total dust. 10 mg/m3 Time Weighted Average as Ti MX OEL (TWA): 20 mg/m3 Short Term Exposure Limit as Ti MX OEL (STEL):

9. PHYSICAL AND CHEMICAL PROPERTIES

Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Solid
flakes
WHITE
Very faint
Greater than 130 °C
Not applicable
Insoluble

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pH Not applicable
Not determined
Not determined
Not determined
Not determined
Not determined
Not applicable

MATERIAL SAFETY DATA SHEET EXPRESS LINE WHITE PET

Version Number 1.1 Revision Date 10/30/2007

Page 4 of 6 Print Date 12/2/2011

		10	STABILITY AND REACTIVITY	
Sta	ability :	:	Stable.	
На	zardous Polymerization :	:	Will not occur.	
Co	nditions to avoid :	:	To avoid thermal decomposition, do not overheat.	
Inc	compatible Materials :	:	Incompatible with strong acids and oxidizing agents.	
	zardous decomposition : oducts	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral LD50Oral LD50	15,000 mg/kg22,500 mg/kg	mouserat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

PolyOne.

MATERIAL SAFETY DATA SHEET **EXPRESS LINE WHITE PET**

Version Number 1.1 Revision Date 10/30/2007 Page 5 of 6 Print Date 12/2/2011

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Not inherently biodegradable.
Additional advice	: Chemicals are not readily available as they are bound within the polymer matrix.
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

MATERIAL SAFETY DATA SHEET EXPRESS LINE WHITE PET

Version Number 1.1 Revision Date 10/30/2007 Page 6 of 6 Print Date 12/2/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification : D2A

WHMIS Ingredient Disclosure List

CAS-No.	
7631-86-9	

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Not determined
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.