MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0 Revision Date 04/21/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN NO SLIP
Product code	:	CC10068598
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0 Revision Date 04/21/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	at
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.	el
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOr).)
nazarus	(NOx), other hazardous materials, and smoke are all possible.	
	6. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.	ot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material ir plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	-
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption	L

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0 Revision Date 04/21/2005 Page 3 of 6 Print Date 11/17/2011

8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION			
Respiratory protection	: N	o personal respiratory pro	tective equipment nor	rmally r	equired.	
Eye/Face Protection	: S	afety glasses with side-shi	elds.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice	
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure ty	pe	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):		1	ACGIH	
	15 mg/m3	PEL:	Total dust	•	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : GRE : Very : Not o	L Ev ts Sp EN Bu faint Va letermined Va applicable pH	vaporation rate pecific Gravity: alk density apor pressure apour density	: Not : Not : Not : Not	applicable determined established applicable applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not o : Not o : Insol	L Ev ts Sp EN Bu faint Va letermined Va applicable pH	vaporation rate pecific Gravity: alk density apor pressure apour density I	: Not : Not : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : GRE : Very : Not o : Not o : Insol 10. S	l Ev ts Sp EN Bu faint Va determined Va applicable pH uble	vaporation rate pecific Gravity: alk density apor pressure apour density I	: Not : Not : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S : S	l Ev ts Sp EN Bu faint Va determined Va applicable pH uble	vaporation rate pecific Gravity: alk density apor pressure apour density I	: Not : Not : Not : Not	determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : Pelle : GRE : Very : Not c : Not c : Insol 10. S : S n : W : K	l Ev ts Sp EN Bu faint Va letermined Va applicable pH uble TABILITY AND REAC	vaporation rate becific Gravity: alk density apor pressure apour density H CTIVITY agents and open flame	: Not : Not : Not : Not	determined established applicable applicable applicable	



MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0

Revision Date 04/21/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION	I		
Persistence and degrada	bility : Not readily b	iodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Poten		Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: No data avail	lable	hey are bound within the oduct can be recycled. Where sal or incineration. The ponsibility for proper waste sal in accordance with local regulations. The generator of waste materia classification, transportation		
	13. DISPOSAL	CONSIDERATIONS			
Product Contaminated packagin	g : Recycling is has the respo and disposal	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal.			
	14. TRANSPO	RT INFORMATION			
U.S. DOT Classification	n : Not regulated	l for transportation.			
ICAO/IATA (air)	: Refer to spec	ific regulation.	c regulation.		
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.			
	15. REGULAT	ORY INFORMATION	1		

PolyOne.

MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0 Revision Date 04/21/2005			Prin		Page 5 of 6 1/17/2011
US Regulations:					
OSHA Status :	Classified as hazardou	is based on compo	nents.		
TSCA Status :	All components of the Inventory.	s product are listed	on or exemp	ot from the	e TSCA
US. EPA CERCLA Hazardous Sub	stances (40 CFR 302)				
Not applicable					
California Proposition : 65	Not applicable				
SARA Title III Section 302 Extrem Not applicable	ely Hazardous Substand	ce			
SARA Title III Section 313 Toxic O	Chemicals:				
Not applicable Canadian Regulations:					
National Pollutant Release In Chemical Name	nventory (NPRI)	CAS-No.	Weight %	NPRI ID)#
Phthalocyanine blue		147-14-8	0.10	71	
Phthalocyanine green		1328-53-6	2.86	71	
WHMIS Classification :	Not controlled.				
DSL :	All components of th Substances List (DSL		e Canadian	Domestic	
National Inventories:					
Australia AICS :	Listed				
China IECS :	Listed				
Europe EINECS :	Listed				
Japan ENCS :	Listed				
Korea KECI :	Listed				
Philippines PICCS :	Listed				

MATERIAL SAFETY DATA SHEET GREEN NO SLIP

Version Number 1.0 Revision Date 04/21/2005

Page 6 of 6 Print Date 11/17/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.