# POLYONE CORPORATION

## MATERIAL SAFETY DATA SHEET

## BURNT ORANGE

Version Number 1.0 Revision Date 04/18/2005

Page 1 of 6 Print Date 11/17/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BURNT ORANGE
Product code	:	CC10068602
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5
Titanium dioxide	13463-67-7	5 - 10

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

# POLYONE CORPORATION



# MATERIAL SAFETY DATA SHEET BURNT ORANGE

Version Number 1.0 Revision Date 04/18/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive</li> </ul>
Procedures Unusual Fire/Explosion Hazards	<ul> <li>r united soft contained oreating appartials (OCD17) ased in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

**POLYONE CORPORATION** 



# MATERIAL SAFETY DATA SHEET **BURNT ORANGE**

Version Number 1.0 Revision Date 04/18/2005 Page 3 of 6 Print Date 11/17/2011

8. 1	XPOSURE	CONTROLS / PERSON	NAL PROTECTION	I	
Respiratory protection	: N	lo personal respiratory pro	otective equipment no	ormally r	equired.
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before breaks			afety practice
Engineering measures		leat only in areas with app ppropriate exhaust ventila		ilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	ype	List:
Iron oxide	5 mg/m3	Time Weighted Avera (TWA):			ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	ge		ACGIH
	15 mg/m3	PEL:	Total dus	t.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Earne				. N	
Form Appearance	: Solid : Pelle		vaporation rate pecific Gravity:		applicable determined
Color			ulk density		established
	: Very		apor pressure		applicable
Odor			apour density		applicable
Odor Melting point/range	• Not (	applicable p	H		applicable
Melting point/range Boiling Point:	. NOU				
Melting point/range	: Insol				
Melting point/range Boiling Point:	: Insol		CTIVITY		
Melting point/range Boiling Point:	: Insol 10. S	luble	CTIVITY		
Melting point/range Boiling Point: Water solubility	: Insol 10. S : S	uble	CTIVITY		

POLYONE	<b>CORPORATION</b>



## MATERIAL SAFETY DATA SHEET BURNT ORANGE

# Version Number 1.0 Revision Date 04/18/2005

Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

## **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1309-37-1	Iron oxide	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product Contaminated packaging	<ul> <li>Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> <li>Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.</li> </ul>
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.

PolyOne.

# POLYONE CORPORATION

# MATERIAL SAFETY DATA SHEET **BURNT ORANGE**

Version Number 1.0 Revision Date 04/18/2005 Page 5 of 6 Print Date 11/17/2011

US Dogulations:		LATORY INFORMATION	
US Regulations:			
<b>OSHA Status</b>	: Classifi	ed as hazardous based on com	ponents.
TSCA Status	: All con Inventor		ted on or exempt from the TSCA
US. EPA CERCLA Haz	ardous Substances (4	40 CFR 302)	
Not applical	ble		
California Propo 65 SARA Title III Section 3	_		nce listed by California Prop 65
Not applicable	·		
		CAS-No.	Weight %
Chemical Name ZINC COMPOU		68187-51-9	
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name	JNDS	(NPRI) CAS-No.	28.65 Weight % NPRI ID#
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name	JNDS	(NPRI) CAS-No.	28.65
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name	JNDS at Release Inventory ( spinel (C.I. Pigment cation : Not con : All con	(NPRI) (NPRI) CAS-No. Yellow 119) 68187-51-9	28.65Weight %NPRI ID#28.65231
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name Zinc ferrite brown s WHMIS Classifi	JNDS at Release Inventory ( spinel (C.I. Pigment cation : Not con : All con	(NPRI) CAS-No. Yellow 119) 68187-51-9 ntrolled.	28.65Weight %NPRI ID#28.65231
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name Zinc ferrite brown s WHMIS Classifi DSL	JNDS at Release Inventory ( spinel (C.I. Pigment cation : Not con : All con	(NPRI) CAS-No. Yellow 119) 68187-51-9 ntrolled.	28.65Weight %NPRI ID#28.65231
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name Zinc ferrite brown s WHMIS Classifi DSL National Inventories:	JNDS at Release Inventory spinel (C.I. Pigment fecation : Not con : All con Substan	(NPRI) CAS-No. Yellow 119) 68187-51-9 ntrolled.	28.65Weight %NPRI ID#28.65231
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name Zinc ferrite brown s WHMIS Classifi DSL National Inventories: Australia AICS	JNDS at Release Inventory ( spinel (C.I. Pigment) acation : Not con : All con Substan : Listed : Listed	(NPRI) CAS-No. Yellow 119) 68187-51-9 ntrolled.	28.65Weight %NPRI ID#28.65231
ZINC COMPOU Canadian Regulations: National Pollutan Chemical Name Zinc ferrite brown s	JNDS at Release Inventory spinel (C.I. Pigment	(NPRI) (NPRI) CAS-No. Yellow 119) 68187-51-9	28.65 Weight % NPRI



## MATERIAL SAFETY DATA SHEET

## BURNT ORANGE

#### Version Number 1.0 Revision Date 04/18/2005

Page 6 of 6 Print Date 11/17/2011

Philippines PICCS :

#### **16. OTHER INFORMATION**

Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.