MATERIAL SAFETY DATA SHEET BODY DOUBLE GREEN

Version Number 1.0 Revision Date 04/20/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BODY DOUBLE GREEN
Product code	:	CC10068684
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES

PolyOne.

MATERIAL SAFETY DATA SHEET BODY DOUBLE GREEN

sion Date 04/20/2005	Page 2 Print Date 11/17/
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not relevant Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET **BODY DOUBLE GREEN**

Version Number 1.0 Revision Date 04/20/2005 Page 3 of 6 Print Date 11/17/2011

0.1	EXPOSURE	CONTROLS / PERSONA	L PROTECTION	
Respiratory protection		o personal respiratory protect usty conditions occur wear a		
Eye/Face Protection	: 58	afety glasses		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	p	Vash hands and face before b roduct. Handle in accordanc ractice for diagnostics.		
Engineering measures		eat only in areas with appropriate exhaust ventilatio		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):	Total dust. as carbon black	ACGIH
	3.5 mg/m3	PEL:	Total dust. as carbon black	OSHA Z1
			black	
	9. PHYSIO	CAL AND CHEMICAL PR		
		CAL AND CHEMICAL PF	ROPERTIES	
Form	: Solic	l Eva	COPERTIES	applicable
Appearance	: Solic : flake	l Evap s Spec	ROPERTIES poration rate : Not ific Gravity: : Not	determined
Appearance Color	: Solic : flake : GRE	l Evar s Spec EN Bulk	COPERTIES poration rate : Not ific Gravity: : Not density : Not	determined determined
Appearance Color Odor	: Solic : flake : GRE : Very	l Evap s Spec EN Bulk faint Vapo	coration rate : Not ific Gravity: : Not density : Not or pressure : Not	determined determined determined
Appearance Color Odor Melting point/range	: Solic : flake : GRE : Very : Grea	l Evar s Spec EN Bulk faint Vapo ter than 130 °C Vapo	coration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not	determined determined determined determined
Appearance Color Odor	: Solic : flake : GRE : Very : Grea	l Evar s Spec EN Bulk faint Vapo ter than 130 °C Vapo applicable pH	coration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not	determined determined determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a : Insol	l Evar s Spec EN Bulk faint Vapo ter than 130 °C Vapo applicable pH	ROPERTIES poration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined determined determined determined
Appearance Color Odor Melting point/range Boiling Point:	: Solic : flake : GRE : Very : Grea : Not a : Insol 10. S	l Evap s Spec EN Bulk faint Vape ter than 130 °C Vape applicable pH uble	ROPERTIES poration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined determined determined determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : flake : GRE : Very : Grea : Not : : Insol 10. S : S	l Evap s Spec EN Bulk faint Vapo ter than 130 °C Vapo applicable pH uble	ROPERTIES poration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not	determined determined determined determined
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	: Solic : flake : GRE : Very : Grea : Not a : Insol 10. S : S n : W	l Evar s Spec EN Bulk faint Vapo ter than 130 °C Vapo applicable pH uble STABILITY AND REACT table.	ROPERTIES poration rate : Not ific Gravity: : Not density : Not or pressure : Not our density : Not : Not : Not	determined determined determined determined

MATERIAL SAFETY DATA SHEET BODY DOUBLE GREEN

Version Number 1.0 Revision Date 04/20/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Additional Health Hazard Information:

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION Persistence and degradability Not readily biodegradable. : Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** : Not inherently biodegradable. Additional advice : Chemicals are not readily available as they are bound within the polymer matrix. 13. DISPOSAL CONSIDERATIONS Product : Where possible recycling is preferred to disposal or incineration. The

PolyOne.

MATERIAL SAFETY DATA SHEET BODY DOUBLE GREEN

	Print Date 11/17/2011
	generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ex Not applicable	remely Hazardous Substance
SARA Title III Section 313 To	xic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
Not applicable	
WHMIS Classification	

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **BODY DOUBLE GREEN**

Version Number 1.0 Revision Date 04/20/2005 Page 6 of 6 Print Date 11/17/2011

WHMIS Ingredient Disclosure List				
CAS-No. 1333-86-4				
DSL :	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.			
National Inventories:				
Australia AICS :	Listed			
China IECS :	Listed			
Europe EINECS :	: Listed			
Japan ENCS :	Not determined			
Korea KECI :	Not determined			
Philippines PICCS :	Listed			
	16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.