MATERIAL SAFETY DATA SHEET

RED M & M

Version Number 1.0 Revision Date 04/22/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED M & M
Product code	:	CC10068792
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET

RED M & M

Version Number 1.0 Revision Date 04/22/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET

RED M & M

Version Number 1.0 Revision Date 04/22/2005 Page 3 of 6 Print Date 11/17/2011

8. F	XPOSURE	CONTROLS / PERSO	NAL I	PROTECTION		
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment norm	ally r	equired.
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with Vash hands before breaks				afety practice
Engineering measures		leat only in areas with ap ppropriate exhaust ventil			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	<u>,</u>	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera	age		-	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAI	. PRO	PERTIES		
Form	: Solid	1 1	Evapor	ation rate :	Not	applicable
Appearance	: Pelle			c Gravity: :		determined
Color	: RED		Bulk density :		Not established	
Odor	: Very	faint V	Vapor	pressure :	Not	applicable
Melting point/range				density :		applicable
Boiling Point:			Η	:	Not	applicable
Water solubility	: Insol	uble				
	10. S	STABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		eep away from oxidizing ecomposition, do not over		ts and open flame.	To a	void thermal
					ts.	



MATERIAL SAFETY DATA SHEET

RED M & M

Version Number 1.0

Revision Date 04/22/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ			
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	I			
Persistence and degrada	bility : Not readily b	viodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	lable				
	13. DISPOSAL	CONSIDERATIONS				
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r a, transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial			
	14. TRANSPO	ORT INFORMATION				
U.S. DOT Classification	n : Not regulated	d for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime) : Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	V			

PolyOne.

MATERIAL SAFETY DATA SHEET

RED M & M

on Number 1.0 sion Date 04/22/2005	Page Print Date 11/17
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSO Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	
California Proposition 65	: Not applicable
SARA Title III Section 302 Ext Not applicable	remely Hazardous Substance
SARA Title III Section 313 Tox	ic Chemicals:
Not applicable Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI) CAS-No. Weight % NPRI ID#
Aluminum oxide	1344-28-1 0.11 13
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Listed
Korea KECI	: Listed
	. 1:
Philippines PICCS	: Listed

PolyOne

MATERIAL SAFETY DATA SHEET

RED M & M

Version Number 1.0 Revision Date 04/22/2005 Page 6 of 6 Print Date 11/17/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.