MATERIAL SAFETY DATA SHEET

WHITE w/ZINC

Version Number 1.0 Revision Date 04/20/2005 Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	WHITE w/ZINC
Product code	CC10068800
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Zinc stearate	557-05-1	1 - 5
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

WHITE w/ZINC

Version Number 1.0 Revision Date 04/20/2005 Page 2 of 6 Print Date 11/17/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.

PolvOne

MATERIAL SAFETY DATA SHEET

WHITE w/ZINC

Storage

Version Number 1.0 Revision Date 04/20/2005

Page 3 of 6 Print Date 11/17/2011

Not applicable

:

Keep containers dry and tightly closed to avoid moisture absorption : and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as stearates	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate Not applicable : Appearance : Pellets Specific Gravity: Not determined : WHITE Bulk density Not established : : Very faint Vapor pressure Not applicable : : Melting point/range Not determined Vapour density Not applicable : :

: Insoluble **10. STABILITY AND REACTIVITY**

pН

Stability

Boiling Point:

Water solubility

Form

Color

Odor

: Stable.

Not applicable

:



MATERIAL SAFETY DATA SHEET WHITE w/ZINC

Version Number 1.0 Revision Date 04/20/2005

Page 4 of 6 Print Date 11/17/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

C	Themical Name	Route	Value	Species		
7-05-1 Zinc stearate		Oral LD50	> 10 gm/kg	rat		
	12. ECOLOGIO	CAL INFORMAT	ION			
dability						
ty		•	ble as they are bou	nd within the		
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.				
	: No data availa	able				
	13. DISPOSAL	CONSIDERATIO	ONS			
	possible recyc generator of v classification,	cling is preferred to vaste material has t transportation and	o disposal or incine the responsibility for disposal in accord	eration. The or proper waste lance with		
	Zinc st dability ty	Zinc stearate 12. ECOLOGIC dability : Not readily bi ty : Chemicals are polymer matr ential : Chemicals are polymer matr : No data availa : No data availa 13. DISPOSAL : Like most the possible recycl generator of v classification,	Zinc stearate Oral LD50 12. ECOLOGICAL INFORMAT dability : Not readily biodegradable. ty : Chemicals are not readily availa polymer matrix. ential : Chemicals are not readily availa polymer matrix. : No data available 13. DISPOSAL CONSIDERATION : Like most thermoplastic plastics possible recycling is preferred to generator of waste material has to classification, transportation and	Zinc stearate Oral LD50 > 10 gm/kg 12. ECOLOGICAL INFORMATION dability : Not readily biodegradable. ty : Chemicals are not readily available as they are bou polymer matrix. ential : Chemicals are not readily available as they are bou polymer matrix.		



ATERIAL SAFETY DATA SI	HEET				
HITE w/ZINC					
sion Number 1.0 vision Date 04/20/2005				Prir	Page 5 of at Date 11/17/201
Contaminated packaging	:	Recycling is preferred has the responsibility and disposal in accord and local regulations.	for proper waste	classification,	transportation
	1	4. TRANSPORT INF	ORMATION		
U.S. DOT Classification	:	Not regulated for tran	sportation.		
ICAO/IATA (air)	:	Refer to specific regul	ation.		
IMO / IMDG (maritime)	:	Refer to specific regul	ation.		
	15	. REGULATORY IN	FORMATION		
US Regulations:					
OSHA Status	:	Classified as hazardou	is based on comp	oonents.	
TSCA Status	:	All components of the Inventory.	s product are liste	ed on or exemp	pt from the TSCA
US. EPA CERCLA Hazardou	is Subs	stances (40 CFR 302)			
Not applicable					
California Propositior 65	n :	Not applicable			
SARA Title III Section 302 E Not applicable	Extreme	ely Hazardous Substand	ce		
SARA Title III Section 313 T	'oxic C	Chemicals:			
Chemical Name			CAS-No.	Weight	%
ZINC COMPOUNDS	5		557-05-1	4.00	
Canadian Regulations:					
National Pollutant Rel	ease Ir	nventory (NPRI)			
Chemical Name			CAS-No.	Weight %	NPRI ID#
Aluminum oxide Zinc stearate			1344-28-1 557-05-1	0.24 4.00	13 231
/inc staarata			55/U5 I		141



MATERIAL SAFETY DATA SHEET

WHITE w/ZINC

_

Version Number 1.0 Revision Date 04/20/2005 Page 6 of 6 Print Date 11/17/2011

WHMIS C	lassification :	١	Not controlled.	
DSL	:		All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventorie	es:			
Australia A	ICS :		Listed	
China IECS	S :		Listed	
Europe EIN	NECS :		Listed	
Japan ENC	S:		Listed	
Korea KEC	: 12		Listed	
Philippines	PICCS :		Listed	
			16. OTHER INFORMATION	$^{+}$

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.