MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

Version Number 1.2 Revision Date 03/20/2014 Page 1 of 6 Print Date 3/23/2014

1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 1 (440) 930-1000 or 1 (866) POLYONE Telephone : **Emergency telephone** CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure : number or accident). Product name : USA WASTE GREEN WITH UV CC10069254 Product code : Chemical Name Mixture : CAS-No. Mixture : Product Use : Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight percent
1,6-Hexanediamine, N,N'-bis(2,2,6,6- tetramethyl-4-piperidinyl)-,polymer with 2,4,6-trichloro-1,3,5-triazine, reaction products	70624-18-9	5 - 10
Calcium carbonate	1317-65-3	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.

PolyOne.

MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

Version Number 1.2 Revision Date 03/20/2014 Page 2 of 6 Print Date 3/23/2014

Medical Conditions Aggravated by Exposure:	:	None known.
		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIREFIGHTING MEASURES
Flash point	:	not applicable
Flammable Limits		
Upper explosion limit	:	not applicable
Lower explosion limit	:	not applicable
Auto-ignition temperature	:	not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	:	contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal.
		7. HANDLING AND STORAGE

PolyOne.

MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

sion Number 1.2 sion Date 03/20/2014				Print	Page: Date 3/23/		
Handling		Take measures to prevent nly in areas with appropriate the second s			arge. Heat		
Storage		: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.					
8.1	EXPOSURE	CONTROLS/PERSO	NAL PR	OTECTION			
Respiratory protection	: N	lo personal respiratory pi	rotective	equipment normally r	required.		
Eye/Face Protection	: S	afety glasses with side-sl	hields				
Hand protection	: P	rotective gloves					
Skin and body protection	: L	ong sleeved clothing					
Additional Protective Measures	: S	afety shoes					
General Hygiene Considerations		Iandle in accordance with ractice. Wash hands before					
Engineering measures		Ieat only in areas with ap ppropriate exhaust ventil			Provide		
Exposure limit(s)							
Components	Value	Exposure time		Exposure type	List:		
Calcium carbonate	5 mg/m3	PEL:		Respirable fraction.	OSHA Z		
	15 mg/m3	PEL:		Total dust.	OSHA Z		
	10 mg/m3	Time Weighted Avera (TWA):	age		MX OEI		
	20 mg/m3	Short Term Exposure L (STEL):	Limit		MX OEI		
	9. PHYSI	CAL AND CHEMICAI	PROP	ERTIES			
Form	: solid	L F	Tvanour	ation rate : Not	applicable		
Appearance	: pelle		-		determined		
Colour	: GRE		1 2		established		
Odour			Vapour pressure : not applicable				
Melting point/range			Vapour density : not applicable				
Boiling Point:		: not applicable pH		: not a	applicable		
Water solubility	: insol	luble					
	10.5	STABILITY AND REA	CTIVI	ſY			
	10.1						

PolyOne

MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

Version Number 1.2 Revision Date 03/20/2014 Page 4 of 6 Print Date 3/23/2014

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
70624-18-9	1,6-Hexanediamine, N,N'-	Irritant	Eyes, Skin, Respiratory	
	bis(2,2,6,6-tetramethyl-4-		system.	
	piperidinyl)-,polymer with			
	2,4,6-trichloro-1,3,5-			
	triazine, reaction products			
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.	
		Systemic effects	Eyes, Skin, Respiratory	
			system.	

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

[CAS-No.	Chemical Name	Route	Value	Species
	70624-18-9	1,6-Hexanediamine, N,N'-	Oral LD50	> 2,000 mg/kg	rat
		bis(2,2,6,6-tetramethyl-4-	Dermal LD50	> 3,000 mg/kg	rat
		piperidinyl)-,polymer with			
		2,4,6-trichloro-1,3,5-			
		triazine, reaction products			

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	no data available

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

Version Number 1.2 Revision Date 03/20/2014 Page 5 of 6 Print Date 3/23/2014

	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO/IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
not applicable	
California Propositio 65	n : Not applicable
SARA Title III Section 302	Extremely Hazardous Substance
Unless specific chemicals ar	e identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313	Foxic Chemicals:

PolvOne

MATERIAL SAFETY DATA SHEET USA WASTE GREEN WITH UV

Version Number 1.2 Revision Date 03/20/2014 Page 6 of 6 Print Date 3/23/2014

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

Chemical Name			CAS-No.	Weight	NPRI ID#
Phthalocyanine blue			147-14-8	0.10 - 1.00	
Phthalocyanine green			1328-53-6	0.10 - 1.00	
WHMIS Classification	:	D2B			
DSL	:	All component	ts of this product (DSL) or are exe	are on the Canadia empt.	n Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Not determined	l		
Korea KECI	:	Not determined	l		
Philippines PICCS	:	Not determined	l		

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.