MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005

Page 1 of 6 Print Date 11/17/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PURPLE
Product code	:	CC10069551
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Calcium carbonate	1317-65-3	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005 Page 2 of 6 Print Date 11/17/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (ICO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005

Page 3 of 6 Print Date 11/17/2011

8. H	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	No personal respiratory protective equipment normally required.			
Eye/Face Protection	: S	Safety glasses with side-shields.			
Hand protection	: P	Protective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	: Safety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		tion. Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	e List:	
Calcium carbonate	5 mg/m3	PEL:	Respirable fracti		
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	e	ACGIH	
	15 mg/m3	PEL:	Total dust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES		
Form	: Solid	l Fv	aporation rate :	Not applicable	
Appearance	: Pelle		ecific Gravity: :	Not determined	
Color	: PUR		ilk density :	Not established	
Odor	: Very		por pressure :	Not applicable	
Melting point/range			pour density :	Not applicable	
Boiling Point:	: Not a	applicable pH		Not applicable	
Water solubility	: Insoluble				
	10. 5	STABILITY AND REAC	TIVITY		
Stability	: S	table.			
Stability Hazardous Polymerization		table. Vill not occur.			



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005

Page 4 of 6 Print Date 11/17/2011

Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.

ot readily biodegradable. hemicals are not readily available as they are bound within the olymer matrix. hemicals are not readily available as they are bound within the olymer matrix. o data available DISPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations. ecycling is preferred when possible. The generator of waste materia
olymer matrix. hemicals are not readily available as they are bound within the olymer matrix. o data available DISPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations.
o data available DISPOSAL CONSIDERATIONS tike most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations.
DISPOSAL CONSIDERATIONS the most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations.
ike most thermoplastic plastics the product can be recycled. Where ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations.
ossible recycling is preferred to disposal or incineration. The enerator of waste material has the responsibility for proper waste assification, transportation and disposal in accordance with oplicable federal, state/provincial and local regulations.
as the responsibility for proper waste classification, transportation
nd disposal in accordance with applicable federal, state/provincial ad local regulations.
FRANSPORT INFORMATION
ot regulated for transportation.
efer to specific regulation.
c



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005 Page 5 of 6 Print Date 11/17/2011

IMO / IMDG (maritime)	:	Refer to specific regulation.	
	15	5. REGULATORY INFORMATION	
US Regulations:			
OSHA Status	:	Classified as hazardous based on components.	
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.	
US. EPA CERCLA Hazardous	Subs	stances (40 CFR 302)	
Not applicable			
California Proposition 65	:	Not applicable	
SARA Title III Section 302 Extremely Hazardous Substance Not applicable			
SARA Title III Section 313 Toxic Chemicals:			
Not applicable Canadian Regulations:			
National Pollutant Release Inventory (NPRI)			
Not applicable			
WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Listed	
Japan ENCS	:	Listed	
Korea KECI	:	Listed	
Philippines PICCS	:	Listed	



MATERIAL SAFETY DATA SHEET **PURPLE**

Version Number 1.0 Revision Date 05/02/2005 Page 6 of 6 Print Date 11/17/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.