MATERIAL SAFETY DATA SHEET

PG 69832.00 BU PP

Version Number 1.0 Revision Date 05/10/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 69832.00 BU PP
Product code	:	CC10069832
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET **PG 69832.00 BU PP**

Version Number 1.0 Revision Date 05/10/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET PG 69832.00 BU PP

Version Number 1.0 Revision Date 05/10/2005 Page 3 of 6 Print Date 11/18/2011

8. F	XPOSURE	CONTROLS / PERS	ONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory	protecti	ve equipment norm	nally r	equired.
Eye/Face Protection	: S	afety glasses with side-	-shields			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance wi Vash hands before brea				afety practice
Engineering measures		leat only in areas with a ppropriate exhaust vent			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	<u>د</u>	List:
Titanium dioxide	10 mg/m3	Time Weighted Ave (TWA):			-	ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICA	L PRC	DPERTIES		
Form	: Solid	1	Euopo	ration rata i	Not	annliashla
Appearance	: Pelle			ration rate : ic Gravity: :		applicable determined
Color	: BLU		Bulk d			established
Odor	: Very			pressure :		applicable
Melting point/range		determined		r density :		applicable
Boiling Point:		applicable	рН	:		applicable
Water solubility	: Insol		-			-
	10. 8	STABILITY AND RE	ACTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	Vill not occur.				
Conditions to avoid		eep away from oxidizi ecomposition, do not o			To a	void thermal
Conditions to avoid		-				



MATERIAL SAFETY DATA SHEET

PG 69832.00 BU PP

Version Number 1.0 Revision Date 05/10/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No. 13463-67-7	Chemical Name Titanium dioxide	Effect Systemic effects	Target Organ			
13403-07-7	I itanium dioxide	Systemic effects	Respiratory system.			
	12. ECOLOGI	CAL INFORMATION	1			
Persistence and degrada	ability : Not readily b	iodegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.				
Bioaccumulation Poten		Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	: No data avail	able				
	13. DISPOSAL	CONSIDERATIONS	6			
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial			
	14. TRANSPO	RT INFORMATION				
U.S. DOT Classificatio	n : Not regulated	l for transportation.				
ICAO/IATA (air)	: Refer to spec	ific regulation.				
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.				
	15. REGULAT	ORY INFORMATION	N			

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 69832.00 BU PP**

sion Date 05/10/2005			Prin	Page t Date 11/18
US Regulations:				
OSHA Status	: Classified as h	nazardous based on comp	oonents.	
TSCA Status	: All componer Inventory.	nts of this product are list	ed on or exemj	ot from the TS
US. EPA CERCLA Hazardou	s Substances (40 CFF	R 302)		
Not applicable				
California Proposition 65	: Not applicable	e		
SARA Title III Section 302 E Not applicable	stremely Hazardous S	Substance		
SARA Title III Section 313 To	oxic Chemicals:			
Not applicable				
Canadian Regulations:	ase Inventory (NPRI		Weight %	NPRI ID#
Canadian Regulations:	ase Inventory (NPRI	CAS-No.	Weight % 0.31	NPRI ID# 13
Canadian Regulations: National Pollutant Rele Chemical Name	ease Inventory (NPRI	CAS-No.		
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide		CAS-No. 1344-28-1 1328-53-6	0.31	13
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green	: Not controllec	CAS-No. 1344-28-1 1328-53-6	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification	: Not controllec	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL	: Not controllec	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories:	 Not controllect All component Substances Li 	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS	 Not controllect All component Substances Li Listed 	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS	 Not controllect All component Substances Li Listed Listed 	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	 Not controllect All component Substances Li Listed Listed Listed Listed 	CAS-No. 1344-28-1 1328-53-6 d. nts of this product are on	0.31 0.14	13 71

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **PG 69832.00 BU PP**

Version Number 1.0 Revision Date 05/10/2005

Page 6 of 6 Print Date 11/18/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.