MATERIAL SAFETY DATA SHEET

GREEN #86 VER 2

Version Number 1.0 Revision Date 05/24/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN #86 VER 2
Product code	:	CC10070488
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET GREEN #86 VER 2

Version Number 1.0 Revision Date 05/24/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET GREEN #86 VER 2

Version Number 1.0 Revision Date 05/24/2005 Page 3 of 6 Print Date 11/18/2011

0 E	VDOGIDE	CONTROLS / PERSONAL	PROTECTION		
ð. E	APUSUKE	CUNTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.	
Eye/Face Protection	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with good Vash hands before breaks and		afety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Mica	20 mppcf	PEL:	Total dust.	OSHA	
				OSIIA	
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH	
		•	Respirable fraction.		
	9. PHYSIC : Solic	(TWA): CAL AND CHEMICAL PRO	Respirable fraction. DPERTIES ration rate : Not	ACGIH	
Form Appearance	9. PHYSIC : Solic : Pelle	(TWA): CAL AND CHEMICAL PRO L Evapo ts Specifi	Respirable fraction. DPERTIES oration rate : Not Sic Gravity: : Not	ACGIH applicable determined	
Appearance Color	9. PHYSIC : Solic : Pelle : GRE	(TWA): CAL AND CHEMICAL PRO Evapo ts Specifi EN Bulk of	Respirable fraction. DPERTIES ration rate : Not ic Gravity: : Not lensity : Not	ACGIH applicable determined established	
Appearance Color Odor	9. PHYSIC : Solic : Pelle : GRE : Very	(TWA): CAL AND CHEMICAL PRO L Evaports Specifi EN Bulk of faint Vapor	Respirable fraction. OPERTIES ration rate : Not ic Gravity: : Not lensity : Not pressure : Not	ACGIH applicable determined established applicable	
Appearance Color Odor Melting point/range	9. PHYSIC : Solic : Pelle : GRE : Very : Not of	(TWA): CAL AND CHEMICAL PRO L Evapor ts Specific EN Bulk of faint Vapor determined Vapor	Respirable fraction. OPERTIES oration rate : Not The construction of th	ACGIH applicable determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC : Solic : Pelle : GRE : Very : Not of	(TWA): CAL AND CHEMICAL PRO L Evapore ts Specific EN Bulk of faint Vapore determined Vapore applicable pH	Respirable fraction. OPERTIES oration rate : Not The construction of th	ACGIH applicable determined established applicable	
Appearance Color Odor Melting point/range Boiling Point:	9. PHYSIC Solid Pelle GRE Very Not a Insol	(TWA): CAL AND CHEMICAL PRO L Evapore ts Specific EN Bulk of faint Vapore determined Vapore applicable pH	Respirable fraction. OPERTIES aration rate : Not The construction rate : Not aration rate : Not bration rate : Not construction rate : Not	ACGIH applicable determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S	(TWA): CAL AND CHEMICAL PRO EXAMPLE AND CHEMICAL PRO Example Specification Specification EN Bulk of faint Vapor determined Vapor applicable pH uble	Respirable fraction. OPERTIES aration rate : Not The construction rate : Not aration rate : Not bration rate : Not construction rate : Not	ACGIH applicable determined established applicable applicable	
Appearance Color	9. PHYSIC : Solic : Pelle : GRE : Very : Not c : Not a : Insol 10. S : S	(TWA): CAL AND CHEMICAL PRO L Evapor ts Specific EN Bulk of faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIV	Respirable fraction. OPERTIES aration rate : Not The construction rate : Not aration rate : Not bration rate : Not construction rate : Not	ACGIH applicable determined established applicable applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	9. PHYSIC : Solic : Pelle : GRE : Very : Not a : Not a : Insol 10. S : S 1 : W : K	(TWA): CAL AND CHEMICAL PRO L Evapor ts Specifi EN Bulk of faint Vapor determined Vapor applicable pH uble CTABILITY AND REACTIV table.	Respirable fraction. OPERTIES oration rate : Not Tic Gravity: : Not ic Gravity: : Not pressure : Not or density : Not vir density : Not vir the sand open flame. To a	ACGIH applicable determined established applicable applicable	



MATERIAL SAFETY DATA SHEET

GREEN #86 VER 2

Version Number 1.0 Revision Date 05/24/2005

Page 4 of 6 Print Date <u>11/</u>18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
12001-26-2	Mica	Systemic effects	Respiratory system.		
	12. ECOLOGI	CAL INFORMATION			
Persistence and degrada	ability : Not readily l	biodegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Poten		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice	: No data avai	: No data available			
	13. DISPOSAI	CONSIDERATIONS			
Product Contaminated packagin	possible rec generator of classification applicable fe ig : Recycling is has the respo and disposal	 Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. 			
	14. TRANSPO	DRT INFORMATION			
U.S. DOT Classificatio	n : Not regulate	d for transportation.			
ICAO/IATA (air)	: Refer to spec	cific regulation.			
IMO / IMDG (maritime	e) : Refer to spec	cific regulation.			
	15. REGULAT	ORY INFORMATION	1		

PolyOne.

MATERIAL SAFETY DATA SHEET GREEN #86 VER 2

GREEN #00 VER Z		
/ersion Number 1.0 Revision Date 05/24/2005		Page 5 of Print Date 11/18/201
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Sub	ostances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 Ext Not applicable	rem	nely Hazardous Substance
SARA Title III Section 313 Tox	kic (Chemicals:
Not applicable Canadian Regulations:		
National Pollutant Relea	se I	Inventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION



MATERIAL SAFETY DATA SHEET GREEN #86 VER 2

Version Number 1.0 Revision Date 05/24/2005

Page 6 of 6 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.