MATERIAL SAFETY DATA SHEET

BRT. YELLOW w/SLIP

Version Number 1.0 Revision Date 05/27/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BRT. YELLOW w/SLIP
Product code	:	CC10070708
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET BRT. YELLOW w/SLIP

Version Number 1.0 Revision Date 05/27/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET **BRT. YELLOW w/SLIP**

Version Number 1.0 Revision Date 05/27/2005 Page 3 of 6 Print Date 11/18/2011

8. E	<u>EXPOSURE</u>	CONTROLS / PERSO	NAL I	PROTECTION		
Respiratory protection	: N	o personal respiratory pr	rotectiv	e equipment norm	ally r	equired.
Eye/Face Protection	: S	afety glasses with side-sl	hields.			
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with ash hands before breaks				afety practice
Engineering measures		eat only in areas with ap opropriate exhaust ventil			tion.	Provide
Exposure limit(s)						
Components	Value	Exposure time		Exposure type	<u>,</u>	List:
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):	age			ACGIH
	15 mg/m3	PEL:		Total dust.		OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PRO	PERTIES		
Form	: Solid	I F	Evapor	ation rate :	Not	applicable
Appearance	: Pelle			c Gravity: :		determined
Color		LOW B	Bulk de	•	Not	established
Odor	: Very	faint V	Vapor p	pressure :	Not	applicable
Melting point/range			Vapour	density :		applicable
Boiling Point:			эΗ	:	Not	applicable
Water solubility	: Insol	uble				
	10. 8	TABILITY AND REA	CTIV	ITY		
Stability	: S	table.				
Hazardous Polymerization	n : W	/ill not occur.				
		eep away from oxidizing ecomposition, do not over		s and open flame.	To a	void thermal
Conditions to avoid	d					



MATERIAL SAFETY DATA SHEET BRT. YELLOW w/SLIP

Version Number 1.0

Revision Date 05/27/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	1
Persistence and degrada	bility : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals are polymer matr		as they are bound within the
Bioaccumulation Poten	tial : Chemicals are polymer matrix		as they are bound within the
Additional advice	: No data avail	able	
	13. DISPOSAL	CONSIDERATIONS	5
Product Contaminated packagin	g : Recycling is possible recycling is possible recycling is possible fea	cling is preferred to dis waste material has the r , transportation and dis deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classification	n : Not regulated	l for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULATO	DRY INFORMATION	Ň

PolyOne.

MATERIAL SAFETY DATA SHEET BRT. YELLOW w/SLIP

sion Date 05/27/2005			Pr	Page int Date 11/18
US Regulations:				
OSHA Status	: Classified as h	azardous based or	n components.	
TSCA Status	: All componen Inventory.	ts of this product a	are listed on or exer	npt from the TS
US. EPA CERCLA Hazardou	s Substances (40 CFR	302)		
Not applicable				
California Proposition 65	: Not applicable			
SARA Title III Section 302 E Not applicable	xtremely Hazardous S	bubstance		
SARA Title III Section 313 To Not applicable Canadian Regulations:	oxic Chemicals:			
Not applicable Canadian Regulations: National Pollutant Rele			Weight %	NPRI ID#
Not applicable Canadian Regulations:) CAS-No. 1344-28-1	Weight % 0.10 - 1.00	NPRI ID# 13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name	ease Inventory (NPRI)	CAS-No. 1344-28-1		
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide	ease Inventory (NPRI)	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL	ease Inventory (NPRI)	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification	ease Inventory (NPRI)	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> Aluminum oxide WHMIS Classification DSL National Inventories:	ease Inventory (NPRI) n : Not controlled : All componer Substances Lis	CAS-No. 1344-28-1 .ts of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL National Inventories: Australia AICS	ease Inventory (NPRI) n : Not controlled : All componer Substances Lis : Listed	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL National Inventories: Australia AICS China IECS	ase Inventory (NPRI)	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	n : Not controlled All componen Substances Lis : Listed : Listed : Not determine	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13

PolyOne.

MATERIAL SAFETY DATA SHEET **BRT. YELLOW w/SLIP**

Version Number 1.0 Revision Date 05/27/2005 Page 6 of 6 Print Date 11/18/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.