MATERIAL SAFETY DATA SHEET

BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

osure

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Zinc stearate	557-05-1	1 - 5
Calcium carbonate	1317-65-3	10 - 30
Silica, amorphous	7631-86-9	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005 Page 2 of 6 Print Date 11/18/2011

Aggravated by Exposure:						
	4. FIRST AID MEASURES					
Inhalation	on : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.					
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.					
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.					
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.					
	5. FIRE-FIGHTING MEASURES					
Flash point	: Not applicable					
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 					
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. 					
	6. ACCIDENTAL RELEASE MEASURES					
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.					
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.					
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.					
	7. HANDLING AND STORAGE					
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.					

MATERIAL SAFETY DATA SHEET BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005 Page 3 of 6 Print Date 11/18/2011

Storage

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	:	No personal respiratory protective equipment normally required.
Eye/Face Protection	:	Safety glasses with side-shields.
Hand protection	:	Protective gloves.
Skin and body protection	:	Long sleeved clothing.
Additional Protective Measures	:	Safety shoes.
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA
	20 mppcf	PEL:	Total dust.	Z3
	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	0.8 mg/m3	Time Weighted Average		Z3
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
Zinc stearate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average	as stearates	ACGIH
		(TWA):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range
- Solid
 Pellets
 BLUE
 Very faint
 Not determined
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density
- Not applicable
 Not determined
 Not established
 Not applicable
 Not applicable



MATERIAL SAFETY DATA SHEET

BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005 Page 4 of 6 Print Date 11/18/2011

Boiling Point: Water solubility	: Not applicable pH : Not applicable : Insoluble	е
	10. STABILITY AND REACTIVITY	
Stability	: Stable.	
Hazardous Polymerization	: Will not occur.	
Conditions to avoid	: Keep away from oxidizing agents and open flame. To avoid therm decomposition, do not overheat.	nal
Incompatible Materials	: Incompatible with strong acids and oxidizing agents.	
Hazardous decomposition products	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	l

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
557-05-1	Zinc stearate	Systemic effects	Eyes, Skin, Respiratory system.
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	0	Chemical Name		Route	Value	Species
557-05-1	Zinc st	Zinc stearate		Oral LD50	> 10 gm/kg	rat
		12. EC	OLOGICA	L INFORMATI	ON	
Persistence and degr	radability	: Not	readily bioc	legradable.		
Environmental Toxi	city		micals are n mer matrix.	•	le as they are bour	nd within the
Bioaccumulation Po	otential		micals are n mer matrix.	•	le as they are bour	nd within the
Additional advice		: No o	lata availab	le		



MATERIAL SAFETY DATA SHEET
BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005 Page 5 of 6 Print Date 11/18/2011

Decile	. T . 1	· · · · · 1 · · · · · · · · · · · · · ·	1 1
Product	possible recycling is	preferred to dispose	duct can be recycled. Where al or incineration. The
			onsibility for proper waste
	classification, transpo applicable federal, st		
Contraction 1 and 1 and 1		-	-
Contaminated packaging			he generator of waste materi assification, transportation
			ole federal, state/provincial
	and local regulations		
	14. TRANSPORT INI	FORMATION	
U.S. DOT Classification	: Not regulated for trai	asportation	
	-	-	
ICAO/IATA (air)	: Refer to specific regu	ilation.	
IMO / IMDG (maritime)	: Refer to specific regu	ilation.	
	15. REGULATORY IN	FORMATION	
US Regulations:			
OSHA Status	: Classified as hazardo	ous based on compo	nents.
TSCA Status	: All components of th Inventory.	his product are listed	l on or exempt from the TSC
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)		
Not applicable			
California Propositio 65	n : Not applicable		
SARA Title III Section 302 I	Extremely Hazardous Substar	ice	
Not applicable			
SARA Title III Section 313	Foxic Chemicals:		
Chemical Name ZINC COMPOUNDS		CAS-No. 557-05-1	Weight % 1.00 - 5.00
LINC COMPOUNDS		557-05-1	1.00 - 5.00

5/6

PolyOne

MATERIAL SAFETY DATA SHEET BLUE REWORK

Version Number 1.0 Revision Date 06/01/2005

Page 6 of 6 Print Date 11/18/2011

Canadian Regulations:

Chemical Name			CAS-No.	Weight %	NPRI ID#
Phthalocyanine blue			147-14-8	0.10 - 1.00	71
Zinc stearate			557-05-1	1.00 - 5.00	231
WHMIS Classification	:	Not controlled.			
DSL	:	All components Substances List		are on the Canadian empt.	n Domestic
ational Inventories:					
Australia AICS	:	Listed			
China IECS	:	Listed			
Europe EINECS	:	Listed			
Japan ENCS	:	Listed			
Korea KECI	:	Listed			
Philippines PICCS	:	Listed			

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.