## MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

Version Number 1.0 Revision Date 06/01/2005

Page 1 of 6 Print Date 11/18/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	10038624 TRSL SEAFOAM GREEN
Product code	:	CC10070944
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
C.I. Pigment Yellow 157	68610-24-2	10 - 30

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne

# MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

Version Number 1.0 Revision Date 06/01/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> </ul>
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

# MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

Version Number 1.0 Revision Date 06/01/2005 Page 3 of 6 Print Date 11/18/2011

8. E	XPOSURE	CONTROLS / PERSON	AL PROTECTION		
Respiratory protection	: N	o personal respiratory prot	ective equipment normally	required.	
Eye/Face Protection	: S	: Safety glasses with side-shields.			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with g Vash hands before breaks a	ood industrial hygiene and s nd at the end of workday.	safety practice	
Engineering measures	ngineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
C.I. Pigment Yellow 157	1 mg/m3	PEL:	as Ni	OSHA Z1	
	0.2 mg/m3	Time Weighted Averag (TWA):	e Inhalable fraction. as Ni	ACGIH	
	9. PHYSIC	CAL AND CHEMICAL F	PROPERTIES		
_					
Form	: Solic			t applicable	
Appearance Color	: Pelle : GRE	1	5	t determined t established	
Odor			2		
Melting point/range	: Very			t applicable	
Boiling Point:		applicable pH		t applicable t applicable	
Water solubility	: Insol		. 110	applicable	
mater solubility	. 111301	4010			
	10. 8	STABILITY AND REAC	TIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
Conditions to avoid		eep away from oxidizing a ecomposition, do not overl	agents and open flame. To a neat.	avoid thermal	

## MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

#### Version Number 1.0 Revision Date 06/01/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
68610-24-2	C.I. Pigment Yellow 157	Irritant	Eyes, Skin.
		sensitizer	Skin.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
68610-24-2	C.I. Pigment Yellow 157	no	1	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### Additional Health Hazard Information:

C.I. Pigment Yellow 157 68610-24-2 Skin sensitizer "nickel itch", with pulmonary, brain, liver, kidney andmuscle effects.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
<b>Bioaccumulation Potential</b>	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available

#### **13. DISPOSAL CONSIDERATIONS**

PolyOne.

## MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

sion Number 1.0 ision Date 06/01/2005			Page 5 Print Date 11/18/20
Product	possible recycling is generator of waste r classification, transp	s preferred to disposal	
Contaminated packaging	has the responsibilit	y for proper waste cla ordance with applicable	e generator of waste material assification, transportation le federal, state/provincial
	14. TRANSPORT IN	FORMATION	
U.S. DOT Classification	: Not regulated for tra	ansportation	
ICAO/IATA (air)	: Refer to specific reg		
IMO / IMDG (maritime)	: Refer to specific reg	gulation.	
	15. REGULATORY I	NFORMATION	
US Regulations:			
OSHA Status	: Classified as hazard	ous based on compon	ents.
TSCA Status	: All components of Inventory.	this product are listed	on or exempt from the TSCA
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)	)	
Not applicable			
California Proposition 65	n : WARNING! This j California to cause		emical known to the State of
SARA Title III Section 302 I Not applicable	Extremely Hazardous Substa	nce	
SARA Title III Section 313	Foxic Chemicals:		
Chemical Name		CAS-No.	Weight %
BARIUM COMPOUNDS COMPOUNDSBARIUM BASO4]		68610-24-2	10.00 - 30.00

# MATERIAL SAFETY DATA SHEET 10038624 TRSL SEAFOAM GREEN

Version Number 1.0 Revision Date 06/01/2005 Page 6 of 6 Print Date 11/18/2011

Canadian Regulations:

Chemical Name	CAS-No.	Weight %	NPRI ID#
C.I. Pigment Yellow 157	68610-24-2	10.00 - 30.00	168
Phthalocyanine green	1328-53-6	0.10 - 1.00	71

WHMIS Classification : D2A WHMIS Ingredient Disclosure List

CAS-No.
68610-24-2

:

DSL

All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

	16. OTHER INFORMATION	
Philippines PICCS	: Not determined	
Korea KECI	: Listed	
Japan ENCS	: Not determined	
Europe EINECS	: Listed	
China IECS	: Listed	
Australia AICS	: Listed	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.