MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

Version Number 1.0 Revision Date 06/01/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	42S16479CMB I/M PINK
Product code	:	CC10070947
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

Version Number 1.0 Revision Date 06/01/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

Version Number 1.0 Revision Date 06/01/2005 Page 3 of 6 Print Date 11/18/2011

8. F	XPOSURE	CONTROLS / PERSO	DNAL]	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	rotectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-s	hields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with Vash hands before break			safety practice
Engineering measures		leat only in areas with appropriate exhaust venti			. Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age	2.19000100990	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9 PHYSIC	CAL AND CHEMICAI		PERTIES	
Form	: Solic				t applicable t determined
Appearance Color	: Pelle : RED		Specifi Bulk de	2	ot determined
Odor	: Very				t applicable
Melting point/range					t applicable
Boiling Point:			рН		t applicable
Water solubility	: Insol	11	L		11
	10. 8	STABILITY AND REA	CTIV	ITY	
Stability	: S	table.			
	n : W	Vill not occur.			
Hazardous Polymerization		leep away from oxidizin		ts and open flame. To	avoid thermal
Hazardous Polymerization		ecomposition, do not ov	erheat.		

PolyOne

MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

Version Number 1.0

Revision Date 06/01/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGI	CAL INFORMATION	I
Persistence and degrada	bility : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals ar polymer mat		as they are bound within the
Bioaccumulation Poten	tial : Chemicals ar polymer mat		as they are bound within the
Additional advice	: No data avai	lable	
	13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packagin	g : Recycling is has the respo	cling is preferred to dis waste material has the r i, transportation and disp deral, state/provincial a preferred when possible nsibility for proper was in accordance with app	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. e. The generator of waste materia te classification, transportation licable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
U.S. DOT Classification	n : Not regulated	l for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULAT	ORY INFORMATION	1

PolyOne.

MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

sion Date 06/01/2005					Print Date	Page 9 11/18
US Regulations:						
OSHA Status	: 0	Classified as ha	azardous based or	n components.		
TSCA Status		All component	ts of this product a	are listed on or e	exempt from	the TSC
US. EPA CERCLA Hazardou	ıs Substa	nces (40 CFR	302)			
Not applicable						
California Proposition 65	1 : N	Not applicable				
SARA Title III Section 302 E Not applicable	xtremely	y Hazardous S	ubstance			
Not applicable						
Not applicable Canadian Regulations: National Pollutant Rele	ease Inve	entory (NPRI)				
Canadian Regulations: National Pollutant Rele Chemical Name	ease Inve	entory (NPRI)	CAS-No.	Weight %		I ID#
Canadian Regulations: National Pollutant Rele	ease Inve	entory (NPRI)		Weight % 0.10 - 1.00		I ID#
Canadian Regulations: National Pollutant Rele Chemical Name		entory (NPRI)	CAS-No. 1344-28-1			I ID#
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide	n : N : 2	Not controlled.	CAS-No. 1344-28-1	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification	n : N : 2	Not controlled.	CAS-No. 1344-28-1 ts of this product	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL	n : N : 4 S	Not controlled.	CAS-No. 1344-28-1 ts of this product	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories:	n : N : 2 S	Not controlled. All componen Substances Lis	CAS-No. 1344-28-1 ts of this product	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS	n : N : 2 : 3 : 1 : 1	Not controlled. All componen Substances Lis Listed	CAS-No. 1344-28-1 ts of this product	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS	n : N : 2 S : 1 : 1	Not controlled. All componen Substances Lis Listed Listed	CAS-No. 1344-28-1 ts of this product t (DSL) or are exc	0.10 - 1.00 are on the Cana) 13	
Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	n : N : 2 S : 1 : 1 : 1 : 1 : 1	Not controlled. All componen Substances Lis Listed Listed Listed	CAS-No. 1344-28-1 ts of this product t (DSL) or are exc	0.10 - 1.00 are on the Cana) 13	

PolyOne.

MATERIAL SAFETY DATA SHEET 42S16479CMB I/M PINK

Version Number 1.0 Revision Date 06/01/2005 Page 6 of 6 Print Date 11/18/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.