MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	SARA LEE BURGUNDY #70772
Product code :	CC10071164
Chemical Name :	Mixture
CAS-No.	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	1 - 5
Silica, amorphous	7631-86-9	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne

MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 3 of 6 Print Date 11/18/2011

8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTION	I	
Respiratory protection	: N	o personal respiratory pro	otective equipment no	ormally r	equired.
Eye/Face Protection	: S	afety glasses with side-sh	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with Vash hands before breaks			afety practic
Engineering measures		eat only in areas with app ppropriate exhaust ventila		tilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	vpe	List:
Silica, amorphous	20 mppcf	PEL:	Total dus	· 1	OSHA
	20 mppcf	PEL:	Total dus	st.	Z3
	10 mg/m3	Time Weighted Average (TWA):	ge		ACGIH
	0.8 mg/m3	Time Weighted Average (TWA):	ge		Z3
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):	ge		ACGIH
	15 mg/m3	PEL:	Total dus	st.	OSHA Z
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid		vaporation rate	· Not	applicable
Appearance	: Pelle		pecific Gravity:		determined
Color	: BRO		ulk density		established
Odor			apor pressure		applicable
Melting point/range			apour density		applicable
Boiling Point:		applicable pl	H		applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REAC	CTIVITY		
Stability	: S	table.			
-					

PolyOne

MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 4 of 6 Print Date 11/18/2011

Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION

PolyOne

MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 5 of 6 Print Date 11/18/2011

ICAO/IATA (air)	:	Refer to specifi	c regulation.		
IMO / IMDG (maritime)	:	Refer to specifi	c regulation.		
	15.	REGULATOR	RY INFORMAT	ION	
US Regulations:					
OSHA Status	:	Classified as ha	zardous based or	n components.	
TSCA Status	:	All component Inventory.	s of this product a	are listed on or exer	mpt from the TSC
US. EPA CERCLA Hazardou	is Subs	tances (40 CFR	302)		
Not applicable					
California Proposition	1 :	Not applicable			
65 SARA Title III Section 302 E Not applicable	txtreme	ely Hazardous Su	ubstance		
SARA Title III Section 302 E			lbstance		
SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: National Pollutant Rele	`oxic Cl	hemicals:		Weight %	NDD1 ID#
SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations:	`oxic Cl	hemicals:	Ubstance CAS-No. 147-14-8	Weight % 1.00 - 5.00	NPRI ID# 71
SARA Title III Section 302 E Not applicable SARA Title III Section 313 T Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u>	°oxic Cl ease In	hemicals: ventory (NPRI) Not controlled. All component	CAS-No. 147-14-8	1.00 - 5.00 are on the Canadia	71



MATERIAL SAFETY DATA SHEET SARA LEE BURGUNDY #70772

Version Number 1.0 Revision Date 06/10/2005 Page 6 of 6 Print Date 11/18/2011

Japan ENCS : Listed

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.