## MATERIAL SAFETY DATA SHEET

## PG 71189.00 PU PE

Version Number 1.0 Revision Date 06/07/2005

Page 1 of 6 Print Date 11/18/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PG 71189.00 PU PE
Product code	:	CC10071189
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



# MATERIAL SAFETY DATA SHEET **PG 71189.00 PU PE**

Version Number 1.0 Revision Date 06/07/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards Personal precautions	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> <li>6. ACCIDENTAL RELEASE MEASURES</li> <li>Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.</li> </ul>
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

## MATERIAL SAFETY DATA SHEET PG 71189.00 PU PE

Version Number 1.0 Revision Date 06/07/2005 Page 3 of 6 Print Date 11/18/2011

8. 1	XPOSURE	CONTROLS / PERSO	DNAL I	PROTECTION	
Respiratory protection	: N	lo personal respiratory p	orotectiv	ve equipment normally	required.
Eye/Face Protection	: S	afety glasses with side-s	shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance wit Vash hands before break			safety practice
Engineering measures		leat only in areas with a ppropriate exhaust venti			Provide
Exposure limit(s)					
Components	Value	Exposure time		Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	rage	Exposule type	ACGIH
	15 mg/m3	PEL:		Total dust.	OSHA Z1
	9 PHVSI	CAL AND CHEMICA	I PRO	PFRTIFS	
	<i>)</i> , i ii i ji				
Form	: Solid				t applicable
Appearance	: Pelle			•	t determined
Color Odor	: PUR		Bulk de		t established
	: Very				t applicable t applicable
Melting point/range Boiling Point:			vapou pH		t applicable
Water solubility	: Insol		h.,	. 140	
	10. 8	STABILITY AND REA	ACTIV	ITY	
Stability	: S	table.			
Hazardous Polymerization	n : W	Vill not occur.			
Conditions to avoid		eep away from oxidizin	0 0	1	avoid thermal



## MATERIAL SAFETY DATA SHEET

# PG 71189.00 PU PE

Version Number 1.0 Revision Date 06/07/2005 Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### 11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
	12. ECOLOGIO	CAL INFORMATION	
Persistence and degrada	bility : Not readily b	iodegradable.	
Environmental Toxicity	Chemicals ar polymer matr		s they are bound within the
Bioaccumulation Poten	tial : Chemicals ar polymer mati		s they are bound within the
Additional advice	: No data avail	able	
	13. DISPOSAL	CONSIDERATIONS	
Product Contaminated packagin	g : Recycling is possible recy generator of v classification applicable fea	cling is preferred to dis waste material has the r , transportation and disp deral, state/provincial an preferred when possible nsibility for proper was in accordance with appl	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. . The generator of waste materia te classification, transportation icable federal, state/provincial
	14. TRANSPO	RT INFORMATION	
	N. (	1.6	
U.S. DOT Classification	n : Not regulated	l for transportation.	
ICAO/IATA (air)	: Refer to spec	ific regulation.	
IMO / IMDG (maritime	e) : Refer to spec	ific regulation.	
	15. REGULATO	ORY INFORMATION	I

PolyOne.

## MATERIAL SAFETY DATA SHEET PG 71189.00 PU PE

on Number 1.0 ion Date 06/07/2005			P	Page rint Date 11/1
JS Regulations:				
OSHA Status	: Classified as	hazardous based or	n components.	
TSCA Status	: All compone Inventory.	ents of this product a	are listed on or exe	mpt from the TS
JS. EPA CERCLA Hazardou	s Substances (40 CF	FR 302)		
Not applicable				
California Proposition 65	: Not applicab	le		
ARA Title III Section 302 E Not applicable	xtremely Hazardous	Substance		
ARA Title III Section 313 T Not applicable Canadian Regulations:	oxic Chemicals:			
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name		CAS-No.	Weight %	NPRI ID#
Not applicable Canadian Regulations: National Pollutant Rele			Weight % 0.10 - 1.00	NPRI ID# 13
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name	ease Inventory (NPR	CAS-No. 1344-28-1		
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide	ease Inventory (NPR	CAS-No. 1344-28-1	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification	ease Inventory (NPR	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL	ease Inventory (NPR	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL Vational Inventories:	n : Not controlle All compone Substances L	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> <u>Aluminum oxide</u> WHMIS Classification DSL Jational Inventories: Australia AICS	ease Inventory (NPR n : Not controlle : All compone Substances I : Listed	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL Vational Inventories: Australia AICS China IECS	ease Inventory (NPR n : Not controlle : All compone Substances I : Listed : Listed	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13
Not applicable Canadian Regulations: <u>National Pollutant Rele</u> Chemical Name Aluminum oxide WHMIS Classification DSL Jational Inventories: Australia AICS China IECS Europe EINECS	n : Not controlle All compone Substances L : Listed : Listed : Listed	CAS-No. 1344-28-1 ed. ents of this product	0.10 - 1.00 are on the Canadia	13

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 71189.00 PU PE** 

Version Number 1.0 Revision Date 06/07/2005

Page 6 of 6 Print Date 11/18/2011

#### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.