MATERIAL SAFETY DATA SHEET

RED 200C PP

Version Number 1.0 Revision Date 06/13/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED 200C PP
Product code	:	CC10071211
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **RED 200C PP**

Version Number 1.0 Revision Date 06/13/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
Unusual Fire/Explosion Hazards	 contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **RED 200C PP**

Version Number 1.0 Revision Date 06/13/2005 Page 3 of 6 Print Date 11/18/2011

8. H	XPOSURE	CONTROLS / PERSO	NAL PROTECTIO	N		
Respiratory protection	: N	o personal respiratory pr	otective equipment r	normally r	equired.	
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure	type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Avera (TWA):			ACGIH	
	15 mg/m3	PEL:	Total du	ust.	OSHA Z1	
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES			
Form	: Solid	I F	Evaporation rate	· Not	applicable	
Appearance	: Pelle		pecific Gravity:		determined	
Color	: RED		Bulk density :		Not established	
Odor	: Very		apor pressure		applicable	
Melting point/range			Vapour density : Not applicable			
Boiling Point:	: Not a	applicable p	H		applicable	
Water solubility	: Insol	uble				
	10. 8	STABILITY AND REA	CTIVITY			
Stability	: S	table.				
Hazardous Polymerization	n : W	/ill not occur.				
		eep away from oxidizing ecomposition, do not ove		me. To a	void thermal	
Conditions to avoid	u					



MATERIAL SAFETY DATA SHEET

RED 200C PP

Version Number 1.0 Revision Date 06/13/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.		
	12. ECOLOGIC	AL INFORMATION	I		
Persistence and degrada	bility : Not readily bi	odegradable.			
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.			
Bioaccumulation Potent		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice : No data available					
	13. DISPOSAL	CONSIDERATIONS			
Product	possible recyc generator of v classification, applicable fed	ling is preferred to dis vaste material has the r transportation and dis eral, state/provincial a	C C		
Contaminated packagin	has the respor and disposal i	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincia and local regulations.			
	14. TRANSPOL	RT INFORMATION			
U.S. DOT Classification	n : Not regulated	for transportation.			
ICAO/IATA (air)	: Refer to speci	fic regulation.			
IMO / IMDG (maritime) : Refer to speci	fic regulation.			
	15. REGULATO	ORY INFORMATION	1		

PolyOne.

MATERIAL SAFETY DATA SHEET **RED 200C PP**

/ersion Number 1.0 Revision Date 06/13/2005			Print Date	Page 5 of 11/18/201
US Regulations:				
OSHA Status	:	Classified as hazardous based on components.		
TSCA Status	:	All components of this product are listed on or Inventory.	exempt from	the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR 302)		
Not applicable				
	_	Net and listly		
California Proposition 65	:	Not applicable		
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Substance		
SARA Title III Section 313 Tox	kic C	Chemicals:		
Not applicable Canadian Regulations:				
National Pollutant Relea	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Can Substances List (DSL) or are exempt.	adian Domes	tic
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Not determined		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Not determined		
		16. OTHER INFORMATION		



MATERIAL SAFETY DATA SHEET **RED 200C PP**

Version Number 1.0 Revision Date 06/13/2005

Page 6 of 6 Print Date 11/18/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.