MATERIAL SAFETY DATA SHEET

GREEN P3268C

Version Number 1.0 Revision Date 06/20/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	GREEN P3268C
Product code	:	CC10071511
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET GREEN P3268C

Version Number 1.0 Revision Date 06/20/2005 Page 2 of 6 Print Date 11/18/2011

Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positiv pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards	(NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should n be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

MATERIAL SAFETY DATA SHEET GREEN P3268C

Version Number 1.0 Revision Date 06/20/2005 Page 3 of 6 Print Date 11/18/2011

8. H	EXPOSURE	CONTROLS / PERSON	AL PROTECTION	N	
Respiratory protection	: N	o personal respiratory pro	otective equipment no	ormally r	equired.
Eye/Face Protection	: S	afety glasses with side-shi	ields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		andle in accordance with ash hands before breaks			afety practice
Engineering measures		eat only in areas with app ppropriate exhaust ventila		tilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	vpe	List:
Titanium dioxide	10 mg/m3	Time Weighted Averag	÷	JF -	ACGIH
	15 mg/m3	PEL:	Total due	st.	OSHA Z1
	9. PHYSIC	CAL AND CHEMICAL	PROPERTIES		
Form	: Solid	I Ex	vaporation rate	· Not	applicable
Appearance	: Pelle		becific Gravity:		determined
Color	: GRE	1	ulk density		established
Odor	: Very		apor pressure		applicable
Melting point/range			apour density		applicable
Boiling Point:	: Not a	applicable pH	Н	: Not	applicable
Water solubility	: Insol	uble			
	10. 8	STABILITY AND REAC	CTIVITY		
Stability	: S	table.			
Hazardous Polymerization	n : W	/ill not occur.			
		eep away from oxidizing ecomposition, do not over		ne. To a	void thermal
Conditions to avoid	u	1 ,			



MATERIAL SAFETY DATA SHEET

GREEN P3268C

Version Number 1.0 Revision Date 06/20/2005

Page 4 of 6 Print Date 11/18/2011

Hazardous decomposition products

: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ	
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.	
	12. ECOLOGIC	AL INFORMATION	I	
Persistence and degrada	bility : Not readily bi	odegradable.		
Environmental Toxicity	: Chemicals are polymer matri		as they are bound within the	
Bioaccumulation Potent	ial : Chemicals are polymer matri		as they are bound within the	
Additional advice	: No data availa	able		
	13. DISPOSAL	CONSIDERATIONS		
Product Contaminated packagin	possible recyc generator of w classification, applicable fed	ling is preferred to dis vaste material has the r transportation and dis leral, state/provincial a	product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations.	
	has the respon and disposal i	has the responsibility for proper waste classification, transportatio and disposal in accordance with applicable federal, state/provincia and local regulations.		
	14. TRANSPOL	RT INFORMATION		
U.S. DOT Classification	n : Not regulated	for transportation.		
ICAO/IATA (air)	: Refer to speci	fic regulation.		
IMO / IMDG (maritime) : Refer to speci	fic regulation.		
	15. REGULATO	ORY INFORMATION	V	

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **GREEN P3268C**

sion Number 1.0 /ision Date 06/20/2005				F	Print Date	Page 5 11/18/2
US Regulations:						
-						
OSHA Status	:	Classified as ha	zardous based on	components.		
TSCA Status	:	All component Inventory.	s of this product a	are listed on or exe	empt from	the TSCA
US. EPA CERCLA Hazardous	Sub	stances (40 CFR	302)			
Not applicable						
65	:					
SARA Title III Section 302 Ext Not applicable	rem	ely Hazardous Sı	ubstance			
SARA Title III Section 313 Tox Not applicable	xic C	Chemicals:				
Not applicable Canadian Regulations: National Pollutant Relea			CAS No	Weight %	NDDI	10#
Not applicable Canadian Regulations:			CAS-No. 1344-28-1	Weight % 0.10 - 1.00	NPRI 13	ID#
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name						ID#
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide			1344-28-1	0.10 - 1.00	13	ID#
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green		Not controlled.	1344-28-1	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification		Not controlled.	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL		Not controlled.	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories:	<u>se In</u> : :	Not controlled. All component Substances List	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS	<u>se In</u> : :	Not controlled. All component Substances List	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum oxide</u> Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS	<u>se In</u> : :	Not controlled. All component Substances List Listed Listed	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	
Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS China IECS Europe EINECS	<u>se In</u> : :	Not controlled. All component Substances List Listed Listed Listed	1344-28-1 1328-53-6	0.10 - 1.00 1.00 - 5.00	13 71	



MATERIAL SAFETY DATA SHEET GREEN P3268C

Version Number 1.0 Revision Date 06/20/2005

Page 6 of 6 Print Date 11/18/2011

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.