MATERIAL SAFETY DATA SHEET PG 71633.00 PEARL GN PE

Version Number 1.0 Revision Date 06/22/2005

Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|
| Product name : | PG 71633.00 PEARL GN PE |
| Product code : | CC10071633 |
| Chemical Name : | Mixture |
| CAS-No. : | Mixture |
| Product Use : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Mica | 12001-26-2 | 10 - 30 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact | |
|---|---|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes. | |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |
| Medical Conditions Aggravated by Exposure: | : None known. | |

PolyOne.

MATERIAL SAFETY DATA SHEET PG 71633.00 PEARL GN PE

Version Number 1.0 Revision Date 06/22/2005 Page 2 of 6 Print Date 11/18/2011

| | 4. FIRST AID MEASURES |
|-------------------------------------|--|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : Wash off with soap and plenty of water. If skin irritation persists see medical attention. |
| | 5. FIRE-FIGHTING MEASURES |
| Flash point | : Not applicable |
| Flammable Limits | |
| Upper explosion limit | : Not applicable |
| Lower explosion limit | : Not applicable |
| Autoignition temperature | : Not applicable |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. ACCIDENTAL RELEASE MEASURES |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : Should not be released into the environment. The product should no be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods. |
| | 7. HANDLING AND STORAGE |
| Handling | : Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : Keep containers dry and tightly closed to avoid moisture absorption |

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET PG 71633.00 PEARL GN PE

Version Number 1.0 Revision Date 06/22/2005 Page 3 of 6 Print Date 11/18/2011

| 8. E | XPOSURE | CONTROLS / PERSONAL | PROTECTION | | |
|--|--|--|-------------------------|----------------|--|
| Respiratory protection | : N | o personal respiratory protecti | ve equipment normally r | required. | |
| Eye/Face Protection | : S | : Safety glasses with side-shields. | | | |
| Hand protection | : P | : Protective gloves. | | | |
| Skin and body protection | : L | : Long sleeved clothing. | | | |
| Additional Protective Measures | : S | : Safety shoes. | | | |
| General Hygiene Considerations | | andle in accordance with good ash hands before breaks and a | | afety practice | |
| Engineering measures | | eat only in areas with appropr | | Provide | |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure type | List: | |
| Mica | 20 mppcf | PEL: | Total dust. | OSHA | |
| | 3 mg/m3 | Time Weighted Average (TWA): | Respirable fraction. | ACGIH | |
| Titanium dioxide | 10 mg/m3 | Time Weighted Average (TWA): | | ACGIH | |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 | |
| | | | | | |
| | 9. PHYSIC | CAL AND CHEMICAL PRO | DPERTIES | | |
| Form | : Solid | Fyano | ration rate : Not | applicable | |
| | : Pelle | | | determined | |
| | : GRE | - | | established | |
| Appearance Color | | | | applicable | |
| Color | : verv | | | applicable | |
| Color Odor | : Very : Not o | | r density : Not | | |
| Color Odor Melting point/range | : Not c | letermined Vapou | | | |
| Color Odor | : Not c | determined Vapou applicable pH | | applicable | |
| Color Odor Melting point/range Boiling Point: | : Not a : Not a : Insol | determined Vapou applicable pH | : Not | | |
| Color Odor Melting point/range Boiling Point: | : Not a : Not a : Insol | determined Vapou applicable pH uble | : Not | | |
| Color Odor Melting point/range Boiling Point: Water solubility | : Not c : Not z : Insol 10. S : S | determined Vapou applicable pH uble | : Not | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **PG 71633.00 PEARL GN PE**

Version Number 1.0 Revision Date 06/22/2005 Page 4 of 6 Print Date 11/18/2011

| Incompatible Materials | : | Incompatible with strong acids and oxidizing agents. |
|----------------------------------|---|--|
| Hazardous decomposition products | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------|
| 12001-26-2 | Mica | Systemic effects | Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

| | 12. ECOLOGICAL INFORMATION |
|-------------------------------|---|
| Persistence and degradability | : Not readily biodegradable. |
| Environmental Toxicity | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Bioaccumulation Potential | : Chemicals are not readily available as they are bound within the polymer matrix. |
| Additional advice | : No data available |
| | 13. DISPOSAL CONSIDERATIONS |
| Product | : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| Contaminated packaging | : Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |
| | 14. TRANSPORT INFORMATION |
| U.S. DOT Classification | : Not regulated for transportation. |
| | |

PolyOne.

MATERIAL SAFETY DATA SHEET PG 71633.00 PEARL GN PE

Version Number 1.0 Revision Date 06/22/2005 Page 5 of 6 Print Date 11/18/2011

| | 15. | . REGULATORY INFORMAT | ION | |
|---|------------------------|---|--|----------------------|
| US Regulations: | | | | |
| OSHA Status | : | Classified as hazardous based on | components. | |
| TSCA Status | : | All components of this product a Inventory. | re listed on or exen | npt from the TSC. |
| US. EPA CERCLA Hazardous | Subst | stances (40 CFR 302) | | |
| Not applicable | | | | |
| California Proposition 65 | : | Not applicable | | |
| SARA Title III Section 302 Ex | | | | |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: | | | | |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Relea | xic Cl | hemicals: wentory (NPRI) | W. 1. 0/ | |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name | xic Cl | hemicals: nventory (NPRI) CAS-No. | Weight % | NPRI ID# |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Relea | xic Cl | hemicals: wentory (NPRI) | Weight % 0.10 - 1.00 0.10 - 1.00 | NPRI ID# 13 71 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name</u> <u>Aluminum oxide</u> | xic Cl ase Inv : | CAS-No. 1344-28-1 1328-53-6 | 0.10 - 1.00 0.10 - 1.00 | 13 71 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification | xic Cl ase Inv : | Themicals: Not controlled. All components of this product a | 0.10 - 1.00 0.10 - 1.00 | 13 71 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> <u>Chemical Name Aluminum oxide Phthalocyanine green</u> WHMIS Classification DSL | xic Cl ase Inv : | Themicals: Not controlled. All components of this product a | 0.10 - 1.00 0.10 - 1.00 | 13 71 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: | xic Cl ase In : | Not controlled. All components of this product a Substances List (DSL) or are exe | 0.10 - 1.00 0.10 - 1.00 | 13 71 |
| Not applicable SARA Title III Section 313 To Not applicable Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine green WHMIS Classification DSL National Inventories: Australia AICS | xic Cl ase In : | Wentory (NPRI) CAS-No. 1344-28-1 1328-53-6 Not controlled. All components of this product a Substances List (DSL) or are exe Listed | 0.10 - 1.00 0.10 - 1.00 | 13 71 |

| POLYONE CORPORA | PolyOne. | |
|--|------------------|--------------------------------------|
| MATERIAL SAFETY DATA SH | IEET | |
| PG 71633.00 PEARL (| GN PE | |
| Version Number 1.0 Revision Date 06/22/2005 | | Page 6 of 6 Print Date 11/18/2011 |
| Korea KECI | : Listed | |
| Philippines PICCS | : Listed | |
| | 16. OTHER INFORM | AATION |

2

n

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in

combination with any other materials and/or in any particular process or processing conditions.