MATERIAL SAFETY DATA SHEET

WARM RED

Version Number 1.0 Revision Date 07/07/2005 Page 1 of 6 Print Date 11/18/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	WARM RED
Product code	:	CC10072308
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
D&C red No. 9	5160-02-1	5 - 10
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET WARM RED

Version Number 1.0 Revision Date 07/07/2005 Page 2 of 6 Print Date 11/18/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1: of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

2/6



MATERIAL SAFETY DATA SHEET WARM RED

Version Number 1.0 Revision Date 07/07/2005 Page 3 of 6 Print Date 11/18/2011

8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTION				
Respiratory protection	: N	o personal respiratory pro	tective equipment norr	nally required.			
Eye/Face Protection	: Sa	: Safety glasses with side-shields.					
Hand protection	: Protective gloves.						
Skin and body protection	: Long sleeved clothing.						
Additional Protective Measures	: Sa	afety shoes.					
General Hygiene Considerations		andle in accordance with g ash hands before breaks a					
Engineering measures		eat only in areas with appropriate exhaust ventilat		ation. Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure typ	e List:			
D&C red No. 9	0.5 mg/m3	Time Weighted Averag (TWA):	1 11	ACGIH			
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ie 🛛	ACGIH			
	15 mg/m3	PEL:	Total dust.	OSHA Z1			
	9. PHYSIC	CAL AND CHEMICAL I	PROPERTIES				
E.				N7 / 11 1.1			
Form Appearance	: Solid : Pelle		Evaporation rate: Not applicableSpecific Gravity:: Not determined				
Color	: ORA		ilk density :	Not established			
Odor	: Very		apor pressure :	Not applicable			
Melting point/range			apour density :	Not applicable			
Boiling Point:		applicable pH	I :	Not applicable			
Water solubility	: Insol	uble					
	10. S	TABILITY AND REAC	TIVITY				
		table.					
Stability	: St	uole.					
Stability Hazardous Polymerizatio		/ill not occur.					



MATERIAL SAFETY DATA SHEET

WARM RED

Version Number 1.0 Page 4 of 6 Revision Date 07/07/2005 Print Date 11/18/2011 **Incompatible Materials** : Incompatible with strong acids and oxidizing agents. Hazardous decomposition : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen products (NOx), other hazardous materials, and smoke are all possible. 11. TOXICOLOGICAL INFORMATION This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Target Organ Effect 5160-02-1 D&C red No. 9 Eyes, Skin. Irritant 13463-67-7 Titanium dioxide Systemic effects Respiratory system. **12. ECOLOGICAL INFORMATION** Persistence and degradability : Not readily biodegradable. Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** : Chemicals are not readily available as they are bound within the polymer matrix. Additional advice : No data available **13. DISPOSAL CONSIDERATIONS** Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Contaminated packaging : Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Not regulated for transportation. ICAO/IATA (air) : Refer to specific regulation. IMO / IMDG (maritime) : Refer to specific regulation.

PolyOne.

MATERIAL SAFETY DATA SHEET **WARM RED**

Version Number 1.0 Revision Date 07/07/2005

Page 5 of 6 Print Date 11/18/2011

	15. RI	EGULATO	RY INFORMA	ΓΙΟΝ		
US Regulations:						
OSHA Status	: Cl	assified as h	azardous based o	n compon	ents.	
TSCA Status		ll componen ventory.	ts of this product	are listed	on or exer	npt from the TSCA
US. EPA CERCLA Hazardous	s Substan	ces (40 CFR	. 302)			
Not applicable						
California Proposition 65		ARNING! 7		ains a che	mical kno	own to the State of
SARA Title III Section 302 Ex Not applicable	tremely 1	Hazardous S	ubstance			
SARA Title III Section 313 To	oxic Cher	nicals				
		incuis.				
Chemical Name			CAS	-No.	Weigh	nt %
Chemical Name BARIUM COMPOUNDS			CAS 5160-			nt % - 10.00
BARIUM COMPOUNDS			5160			
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele			5160	-02-1	5.00	- 10.00
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name			5160-) CAS-No.	-02-1 Wei	5.00 ·	
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele	ase Inver	ntory (NPRI)	5160- CAS-No. 1344-28-1	02-1 Wei 0.10	ght % - 1.00	- 10.00 NPRI ID# 13
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL	ase Inver	ntory (NPRI)	5160 CAS-No. 1344-28-1	02-1 Wei 0.10	ght % - 1.00	- 10.00 NPRI ID# 13
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories:	ase Inver	ntory (NPRI) ot controlled ll componen ibstances Lis	5160 CAS-No. 1344-28-1	02-1 Wei 0.10	ght % - 1.00	- 10.00 NPRI ID# 13
BARIUM COMPOUNDS Canadian Regulations: National Pollutant Rele Chemical Name Aluminum oxide WHMIS Classification DSL National Inventories: Australia AICS	ase Inver	ntory (NPRI) ot controlled ll componen ibstances Lis	5160 CAS-No. 1344-28-1	02-1 Wei 0.10	ght % - 1.00	- 10.00 NPRI ID# 13

POLYONE CORPORA	ATION	N		PolyOne.	
MATERIAL SAFETY DATA SH	HEET				
WARM RED					
Version Number 1.0 Revision Date 07/07/2005				Print Date	Page 6 of 6 11/18/2011
Korea KECI	:]	Listed			
Philippines PICCS	: 1	Listed			
		16. OTHER	INFORMATION	J	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.