MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

Version Number 1.1 Revision Date 11/28/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	DARK BLUE 3005U
Product code	CC10079756
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

Version Number 1.1 Revision Date 11/28/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.			
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.			
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.			
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.			
	5	5. FIRE-FIGHTING MEASURES			
Flash point	:	Not applicable			
F 1					
Flammable Limits Upper explosion limit		Not applicable			
Lower explosion limit	:	Not applicable			
Autoignition temperature	:	Not applicable			
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.			
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.			
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.			
	6. AC	CIDENTAL RELEASE MEASURES			
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.			
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.			
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.			
		7. HANDLING AND STORAGE			
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.			
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption			

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

Version Number 1.1 Revision Date 11/28/2006 Page 3 of 6 Print Date 11/25/2011

8. F	XPOSURE	CONTROLS / PERSONAL	PROTECTION				
Respiratory protection	: No personal respiratory protective equipment normally required.						
Eye/Face Protection	: S	: Safety glasses with side-shields.					
Hand protection	: P	Protective gloves.					
Skin and body protection	: L	Long sleeved clothing.					
Additional Protective Measures	: S	: Safety shoes.					
General Hygiene Considerations		Iandle in accordance with good Vash hands before breaks and a		safety practice			
Engineering measures		leat only in areas with appropr ppropriate exhaust ventilation		Provide			
Exposure limit(s)							
Components	Value	Exposure time	Exposure type	List:			
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH			
	15 mg/m3	PEL:	L: Total dust.				
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL			
	9. PHYSI(CAL AND CHEMICAL PRO	DPERTIES				
			notion noto . Not	t applicable			
Form	: Solic						
Appearance	: Pelle	ets Specif	ic Gravity: : Not	t determined			
Appearance Color	: Pelle : BLU	ets Specif E Bulk d	ic Gravity: : Not lensity : Not	t determined t established			
Appearance Color Odor	: Pelle : BLU : Very	ets Specif IE Bulk d v faint Vapor	ic Gravity: : Not lensity : Not pressure : Not	t determined t established t applicable			
Appearance Color Odor Melting point/range	: Pelle : BLU : Very : Not	ets Specif IE Bulk d v faint Vapor determined Vapou	ic Gravity: : Not lensity : Not pressure : Not r density : Not	t determined t established t applicable t applicable			
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not	ets Specif IE Bulk d 7 faint Vapor determined Vapou applicable pH	ic Gravity: : Not lensity : Not pressure : Not r density : Not	t determined t established t applicable			
Appearance Color Odor	: Pelle : BLU : Very : Not : Not : Insol	ets Specif IE Bulk d 7 faint Vapor determined Vapou applicable pH	ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable			
Appearance Color Odor Melting point/range Boiling Point:	: Pelle : BLU : Very : Not : Not : Insol	ets Specif IE Bulk d v faint Vapor determined Vapou applicable pH luble	ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable			
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Pelle : BLU : Very : Not : Not : Insol 10. \$: S	ets Specif IE Bulk d by faint Vapor determined Vapou applicable pH luble	ic Gravity: : Not lensity : Not pressure : Not r density : Not : Not	t determined t established t applicable t applicable			

PolyOne.

MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

sion Number 1.1 ision Date 11/28/200)6				Print	Page 4 of Date 11/25/201
Incompatible Material	s :	Incompatible w	vith strong ad	cids and c	oxidizing agents.	
Hazardous decomposi products	tion :				xide (CO), oxides ad smoke are all p	
	11.	TOXICOLOGI	CAL INFO	RMATIO	DN	
This mixture has not b health data for the indi					re effects listed a	re based on existin
Toxicity Overview This product contains	the following	g components wh	ich in their p	oure form	have the followin	g characteristics:
CAS-No.	Cher	nical Name	Effe	ect	Target	Organ
13463-67-7	Titanium o	lioxide	Systemic	effects	Respiratory sys	tem.
CAS-No. 13463-67-7	Ch Titanium d	emical Name		SHA no	IARC 2B	NTP no
 The component is a 2A - The component is 2B - The component is NTP Carcinogen Class The component is 12 - The component is 12 	s probably ca s possibly ca sifications: known to be reasonably an	arcinogenic to hun rcinogenic to hun a human carcinog nticipated to be a	nans. gen. human carci	-		
	1	2. ECOLOGICA	AL INFORM	ATION		
Persistence and degrad	lability :	Not readily bio	degradable.			
Environmental Toxici	ty :	Chemicals are polymer matrix	•	vailable a	s they are bound	within the
Bioaccumulation Pote	ntial :	Chemicals are polymer matrix		vailable a	is they are bound	within the
Additional advice	:	No data availat	ble			
	1	3. DISPOSAL C	CONSIDER	ATIONS		
Product	:	possible recycl generator of wa	ing is prefer aste material	red to disp has the re	product can be rec posal or incinerati esponsibility for p posal in accordance	on. The roper waste

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

sion Number 1.1 ision Date 11/28/2006		Page 5 of Print Date <i>11/25/201</i>
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	S. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	ıs Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	1 :	Not applicable
SARA Title III Section 302 I	Extrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313	°oxic C	Chemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulati
Canadian Regulations:		
National Pollutant Rel	ease Iı	nventory (NPRI)
Chemical Name		CAS-No. Weight % NPRI ID#

PolyOne

MATERIAL SAFETY DATA SHEET **DARK BLUE 3005U**

Version Number 1.1 Revision Date 11/28/2006

_

Page 6 of 6 Print Date <u>11/25/2011</u>

Phthalocyanine blue			147-14-8	1.00 - 5.00	71	
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
ational Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Listed				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Listed				
		16 OTHER IN	FORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.