MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006 Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	PUREOLOGY LILAC DK OPAQUE
Product code	:	CC10082244
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Particulates, like other inert materials can be mechanically irritating. Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006 Page 2 of 6 Print Date 11/25/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
	:	
Suitable extinguishing media	·	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne
		contaminants.
Unusual Fire/Explosion	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen
Hazards		(NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006 Page 3 of 6 Print Date 11/25/2011

0.1	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection		lo personal respiratory protect usty conditions occur wear ap		
Eye/Face Protection	: s	afety glasses		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations	р	Vash hands and face before broch roduct. Handle in accordance ractice for diagnostics.		
Engineering measures		leat only in areas with approp ppropriate exhaust ventilation		on. Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Mica	20 mppcf	PEL:	Total dust.	OSHA
	3 mg/m3	Time Weighted Average (TWA):	Respirable fraction	n. ACGIH
	3 mg/m3	Time Weighted Average (TWA):		MX OEL
Titanium dioxide	3 mg/m3 10 mg/m3	Time Weighted Average		MX OEL ACGIH
Titanium dioxide	-	Time Weighted Average (TWA): Time Weighted Average	Total dust.	ACGIH
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):		ACGIH
Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit	as Ti	ACGIH OSHA Z1
Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti OPERTIES	ACGIH OSHA Z1
	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti OPERTIES oration rate : N	OSHA Z1 MX OEL
Form	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	as Ti OPERTIES Dration rate : N fic Gravity: : N	ACGIH OSHA Z1 MX OEL
Form Appearance	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : PUR	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Exappeding Speci PLE Bulk	as Ti OPERTIES Dration rate : 1 fic Gravity: : 1 density : 1	ACGIH OSHA Z1 MX OEL
Form Appearance Color	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : PUR : Very	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO Examples Speci PLE Bulk	as Ti OPERTIES Oration rate : 1 fic Gravity: : 1 density : 1 r pressure : 1	ACGIH OSHA Z1 MX OEL
Form Appearance Color Odor	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIO : Solid : flake : PUR : Very : Grea	Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO EXAMPLE Bulk faint Vapo ter than 130 °C Vapo applicable pH	as Ti OPERTIES Oration rate : 1 fic Gravity: : 1 density : 1 r pressure : 1 ur density : 1	ACGIH OSHA Z1 MX OEL Not applicable Not determined Not determined Not determined

MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006 Page 4 of 6 Print Date 11/25/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Not inherently biodegradable.
Additional advice	:	Chemicals are not readily available as they are bound within the polymer matrix.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006 Page 5 of 6 Print Date 11/25/2011

	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Refer to specific regulation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardo	us Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 I	Extremely Hazardous Substance
Unless specific chemicals are	e identified under this section, this product is Not Applicable under this regula
SARA Title III Section 313	Foxic Chemicals:

PolyOne.

MATERIAL SAFETY DATA SHEET PUREOLOGY LILAC DK OPAQUE

Version Number 1.1 Revision Date 11/15/2006

_

Page 6 of 6 Print Date 11/25/2011

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation				
Canadian Regulations:				
National Pollutant Release	se Iı	nventory (NPRI)		
Not applicable				
WHMIS Classification	:	Not controlled.		
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.		
National Inventories:				
Australia AICS	:	Listed		
China IECS	:	Listed		
Europe EINECS	:	Listed		
Japan ENCS	:	Not determined		
Korea KECI	:	Not determined		
Philippines PICCS	:	Listed		
		16. OTHER INFORMATION		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.