MATERIAL SAFETY DATA SHEET TRAY RED 186C

Version Number 1.1 Revision Date 10/26/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone : Emergency telephone : number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	TRAY RED 186C
Product code	:	CC10082371
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Skin contact, Ingestion
Acute exposure	
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.
Ingestion	: May be harmful if swallowed.
Eyes	: Irritating to eyes and respiratory system.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne.

MATERIAL SAFETY DATA SHEET **TRAY RED 186C**

Version Number 1.1 Revision Date 10/26/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, dry powder, foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **TRAY RED 186C**

Version Number 1.1 Revision Date 10/26/2006 Page 3 of 6 Print Date 11/25/2011

8. E	EXPOSURE	CONTROLS / I	PERSONAL	PROTECTION	
Respiratory protection	: U	Inder normal han	dling conditio	ns a respirator may	not be required.
Eye/Face Protection	: S	afety glasses with	n side-shields.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved cloth	ning.		
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations				industrial hygiene a t the end of workday	
Engineering measures		leat only in areas ppropriate exhaus		ate exhaust ventilati at machinery.	on. Provide
Exposure limit(s)					
Components	Value	Exposure	e time	Exposure type	List:
Titanium dioxide	10 mg/m3	Time Weighte	ed Average		ACGIH
	15 mg/m3	PEL		Total dust.	OSHA Z1
	20 mg/m3	Short Term Exp (STE)		as Ti	MX OEL
	9. PHYSI	CAL AND CHE	MICAL PRO	PERTIES	
Form	. 1:	L	E		Nataatah liahad
Appearance	: liqui · Visc	a ous, liquid			Not established Not determined
Color	: RED		Bulk de		Not applicable
	: Very				Not determined
Odor		applicable		L	Not determined
	: Not applicable pH				Not applicable
Odor Melting point/range Boiling Point:	. 1.00				
Melting point/range		iscible			
Melting point/range Boiling Point:	: Imm	iscible STABILITY AN	D REACTIV	ITY	
Melting point/range Boiling Point:	: Imm 10.5		D REACTIV	ΙΤΥ	
Melting point/range Boiling Point: Water solubility	: Imm 10. S : S	STABILITY AN	D REACTIV	ΙΤΥ	
Melting point/range Boiling Point: Water solubility Stability	: Imm 10.5 : S n : V	STABILITY AN table. Vill not occur.		ITY ts and open flame.	

MATERIAL SAFETY DATA SHEET TRAY RED 186C

Version Number 1.1 Revision Date 10/26/2006

Page 4 of 6 Print Date 11/25/2011

Hazardous decomposition:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogenproducts(NOx), other hazardous materials, and smoke are all possible.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Adverse ecological impact is not known or expected under normal use.
Bioaccumulation Potential	: Does not bioaccumulate.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **TRAY RED 186C**

Version Number 1.1 Revision Date 10/26/2006 Page 5 of 6 Print Date 11/25/2011

and disposal in accordance with applicable federal, state/provincial and local regulations.

14. TRANSPORT INFORMATION

U.S. DOT Classification	:	Not regulated for transportation	۱.
-------------------------	---	----------------------------------	----

ICAO/IATA (air) : Not regulated for transportation.

IMO / IMDG (maritime) : Not regulated for transportation.

15. REGULATORY INFORMATION

US Regulations:

OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation Chemical Name CAS-No. Weight %

		0
BARIUM COMPOUNDS [EXCEPT BASO4]	7585-41-3	10.00 - 30.00

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Chemical Name	CAS-No.	Weight %	NPRI ID#
Phenol, nonyl-, phosphite (3:1)	26523-78-4	1.00 - 5.00	178

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET **TRAY RED 186C**

Version Number 1.1 Revision Date 10/26/2006		Page 6 of 6 Print Date <i>11/25/2011</i>
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.