MATERIAL SAFETY DATA SHEET GREY PEARL 3

Version Number 1.1 Revision Date 12/04/2006

Page 1 of 6 Print Date 11/25/2011

I. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012 Telephone : Product Stewardship (770) 271-5902 Emergency telephone : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). Product name : GREY PEARL 3 Product code : CC10082968

Product code:CC10082968Chemical Name:MixtureCAS-No.:MixtureProduct Use:Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %	
Titanium dioxide	13463-67-7	5 - 10	

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

: Inhalation, Ingestion, Skin contact
Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed.
: Resin particles, like other inert materials, are mechanically irritating to eyes.
: Experience shows no unusual dermatitis hazard from routine handling.
: Refer to Section 11 for Toxicological Information.
: None known.



MATERIAL SAFETY DATA SHEET **GREY PEARL 3**

Version Number 1.1 Revision Date 12/04/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES	
Inhalation : Move to fresh air in case of accidental inhalation of fumes fro overheating or combustion. When symptoms persist or in all doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When sympersist or in all cases of doubt seek medical advice.	ptoms
Eyes	: Rinse immediately with plenty of water, also under the eyelic least 15 minutes. If eye irritation persists, seek medical atter	
Skin	: Wash off with soap and plenty of water. If skin irritation per medical attention.	sists seel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits		
Upper explosion limit	: Not applicable	
Lower explosion limit	: Not applicable	
Autoignition temperature	: Not applicable	
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.	
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbor contaminants.	
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible	
	ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	S
Environmental precautions	: Should not be released into the environment. The product she be allowed to enter drains, water courses or the soil.	ould not
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all mat plastic, cardboard or metal containers for disposal. Refer to S of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge only in areas with appropriate exhaust ventilation.	. Heat
Storage	: Keep containers dry and tightly closed to avoid moisture abs	orption

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **GREY PEARL 3**

Version Number 1.1 Revision Date 12/04/2006 Page 3 of 6 Print Date 11/25/2011

8. I	EXPOSURE	CONTROLS / PERSON	AL PROTECTION	I		
Respiratory protection	: No personal respiratory protective equipment normally required.					
Eye/Face Protection	: Safety glasses with side-shields.					
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		landle in accordance with g Vash hands before breaks a			fety practice	
Engineering measures		leat only in areas with appr ppropriate exhaust ventilat		ilation.	Provide	
Exposure limit(s)						
Components	Value	Exposure time	Exposure ty	vpe	List:	
Titanium dioxide	10 mg/m3	Time Weighted Averag (TWA):	ghted Average		ACGIH	
	15 mg/m3	PEL:	Total dus	t.	OSHA Z1	
	20 mg/m3	Short Term Exposure Lir (STEL):	nit as Ti		MX OEL	
	9. PHYSI	CAL AND CHEMICAL I	PROPERTIES			
Form Appearance	: Solic : Pelle		aporation rate ecific Gravity:		applicable determined	
Color	: GRE	EY Bu	lk density		established	
Odor			por pressure		applicable	
Melting point/range	: Not determined Vapour density : Not applic				applicable	
Boiling Point:		applicable pH	[: Not	applicable	
	: Insol	luble				
Water solubility	10.5	STABILITY AND REAC	TIVITY			
Water solubility	1011					
Water solubility Stability		table.				
	: S	table. Vill not occur.				

MATERIAL SAFETY DATA SHEET GREY PEARL 3

Version Number 1.1 Page 4 of 6 Print Date 11/25/2011 Revision Date 12/04/2006 **Incompatible Materials** : Incompatible with strong acids and oxidizing agents. Hazardous decomposition Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen : products (NOx), other hazardous materials, and smoke are all possible. **11. TOXICOLOGICAL INFORMATION** This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture. Toxicity Overview This product contains the following components which in their pure form have the following characteristics: CAS-No. Chemical Name Effect Target Organ 13463-67-7 Titanium dioxide Systemic effects Respiratory system. Carcinogenicity This product contains the following components which, in their pure form, have the following carcinogenicity data: CAS-No. Chemical Name OSHA IARC NTP 13463-67-7 Titanium dioxide 2B no no IARC Carcinogen Classifications: 1 - The component is carcinogenic to humans. 2A - The component is probably carcinogenic to humans. 2B - The component is possibly carcinogenic to humans. NTP Carcinogen Classifications: 1 - The component is known to be a human carcinogen. 2 - The component is reasonably anticipated to be a human carcinogen. **12. ECOLOGICAL INFORMATION** Persistence and degradability Not readily biodegradable. : Environmental Toxicity Chemicals are not readily available as they are bound within the : polymer matrix. **Bioaccumulation Potential** Chemicals are not readily available as they are bound within the : polymer matrix. Additional advice No data available • 13. DISPOSAL CONSIDERATIONS Product : Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with



MATERIAL SAFETY DATA SHEET **GREY PEARL 3**

sion Number 1.1 <i>i</i> ision Date 12/04/2006		Page 5 of 6 Print Date 11/25/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	s Sub	stances (40 CFR 302)
Not applicable		
California Proposition 65	:	Not applicable
SARA Title III Section 302 E	xtrem	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulatior
SARA Title III Section 313 T	oxic (Chemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Dallytant Dal	ease I	nventory (NPRI)
National Pollutant Refe		

P<u>olyOne</u>

MATERIAL SAFETY DATA SHEET GREY PEARL 3

Version Number 1.1 Revision Date 12/04/2006 Page 6 of 6 Print Date *11/25/2011*

		16. OTHER IN	NFORMATION		
Philippines PICCS	:	Listed			
Korea KECI	:	Listed			
Japan ENCS	:	Not determined			
Europe EINECS	:	Listed			
China IECS	:	Listed			
Australia AICS	:	Listed			
National Inventories:					
DSL	:		s of this product a (DSL) or are exe	are on the Canadian mpt.	n Domestic
WHMIS Classification	:	Not controlled.			
				0.10 - 1.00	17
Rutile, antimony chromium buff		68186-90-3	0.10 - 1.00	69	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.