MATERIAL SAFETY DATA SHEET CHARCOAL

Version Number 1.1 Revision Date 12/01/2006 Page 1 of 7 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone Emergency telephone number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--|---|---|
| Product name | : | CHARCOAL |
| Product code | : | CC10086582 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|------------------|------------|----------|
| Carbon black | 1333-86-4 | 1 - 5 |
| Titanium dioxide | 13463-67-7 | 10 - 30 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | osure: : Inhalation, Ingestion, Skin contact | |
|---|---|--|
| Acute exposure | | |
| Inhalation Ingestion Eyes | Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to | |
| Skin | eyes.Experience shows no unusual dermatitis hazard from routine handling. | |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. | |
| Medical Conditions Aggravated by Exposure: | : None known. | |



MATERIAL SAFETY DATA SHEET CHARCOAL

Version Number 1.1 Revision Date 12/01/2006 Page 2 of 7 Print Date 11/25/2011

| | | 4. FIRST AID MEASURES |
|-------------------------------------|------|---|
| Inhalation | : | Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice. |
| Ingestion | : | Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice. |
| Eyes | : | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention. |
| Skin | : | Wash off with soap and plenty of water. If skin irritation persists seek medical attention. |
| | | 5. FIRE-FIGHTING MEASURES |
| Flash point | : | Not applicable |
| | | |
| Flammable Limits | | Not opplicable |
| Upper explosion limit | : | Not applicable |
| Lower explosion limit | : | Not applicable |
| Autoignition temperature | : | Not applicable |
| Suitable extinguishing media | : | Carbon dioxide blanket, water spray, dry powder, foamnone. |
| Special Fire Fighting Procedures | : | Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. |
| Unusual Fire/Explosion Hazards | : | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |
| | 6. A | CCIDENTAL RELEASE MEASURES |
| | | |
| Personal precautions | : | Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. |
| Environmental precautions | : | Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil. |
| Methods for cleaning up | : | Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods. |
| | | 7. HANDLING AND STORAGE |
| Handling | : | Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation. |
| Storage | : | Keep containers dry and tightly closed to avoid moisture absorption |

2/7



MATERIAL SAFETY DATA SHEET CHARCOAL

Version Number 1.1 Revision Date 12/01/2006 Page 3 of 7 Print Date 11/25/2011

| 8. 1 | EXPOSURE | CONTROLS / PERSON | VAL PROTECTIO | N | |
|-----------------------------------|-----------|---|-------------------------|------------|----------------|
| Respiratory protection | : N | o personal respiratory pro | otective equipment r | ormally r | equired. |
| Eye/Face Protection | : S | afety glasses with side-sh | ields. | | |
| Hand protection | : P | rotective gloves. | | | |
| Skin and body protection | : L | ong sleeved clothing. | | | |
| Additional Protective Measures | : S | afety shoes. | | | |
| General Hygiene Considerations | | andle in accordance with Vash hands before breaks | | | afety practice |
| Engineering measures | | leat only in areas with app ppropriate exhaust ventila | | ntilation. | Provide |
| Exposure limit(s) | | | | | |
| Components | Value | Exposure time | Exposure | type | List: |
| Carbon black | 3.5 mg/m3 | Time Weighted Average | | * * | ACGIH |
| | | (TWA): | black | | |
| | 3.5 mg/m3 | PEL: | Total dust. as black | | OSHA Z1 |
| Titanium dioxide | 10 mg/m3 | Time Weighted Averag (TWA): | | | ACGIH |
| | 15 mg/m3 | PEL: | Total du | ıst. | OSHA Z1 |
| | 20 mg/m3 | Short Term Exposure Li (STEL): | mit as Ti | l | MX OEL |
| | 9. PHYSIC | CAL AND CHEMICAL | PROPERTIES | | |
| Form | : Solid | l E | vaporation rate | : Not | applicable |
| Appearance | : Pelle | | pecific Gravity: | | determined |
| Color | : GRE | | ulk density | | established |
| Odor | | | apor pressure | | applicable |
| Melting point/range | | | apour density | | applicable |
| Boiling Point: | | applicable pl | -1 | : Not | applicable |
| Water solubility | : Insol | uble | | | |
| | 10. S | STABILITY AND REAC | CTIVITY | | |
| | | table. | | | |
| Stability | : 5 | | | | |



MATERIAL SAFETY DATA SHEET CHARCOAL

| Version Number 1.1 Revision Date 12/01/2006 | Page 4 of 7 Print Date 11/25/2011 |
|--|--|
| | |
| Conditions to avoid : | Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat. |
| Incompatible Materials : | Incompatible with strong acids and oxidizing agents. |
| Hazardous decomposition : products | Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. |

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

| CAS-No. | Chemical Name | Effect | Target Organ |
|------------|------------------|------------------|---------------------------|
| 1333-86-4 | Carbon black | Systemic effects | Eyes, Respiratory system. |
| 13463-67-7 | Titanium dioxide | Systemic effects | Respiratory system. |

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

| CAS-No. | Chemical Name | Route | Value | Species |
|-----------|---------------|-------------|---------------|---------|
| 1333-86-4 | Carbon black | Oral LD50 | >15,400 mg/kg | rat |
| | | Dermal LD50 | > 3 gm/kg | rabbit |

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

| CAS-No. | Chemical Name | OSHA | IARC | NTP |
|------------|------------------|------|------|-----|
| 13463-67-7 | Titanium dioxide | no | 2B | no |

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

Additional Health Hazard Information:

PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET CHARCOAL

Version Number 1.1 Revision Date 12/01/2006

Page 5 of 7 Print Date 11/25/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

12. ECOLOGICAL INFORMATION

| Environmental Toxicity | polymer matrix. | vailable as they are bound within the |
|---------------------------|---|--|
| Bioaccumulation Potential | | vailable as they are bound within the |
| Additional advice | No data available | |
| | . DISPOSAL CONSIDER | ATIONS |
| Product | possible recycling is prefer generator of waste material classification, transportation | astics the product can be recycled. Where red to disposal or incineration. The has the responsibility for proper waste n and disposal in accordance with ovincial and local regulations. |
| Contaminated packaging | has the responsibility for pr | n possible. The generator of waste materia oper waste classification, transportation with applicable federal, state/provincial |
| | 4. TRANSPORT INFORM | IATION |
| | | |
| U.S. DOT Classification | Not regulated for transporta | ation. |
| ICAO/IATA (air) | Refer to specific regulation | |
| IMO / IMDG (maritime) | Refer to specific regulation | |
| | REGULATORY INFOR | MATION |

PolyOne.

MATERIAL SAFETY DATA SHEET CHARCOAL

| sion Number 1.1 ⁄ision Date 12/01/2006 | Page 6 of 7 Print Date 11/25/201 |
|---|--|
| | |
| OSHA Status : Clas | ssified as hazardous based on components. |
| | l components of this product are listed on or exempt from the TSCA entory. |
| US. EPA CERCLA Hazardous Substance | es (40 CFR 302) |
| Not applicable | |
| California Proposition : Not 65 | t applicable |
| SARA Title III Section 302 Extremely H | Hazardous Substance |
| - | under this section, this product is Not Applicable under this regulation |
| Chiefs specific chemicals are identified (| under uns section, uns product is root repricable under uns regulation |
| Unless specific chemicals are identified u Chemical Name ZINC COMPOUNDS | under this section, this product is Not Applicable under this regulation CAS-No. Weight % 12063-19-3 10.00 - 30.00 |
| Canadian Regulations: National Pollutant Release Invent | |
| Chemical Name | CAS-No. Weight % NPRI ID# |
| Aluminum oxide | <u>1344-28-1</u> 0.10 - 1.00 13 12063-19-3 10.00 - 30.00 231 |
| Zinc iron oxide | 12063-19-3 10.00 - 30.00 231 |
| WHMIS Classification : D24 | A |
| WHMIS Ingredient Disclosure Li | st |
| CAS-No. 1333-86-4 | |
| | l components of this product are on the Canadian Domestic ostances List (DSL) or are exempt. |
| National Inventories: | |
| Australia AICS : Lis | sted |
| | |

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET CHARCOAL

Version Number 1.1 Revision Date 12/01/2006 Page 7 of 7 Print Date 11/25/2011

| China IECS | : Listed |
|-------------------|------------------|
| Europe EINECS | : Listed |
| Japan ENCS | : Not determined |
| Korea KECI | : Listed |
| Philippines PICCS | : Listed |
| | |

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.