MATERIAL SAFETY DATA SHEET METALLIC CYAN C

Version Number 1.1 Revision Date 08/30/2007

Page 1 of 6 Print Date 11/30/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	METALLIC CYAN C
Product code	:	CC10089340
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Anatase (TiO2)	1317-70-0	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	Inhalation, Ingestion, Skin contact		
Acute exposure			
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 		
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET METALLIC CYAN C

Version Number 1.1 Revision Date 08/30/2007 Page 2 of 6 Print Date 11/30/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	÷	Not applicable
Autoignition temperature		Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET METALLIC CYAN C

Version Number 1.1 Revision Date 08/30/2007 Page 3 of 6 Print Date 11/30/2011

8. EXP	OSURE CONTROLS / PERSONAL PROTECTION			
Respiratory protection	: No personal respiratory protective equipment normally required.			
Eye/Face Protection	: Safety glasses with side-shields			
Hand protection	Protective gloves			
Skin and body protection	Long sleeved clothing			
Additional Protective Measures	: Safety shoes			
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.			
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.			
Exposure limit(s)				
9.	PHYSICAL AND CHEMICAL PROPERTIES			
9. Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	PHYSICAL AND CHEMICAL PROPERTIES : Solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : AQUA Bulk density : Not established : Very faint Vapour pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble : : Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point:	: SolidEvaporation rate: Not applicable: pelletsSpecific Gravity: Not determined: AQUABulk density: Not established: Very faintVapour pressure: Not applicable: Not determinedVapour density: Not applicable: Not applicablepH: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility	 Solid Evaporation rate : Not applicable pellets Specific Gravity : Not determined AQUA Bulk density : Not established Very faint Vapour pressure : Not applicable Not determined Vapour density : Not applicable Not applicable pH : Not applicable Insoluble 			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability	: SolidEvaporation rate: Not applicable: pelletsSpecific Gravity: Not determined: AQUABulk density: Not established: Very faintVapour pressure: Not applicable: Not determinedVapour density: Not applicable: Not applicablepH: Not applicable: InsolubleInsoluble: Not applicable			
Form Appearance Color Odour Melting point/range Boiling Point:	: Solid Evaporation rate : Not applicable : pellets Specific Gravity : Not determined : AQUA Bulk density : Not established : Very faint Vapour pressure : Not applicable : Not determined Vapour density : Not applicable : Not applicable pH : Not applicable : Insoluble Insoluble : Not applicable : Stable. : Stable.			
Form Appearance Color Odour Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	 Solid Evaporation rate : Not applicable pellets Specific Gravity : Not determined AQUA Bulk density : Not established Very faint Vapour pressure : Not applicable Not determined Vapour density : Not applicable insoluble pH : Not applicable Insoluble 10. STABILITY AND REACTIVITY Stable. Will not occur. Keep away from oxidizing agents and open flame. To avoid thermatical parts and open flame. 			

PolyOne.

MATERIAL SAFETY DATA SHEET METALLIC CYAN C

rsion Number 1.1 F vision Date 08/30/2007 Print Date 1				Page / Date 11/30/
	n evaluated as a whole for hea lual components which comp	-	re effects listed are	e based on ex
<u>Toxicity Overview</u> This product contains the	following components which	h in their pure form	have the following	g characteristi
CAS-No.	Chemical Name	Effect	Target	Organ
Carcinogenicity This product contains the data:	following components which	h, in their pure form	have the followin	ng carcinogen
CAS-No.	Chemical Name	OSHA	IARC	NTP
	Anatase (TiO2)	no	2B	no
	sonably anticipated to be a hu			
Persistence and degradab	ility : Not readily biode	gradable.		
Environmental Toxicity	: Chemicals are no polymer matrix.	Chemicals are not readily available as they are bound within the polymer matrix.		
				vithin the
Bioaccumulation Potentia	al : Chemicals are no polymer matrix.	t readily available a	s they are bound w	
Bioaccumulation Potentia Additional advice		·	s they are bound w	
	polymer matrix.		s they are bound w	
	polymer matrix. : No data available 13. DISPOSAL CO : Like most thermore possible recycling generator of wast classification, training		product can be rec osal or incineration sponsibility for pr osal in accordance	vithin the ycled. Where on. The oper waste e with

PolyOne.

MATERIAL SAFETY DATA SHEET METALLIC CYAN C

Version Number 1.1 Revision Date 08/30/2007 Page 5 of 6 Print Date 11/30/2011

	14. TRAN	SPORT INFORMAT	ION	
U.S. DOT Classification	: Not reg	ulated for transportation	n.	
ICAO/IATA (air)	: Refer to	specific regulation.		
IMO / IMDG (maritime)	: Refer to	specific regulation.		
	15. REGU	LATORY INFORMA	TION	
US Regulations:				
OSHA Status	: Classifi	ed as hazardous based o	on components.	
TSCA Status	: All cor Invento	nponents of this product	t are listed on or exer	npt from the TSCA
US. EPA CERCLA Hazardous	s Substances (4	40 CFR 302)		
Not applicable				
California Proposition 65	: Not app	olicable		
SARA Title III Section 302 Ex	stremely Haza	rdous Substance		
Unless specific chemicals are	identified unde	er this section, this prod	uct is Not Applicabl	e under this regula
SARA Title III Section 313 To	oxic Chemicals	5:		
Unless specific chemicals are i	identified unde	er this section, this prod	uct is Not Applicabl	e under this regula
Canadian Regulations:				C
National Pollutant Rele	asa Invantory			
Chemical Name	ase inventory	CAS-No.	Weight %	NPRI ID#
		147-14-8	0.10 - 1.00	71
Phthalocyanine blue		11, 110		, 1

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET METALLIC CYAN C

Version Number 1.1 Revision Date 08/30/2007		Page 6 of 6 Print Date <i>11/30/2011</i>
DSL	: DSL status has not been determined. restricted by regulations.	Quantity use in Canada may be
National Inventories:		
Australia AICS	: Not determined	
China IECS	: Not determined	
Europe EINECS	: Not determined	
Japan ENCS	: Not determined	
Korea KECI	: Not determined	
Philippines PICCS	: Not determined	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.