### MATERIAL SAFETY DATA SHEET BROWN 7523C PP

Version Number 1.1 Revision Date 05/29/2007

Page 1 of 6 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BROWN 7523C PP
Product code	:	CC10089903
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %		
Titanium dioxide	13463-67-7	5 - 10		
Mica	12001-26-2	10 - 30		

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to avage</li> </ul>
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET **BROWN 7523C PP**

Version Number 1.1 Revision Date 05/29/2007 Page 2 of 6 Print Date 11/29/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Elementela Lincita		
Flammable Limits Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A(	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption

2/6

PolyOne.

# MATERIAL SAFETY DATA SHEET **BROWN 7523C PP**

Version Number 1.1 Revision Date 05/29/2007 Page 3 of 6 Print Date 11/29/2011

8. H	EXPOSURE	CONTROLS / PERSO	ONAL PROTECTION	1	
Respiratory protection	: N	lo personal respiratory p	protective equipment no	ormally r	equired.
Eye/Face Protection	: S	afety glasses with side-	shields		
Hand protection	: P	rotective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		landle in accordance wit Vash hands before break			afety practic
Engineering measures		leat only in areas with a ppropriate exhaust venti		tilation.	Provide
Exposure limit(s)					
Components	Value	Exposure time	Exposure t	уре	List:
Mica	3 mg/m3	Time Weighted Aver (TWA):	rage Respirable fra	action.	ACGIH
	3 mg/m3	Time Weighted Aver (TWA):	rage		MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Aver (TWA):	age		ACGIH
	15 mg/m3	PEL:	Total dus	st.	OSHA Z
	10 mg/m3	Time Weighted Aver (TWA):	rage as Ti		MX OEL
	20 mg/m3	Short Term Exposure (STEL):	Limit as Ti		MX OEL
	9. PHYSI	CAL AND CHEMICA	L PROPERTIES		
Form	: Solid	1	Evaporation rate	· Not	applicable
Appearance	: pelle		Specific Gravity		determined
Color	: BRC		Bulk density		established
Odour	: Very	/ faint	Vapour pressure	: Not	applicable
Melting point/range			Vapour density		applicable
Boiling Point:		11	pН	: Not	applicable
Water solubility	: Insol	luble			
	10. 5	STABILITY AND REA	ACTIVITY		
Stability	· S	table.			

## MATERIAL SAFETY DATA SHEET **BROWN 7523C PP**

Version Number 1.1 Revision Date 05/29/2007 Page 4 of 6 Print Date 11/29/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.
12001-26-2	Mica	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available

PolyOne.

# MATERIAL SAFETY DATA SHEET **BROWN 7523C PP**

Version Number 1.1 Revision Date 05/29/2007 Page 5 of 6 Print Date 11/29/2011

Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	as Substances (40 CFR 302)
Not applicable	
California Proposition 65	n : Not applicable
SARA Title III Section 302 E	Extremely Hazardous Substance
	identified under this section, this product is Not Applicable under this regulat
Unless specific chemicals are	

PolyOne.

## MATERIAL SAFETY DATA SHEET **BROWN 7523C PP**

Version Number 1.1 Revision Date 05/29/2007				Pri		Page 6 of 1 <i>1/29/201</i>
Unless specific chemicals are	identified under this se					s regulatio
Chemical Name		CAS		Weigh	t %	_
ZINC COMPOUNDS		68187	/-51-9	1.00 -	5.00	]
Canadian Regulations: National Pollutant Rele	ease Inventory (NPRI)					
Chemical Name		CAS-No.	Weigh	t %	NPRI II	D#
Zinc ferrite brown spinel (C	C.I. Pigment Yellow	68187-51-9	1.00 - 1		231	
119)						
CAS-No. 12001-26-2 DSL		ts of this product t (DSL) or are ex		Canadian	n Domestic	2
National Inventories:						
Australia AICS	: Not determined	1				
China IECS	: Not determined	1				
Europe EINECS	: Not determined	1				
Japan ENCS	: Not determined	1				
Korea KECI	: Not determined	1				
Philippines PICCS	: Not determined	1				
	16. OTHER I	NFORMATION	N			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.