## MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

Version Number 1.1 Revision Date 12/01/2006

Page 1 of 7 Print Date 11/25/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	DK. CAST IRON 9042
Product code	:	CC10091659
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Carbon black	1333-86-4	1 - 5
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact				
Acute exposure					
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to</li> </ul>				
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.				
Chronic exposure	: Refer to Section 11 for Toxicological Information.				
Medical Conditions Aggravated by Exposure:	: None known.				

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

Version Number 1.1 Revision Date 12/01/2006 Page 2 of 7 Print Date 11/25/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

Version Number 1.1 Revision Date 12/01/2006 Page 3 of 7 Print Date 11/25/2011

Respiratory protection       : No personal respiratory protective equipment normally required.         Eye/Face Protection       : Safety glasses with side-shields.         Hand protection       : Protective gloves.         Skin and body protection       : Long sleeved clothing.         Additional Protective       : Safety shoes.         Measures       : Mandle in accordance with good industrial hygiene and safety practi         General Hygiene       : Handle in accordance with good industrial hygiene and safety practi         Considerations       : Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Maue       Exposure time       Exposure type       List:         Components       Value       Exposure time       Total dust. as carbon       ACGIE          3.5 mg/m3       PEL:       Total dust. as carbon       OSHA Z         Titanium dioxide       10 mg/m3       Time Weighted Average       ACGIE       ISAC             OSHA Z       OSHA Z              OSHA Z
Hand protection       :       Protective gloves.         Skin and body protection       :       Long sleeved clothing.         Additional Protective       :       Safety shoes.         Measures       :       Safety shoes.         General Hygiene       :       Handle in accordance with good industrial hygiene and safety practiconsiderations         Considerations       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       :       Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :       :       Itsit:         Carbon black       3.5 mg/m3       Time Weighted Average is the second is t
Skin and body protection       : Long sleeved clothing.         Additional Protective       : Safety shoes.         Measures       : Safety shoes.         General Hygiene       : Handle in accordance with good industrial hygiene and safety practic         Considerations       : Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       :         Components       Value       Exposure time       Exposure type       List:         Carbon black       3.5 mg/m3       Time Weighted Average (TWA):       Total dust. as carbon black       ACGIE         Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIE         15 mg/m3       PEL:       Total dust.       OSHA Z         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
Additional Protective Measures       : Safety shoes.         General Hygiene Considerations       : Handle in accordance with good industrial hygiene and safety practi Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Image: text of the exposure limit (s)       : Image: text of text
Measures       : Handle in accordance with good industrial hygiene and safety practive wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       : Total dust. as carbon ACGIN (TWA):         : 3.5 mg/m3       PEL:       Total dust. as carbon black         : 10 mg/m3       Time Weighted Average (TWA):       ACGIN (TWA):         : 15 mg/m3       PEL:       Total dust.       OSHA Z         : 20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         : 9. PHYSICAL AND CHEMICAL PROPERTIES       :       :
Considerations       Wash hands before breaks and at the end of workday.         Engineering measures       : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.         Exposure limit(s)       Exposure time       Exposure type       List:         Components       Value       Exposure time       Exposure type       List:         Carbon black       3.5 mg/m3       Time Weighted Average (TWA):       Total dust. as carbon black       ACGIH black         Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH black         15 mg/m3       PEL:       Total dust.       OSHA Z black         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
Exposure limit(s)         Components       Value       Exposure time       Exposure type       List:         Carbon black       3.5 mg/m3       Time Weighted Average (TWA):       Total dust. as carbon       ACGIH         3.5 mg/m3       PEL:       Total dust. as carbon       OSHA Z         black       10 mg/m3       Time Weighted Average (TWA):       Data         11 tanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH         15 mg/m3       PEL:       Total dust.       OSHA Z         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
Components         Value         Exposure time         Exposure type         List:           Carbon black         3.5 mg/m3         Time Weighted Average (TWA):         Total dust. as carbon black         ACGIH black           3.5 mg/m3         PEL:         Total dust. as carbon black         OSHA Z black           Titanium dioxide         10 mg/m3         Time Weighted Average (TWA):         ACGIH black           15 mg/m3         PEL:         Total dust.         OSHA Z black           20 mg/m3         Short Term Exposure Limit (STEL):         as Ti         MX OE           9. PHYSICAL AND CHEMICAL PROPERTIES
Carbon black       3.5 mg/m3       Time Weighted Average (TWA):       Total dust. as carbon black       ACGIH black         3.5 mg/m3       PEL:       Total dust. as carbon black       OSHA Z black         Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH black         15 mg/m3       PEL:       Total dust.       OSHA Z black         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
Carbon black       3.5 mg/m3       Time Weighted Average (TWA):       Total dust. as carbon black       ACGIH OSHA Z         3.5 mg/m3       PEL:       Total dust. as carbon black       OSHA Z         Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH         15 mg/m3       PEL:       Total dust.       OSHA Z         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE
3.5 mg/m3       PEL:       Total dust. as carbon black       OSHA Z         Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH         15 mg/m3       PEL:       Total dust.       OSHA Z         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
Image: mark with the second state with the second
Titanium dioxide       10 mg/m3       Time Weighted Average (TWA):       ACGIH         15 mg/m3       PEL:       Total dust.       OSHA Z         20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
20 mg/m3       Short Term Exposure Limit (STEL):       as Ti       MX OE         9. PHYSICAL AND CHEMICAL PROPERTIES
(STEL): 9. PHYSICAL AND CHEMICAL PROPERTIES
Form : Solid Evaporation rate : Not applicable
•
Boiling Point: : Not applicable pH : Not applicable
Boiling Point: : Not applicable pH : Not applicable
Boiling Point: : Not applicable pH : Not applicable
Appearance: PelletsSpecific Gravity:: Not determineColor: GREYBulk density: Not establishOdor: Very faintVapor pressure: Not applicable
•
Odor : Very faint Vapor pressure : Not applicable
Udor : Very faint Vapor pressure : Not applicable
Color : GREY Bulk density : Not established
LOIOR : GREY Bulk density : Not established
)dor · Very faint Vanor pressure · Not applicable
)dor : Very faint Vapor pressure Not applicable
Juoi very faint vapor pressure : Not applicable
Malting point/range · Not determined Vanour density · Not emplicable
Melting noint/range · Not determined Vanour density · Not applicable
Melting point/range : Not determined Vapour density · Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Velting point/range · Not determined · Vanour density · Not applicable
Velting noint/range · Not determined Vanour density · Not applicable
Malting point/pongo I Not determined Variation I III
Malting point/pongo I Not datagoninad Variana Janaita I Not datagoninad
Melting noint/range · Not determined Vanour density · Not applicable
Melting point/range : Not determined Vapour density · Not applicable
Melting point/range : Not determined Vapour density : Not applicable
Melting point/range : Not determined Vapour density : Not applicable

## MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

 Version Number 1.1
 Page 4 of 7

 Revision Date 12/01/2006
 Print Date
 11/25/2011

 Conditions to avoid
 : Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.

Incompatible Materials: Incompatible with strong acids and oxidizing agents.Hazardous decomposition<br/>products: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen<br/>(NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	3-67-7 Titanium dioxide		2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

#### **Additional Health Hazard Information:**

PolyOne

## MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

Version Number 1.1 Revision Date 12/01/2006 Page 5 of 7 Print Date 11/25/2011

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Environmental Toxicity	:	Chemicals are not readily available as they are bound within the
		polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	:	No data available
	1	3. DISPOSAL CONSIDERATIONS
Product	:	Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	5. REGULATORY INFORMATION
US Regulations:		

PolyOne.

# MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

ersion Number 1.1 evision Date 12/01/2006				Prir	Page 6 of 1 nt Date 11/25/201
OSHA Status : Classified as l	hazardous b	ased on co	omponen	ts.	
TSCA Status : All component Inventory.	nts of this pr	roduct are	listed on	or exem	pt from the TSCA
US. EPA CERCLA Hazardous Substances (40 CFI	R 302)				
Not applicable					
California Proposition : Not applicable 65	e				
SARA Title III Section 302 Extremely Hazardous	Substance				
Unless specific chemicals are identified under this	section, this	s product i	is Not Ap	plicable	under this regulatio
SARA Title III Section 313 Toxic Chemicals:					
Unless specific chemicals are identified under this	section, this				
Chemical Name ZINC COMPOUNDS		CAS-No 12063-19		Weight 5.00 -	
		12000 1)		0.00	10100
Canadian Regulations:					
National Pollutant Poloase Inventory (NPP)	I)				
National Pollutant Release Inventory (NPR) Chemical Name	CAS-N	0	Weight	%	NPRI ID#
Aluminum oxide	1344-28		0.10 -		13
Zinc iron oxide	12063-1	19-3	5.00 -		231
WHMIS Classification : D2A					
WHMIS Ingredient Disclosure List					
CAS-No. 1333-86-4					
DSL : All component Substances Li				anadian	Domestic
National Inventories:					
Australia AICS : Listed					

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET **DK. CAST IRON 9042**

Version Number 1.1 Revision Date 12/01/2006 Page 7 of 7 Print Date 11/25/2011

		16. OTHER INFORMATION
Philippines PICCS	:	Listed
Korea KECI	:	Listed
Japan ENCS	:	Not determined
Europe EINECS	:	Listed
China IECS	:	Listed

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.