MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 06/03/2009

Page 1 of 6 Print Date 1/8/2012

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE
Product code	:	CC10092029
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	re: : Inhalation, Skin contact, Ingestion		
Acute exposure			
Inhalation	: Inhalation of airborne droplets may cause irritation of the respiratory tract.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Irritating to eyes and respiratory system.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 06/03/2009 Page 2 of 6 Print Date 1/8/2012

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Seek medical attention after significant exposure.
Ingestion	: Do not induce vomiting without medical advice. Seek medical attention if necessary.
Eyes	: Rinse immediately with plenty of water for at least 15 minutes. If e irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Greater than 200 °F (93 °C)
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, Dry powder, Foam.
Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	5. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: The product should not be allowed to enter drains, water courses or the soil. Should not be released into the environment.
Methods for cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Package all material in appropriate container for disposal. Refer to Section 13 of this MSD for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 06/03/2009

_

_

Page 3 of 6 Print Date 1/8/2012

0.1	EXPOSURE	CONTROLS/PERSONAL	PROTECTION		
Respiratory protection	: U	: Under normal handling conditions a respirator may not be required.			
Eye/Face Protection	: S	: Safety glasses with side-shields			
Hand protection	: P	: Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations		andle in accordance with good ractice. Wash hands before br			
Engineering measures		eat only in areas with appropr ppropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Silica, amorphous	6 mg/m3	Recommended exposure limit (REL):		NIOSH	
	0.8 mg/m3	Time Weighted Average (TWA):		Z3	
	10 mg/m3	Time Weighted Average (TWA):	Inhalable particulate.	MX OEL	
	3 mg/m3	Time Weighted Average (TWA):	Respirable dust.	MX OEL	
	9. PHYSIC	CAL AND CHEMICAL PRO	DPERTIES		
Form Appearance	: liquio			established determined	
Color	: BLU			applicable	
Ddour			2	determined	
Melting point/range	: Not a	: Not applicable Vapour density : Not determined			
Boiling Point:		: Not applicable pH : Not applicable			
Water solubility : Immiscible					
	10. 8	TABILITY AND REACTIV	VITY		
Stability	: S	table.			
	n : W	/ill not occur.			

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE**

sion Number 1.1 ision Date 06/03/2009			Page 4 Print Date 1/8/2	
Conditions to avoid	: Keep away fr	om oxidizing agents	and open flame.	
Incompatible Materials	: Incompatible	with strong acids an	d oxidizing agents.	
Hazardous decomposition products			onoxide (CO), oxides of nitrogen, and smoke are all possible.	
	11. TOXICOLOG	ICAL INFORMA	ΓΙΟΝ	
health data for the indivi- Toxicity Overview	idual components which co	omprise the mixture.	osure effects listed are based on exi	
	•	-		
CAS-No. 7631-86-9	Chemical Name Silica, amorphous	Effect Irritant	Target OrganEyes, Respiratory system.	
Parsistance and degrade		CAL INFORMATI		
Persistence and degrada	bility : Not readily bi	lodegradable.		
Environmental Toxicity	: Adverse ecolo use.	ogical impact is not	known or expected under normal	
Bioaccumulation Potent	ial : Does not bioa	accumulate.		
Additional advice	: No data avail	able		
	13. DISPOSAL	CONSIDERATIO	NS	
Product	generator of v classification,	waste material has th transportation and o	rred to disposal or incineration. The responsibility for proper waste disposal in accordance with l and local regulations.	
Contaminated packaging	material has t transportation	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.		
	14. TRANSPO	RT INFORMATIC	DN	
U.S. DOT Classification	n : Not regulated	for transportation.		
ICAO/IATA (air)	: Not regulated	for transportation.		
IMO / IMDG (maritime)) : Not regulated	for transportation.		
	,	-		

POLYONE CORPORATION



MATERIAL SAFETY DATA SHEET **BLUE**

sion Date 06/03/2009					Page Print Date 1/8
US Regulations:					
OSHA Status	: Cla	assified as ha	zardous based o	n components.	
TSCA Status		ll components CA Inventor		are listed on or ex	empt from the
US. EPA CERCLA Hazardo	us Substanc	ces (40 CFR	302)		
Not applicable					
California Propositio 65	n : No	t applicable			
	Extremely F	Hazardous Su	Ibstance		
SARA Title III Section 302 I	LAUCINCITY I	luzuruous be			
Unless specific chemicals are	e identified	under this se		act is Not Applicab	le under this regu
Unless specific chemicals are SARA Title III Section 313 Unless specific chemicals are Canadian Regulations:	e identified Foxic Chem e identified	under this se nicals: under this se	ction, this produ		-
Unless specific chemicals are SARA Title III Section 313 7 Unless specific chemicals are	e identified Foxic Chem e identified	under this se nicals: under this se	ction, this produ	act is Not Applicab	-
Chemical Name Butyl acrylate	e identified Foxic Chem e identified	under this se nicals: under this se	ction, this production, this production, this production of the context of the co	uct is Not Applicab Weight % 0.10 - 1.00	le under this regu
Unless specific chemicals are SARA Title III Section 313 Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u>	e identified Foxic Chem e identified lease Inven	under this se nicals: under this se	ction, this production, this production, this production	act is Not Applicab	le under this regu
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: National Pollutant Re Chemical Name Butyl acrylate 1-Butanol	e identified Foxic Chem e identified lease Inven on : No : Al	under this se nicals: under this se tory (NPRI) 	ction, this production, this production, this production, this production, this production for the second statement of the sec	Weight % 0.10 - 1.00 0.10 - 1.00	le under this regu
Unless specific chemicals are SARA Title III Section 313 T Unless specific chemicals are Canadian Regulations: <u>National Pollutant Re</u> <u>Chemical Name</u> <u>Butyl acrylate</u> <u>1-Butanol</u> WHMIS Classificatio	e identified Foxic Chem e identified lease Inven on : No : Al	under this se nicals: under this se tory (NPRI) 	ction, this production, this production, this production, this production of this product s of this product	Weight % 0.10 - 1.00 0.10 - 1.00	le under this regu
Unless specific chemicals are SARA Title III Section 313 7 Unless specific chemicals are Canadian Regulations: National Pollutant Re Chemical Name Butyl acrylate 1-Butanol WHMIS Classification DSL	e identified Foxic Chem e identified lease Invent on : No : Al Sub	under this se nicals: under this se tory (NPRI) 	ction, this production, this production, this production, this production of this product s of this product	Weight % 0.10 - 1.00 0.10 - 1.00	le under this regu
Unless specific chemicals are SARA Title III Section 313 7 Unless specific chemicals are Canadian Regulations: National Pollutant Re Chemical Name Butyl acrylate 1-Butanol WHMIS Classification DSL National Inventories:	e identified Foxic Chem e identified lease Inventified on : No : Al Sub : No	under this se nicals: under this se tory (NPRI) t controlled. l component: bstances List	ction, this production, this production, this production, this production (DSL) or are expression of this product (DSL) or are expression of the product of the product (DSL) or are expression of the product of the pr	Weight % 0.10 - 1.00 0.10 - 1.00	le under this regu

Pol	vOne

MATERIAL SAFETY DATA SHEET **BLUE**

Version Number 1.1 Revision Date 06/03/2009 Page 6 of 6 Print Date 1/8/2012

Japan ENCS : Not determined

Korea KECI : Not determined

Philippines PICCS : Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.