### MATERIAL SAFETY DATA SHEET

## Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006

Page 1 of 6 Print Date 11/24/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	Trl. Soft Green 358c
Product code	CC10092231
Chemical Name	Mixture
CAS-No.	Mixture
Product Use	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5
Titanium dioxide	13463-67-7	1 - 5

### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Resin particles, like other inert materials, are mechanically irritating to eyes.</li> </ul>
Skin Chronic exposure	<ul> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> <li>Refer to Section 11 for Toxicological Information.</li> </ul>
Medical Conditions Aggravated by Exposure:	: None known.



### MATERIAL SAFETY DATA SHEET

# Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006 Page 2 of 6 Print Date 11/24/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists se medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne</li> </ul>
Unusual Fire/Explosion Hazards	<ul> <li>contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption



## MATERIAL SAFETY DATA SHEET

## Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006 Page 3 of 6 Print Date 11/24/2011

		nd contamination. Keep in a d	<u> </u>	
8. H	EXPOSURE	CONTROLS / PERSONAL	PROTECTION	
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally 1	required.
Eye/Face Protection	: S	afety glasses with side-shields		
Hand protection	: P	rotective gloves.		
Skin and body protection	: L	ong sleeved clothing.		
Additional Protective Measures	: S	afety shoes.		
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		afety practic
Engineering measures		leat only in areas with appropri ppropriate exhaust ventilation		Provide
Exposure limit(s)				
Components	Value	Exposure time	Exposure type	List:
Components Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z
	5 mg/m3 15 mg/m3	PEL: PEL:		OSHA Z OSHA Z
	5 mg/m3	PEL: PEL: Time Weighted Average (TWA):	Respirable fraction.	OSHA Z OSHA Z MX OEI
Calcium carbonate	5 mg/m3 15 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Respirable fraction.	OSHA Z OSHA Z MX OEI MX OEI
	5 mg/m3 15 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA):	Respirable fraction.	OSHA Z OSHA Z MX OEI MX OEI
Calcium carbonate	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average	Respirable fraction.	OSHA Z OSHA Z MX OEI MX OEI ACGIH
Calcium carbonate	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA):	Respirable fraction. Total dust.	OSHA Z OSHA Z MX OEI MX OEI ACGIH OSHA Z
Calcium carbonate	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Short Term Exposure Limit	Respirable fraction. Total dust. Total dust. as Ti	OSHA Z OSHA Z MX OEI MX OEI ACGIH OSHA Z
Calcium carbonate	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : GRE	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapore EN Bulk d	Respirable fraction.         Total dust.         Total dust.         as Ti         DPERTIES         ration rate       : Not         ic Gravity:       : Not         ensity       : Not	OSHA Z OSHA Z MX OEI ACGIH OSHA Z MX OEI
Calcium carbonate Calcium carbonate Titanium dioxide Form Appearance Color Odor	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapore the Evapore	Respirable fraction.         Total dust.         Total dust.         as Ti         DPERTIES         ration rate       : Not         ic Gravity:       : Not         ensity       : Not         pressure       : Not	OSHA Z OSHA Z MX OEI MX OEI ACGIH OSHA Z MX OEI applicable determined established applicable
Calcium carbonate Calcium carbonate Titanium dioxide Form Appearance Color Odor Melting point/range	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not of	PEL: PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor the Evapor	Respirable fraction.         Total dust.         Total dust.         as Ti         DPERTIES         ration rate       : Not         ensity       : Not         pressure       : Not         r density       : Not         r density       : Not	OSHA Z OSHA Z MX OEL MX OEL ACGIH OSHA Z MX OEL applicable determined established applicable applicable
Calcium carbonate Calcium carbonate Titanium dioxide Form Appearance Color Odor	5 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : GRE : Very : Not of	PEL:         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         Time Weighted Average (TWA):         PEL:         Short Term Exposure Limit (STEL):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         t       Evapor         ets       Specific         EN       Bulk d         faint       Vapor         determined       Vapou         applicable       pH	Respirable fraction.         Total dust.         Total dust.         as Ti         DPERTIES         ration rate       : Not         ensity       : Not         pressure       : Not         r density       : Not         r density       : Not	OSHA Z OSHA Z MX OEI MX OEI ACGIH OSHA Z MX OEI applicable determined established applicable

### **10. STABILITY AND REACTIVITY**

Stability

: Stable.

blvUn<u>e</u>

## MATERIAL SAFETY DATA SHEET

## Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006 Page 4 of 6 Print Date 11/24/2011

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

**Toxicity Overview** 

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1317-65-3	Calcium carbonate	Irritant	Eyes, Skin.
		Systemic effects	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	:	Chemicals are not readily available as they are bound within the polymer matrix.



## MATERIAL SAFETY DATA SHEET

# Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006 Page 5 of 6 Print Date 11/24/2011

Additional advice :		No data available
	13	. DISPOSAL CONSIDERATIONS
Product :		Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging :		Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14	I. TRANSPORT INFORMATION
U.S. DOT Classification :		Not regulated for transportation.
ICAO/IATA (air) :		Refer to specific regulation.
IMO / IMDG (maritime) :		Refer to specific regulation.
1	15.	REGULATORY INFORMATION
US Regulations:		
OSHA Status :		Classified as hazardous based on components.
TSCA Status :		All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous Su	bst	tances (40 CFR 302)
Not applicable		
California Proposition : 65		Not applicable
SARA Title III Section 302 Extrem Not applicable	me	ly Hazardous Substance
SARA Title III Section 313 Toxic	Cl	hemicals:
Not applicable		
		5/6

<u>PolyOne</u>

## MATERIAL SAFETY DATA SHEET

## Trl. Soft Green 358c

Version Number 1.0 Revision Date 10/04/2006

Page 6 of 6 Print Date 11/24/2011

Canadian Regulations:		
National Pollutant Release	se Iı	nventory (NPRI)
Not applicable		
WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Not determined
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material when used in combination with any other materials and/or in any particular process or processing conditions.