#### MATERIAL SAFETY DATA SHEET #364212 GRAPE

Version Number 1.0 Revision Date 10/25/2006

Page 1 of 6 Print Date 11/25/2011

## 1. PRODUCT AND COMPANY IDENTIFICATION POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone<br>Emergency telephone<br>number | : | Product Stewardship (770) 271-5902<br>CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure<br>or accident). |
|--|---|---|
| Product name                               | : | #364212 GRAPE   |
| Product code                               | : | CC10093107  |
| Chemical Name                              | : | Mixture   |
| CAS-No.                                    | : | Mixture   |
| Product Use                                | : | Industrial Applications   |
|  |   |   |

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

| Components       | CAS-No.    | Weight % |  |
|------------------|------------|----------|--|
| Titanium dioxide | 13463-67-7 | 1 - 5    |  |

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

| <b>Routes of Exposure:</b>                    | : Inhalation, Ingestion, Skin contact   |
|---|---|
| Acute exposure                                |   |
| Inhalation<br>Ingestion                       | <ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul> |
| Eyes  | : Resin particles, like other inert materials, are mechanically irritating to eyes.   |
| Skin  | : Experience shows no unusual dermatitis hazard from routine handling.  |
| Chronic exposure                              | : Refer to Section 11 for Toxicological Information.  |
| Medical Conditions<br>Aggravated by Exposure: | : None known.   |



#### MATERIAL SAFETY DATA SHEET #364212 GRAPE

Version Number 1.0 Revision Date 10/25/2006 Page 2 of 6 Print Date 11/25/2011

|                                     | 4. FIRST AID MEASURES  |      |
|-------------------------------------|--|------|
| Inhalation                          | : Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.                  | s of |
| Ingestion                           | : Do not induce vomiting without medical advice. When symptom persist or in all cases of doubt seek medical advice.  | 8    |
| Eyes                                | : Rinse immediately with plenty of water, also under the eyelids, fo least 15 minutes. If eye irritation persists, seek medical attention.                                     | r at |
| Skin                                | : Wash off with soap and plenty of water. If skin irritation persists medical attention.   | seel |
|                                     | 5. FIRE-FIGHTING MEASURES  |      |
| Flash point                         | : Not applicable   |      |
| Flammable Limits                    |  |      |
| Upper explosion limit               | : Not applicable   |      |
| Lower explosion limit               | : Not applicable   |      |
| Autoignition temperature            | : Not applicable   |      |
| Suitable extinguishing media        | : Carbon dioxide blanket, water spray, dry powder, foamnone.   |      |
| Special Fire Fighting<br>Procedures | : Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.                               | ve   |
| Unusual Fire/Explosion<br>Hazards   | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitroger (NOx), other hazardous materials, and smoke are all possible.   | 1    |
|                                     | 5. ACCIDENTAL RELEASE MEASURES   |      |
| Personal precautions                | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.   |      |
| Environmental precautions           | : Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.   | not  |
| Methods for cleaning up             | : Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Sectio of this MSDS for proper disposal methods. |      |
|                                     | 7. HANDLING AND STORAGE  |      |
| Handling                            | : Take measures to prevent the build up of electrostatic charge. He only in areas with appropriate exhaust ventilation.  | at   |
| Storage                             | : Keep containers dry and tightly closed to avoid moisture absorption  | on   |

PolyOne.

#### MATERIAL SAFETY DATA SHEET #364212 GRAPE

Version Number 1.0 Revision Date 10/25/2006 Page 3 of 6 Print Date 11/25/2011

| 8. E  | EXPOSURE   | CONTROLS / PERSONA  | AL PROTECTION                   |                                   |  |
|---|--|---|---------------------------------|-----------------------------------|--|
| Respiratory protection                                    | : N  | lo personal respiratory prote   | ective equipment norm           | ally required.                    |  |
| Eye/Face Protection                                       | : S  | afety glasses with side-shie  | lds.                            |                                   |  |
| Hand protection   | : P  | rotective gloves.   |                                 |                                   |  |
| Skin and body protection                                  | : L  | ong sleeved clothing.   |                                 |                                   |  |
| Additional Protective<br>Measures                         | : S  | afety shoes.  |                                 |                                   |  |
| General Hygiene<br>Considerations                         |  | : Handle in accordance with good industrial hygiene and safety practice.<br>Wash hands before breaks and at the end of workday. |                                 |                                   |  |
| Engineering measures                                      | neering measures : Heat only in areas with appropriate exhaust ventilation. Provide<br>appropriate exhaust ventilation at machinery. |   |                                 |                                   |  |
| Exposure limit(s)   |  |   |                                 |                                   |  |
| Components  | Value  | Exposure time   | Exposure type                   | List:                             |  |
| Titanium dioxide  | 10 mg/m3   | Time Weighted Average<br>(TWA):   |                                 | ACGIH                             |  |
|   | 15 mg/m3   | PEL:  | Total dust.                     | OSHA Z1                           |  |
|   | 20 mg/m3   | Short Term Exposure Lin<br>(STEL):  | iit as Ti                       | MX OEL                            |  |
|   | 9. PHYSI   | CAL AND CHEMICAL P  | ROPERTIES                       |                                   |  |
|   |  |   |                                 |                                   |  |
| Form  | : Solic  |   | aporation rate :                | Not applicable                    |  |
| Appearance<br>Color                                       | : Pelle<br>: PUR   |   | cific Gravity: :<br>k density : | Not determined<br>Not established |  |
| Odor  |  |   | or pressure :                   | Not applicable                    |  |
|   | •  |   | oour density :                  | Not applicable                    |  |
|   | : Not a  | applicable pH   | :                               | Not applicable                    |  |
| Melting point/range<br>Boiling Point:                     | Water solubility : Insoluble   |   |                                 |                                   |  |
| Melting point/range<br>Boiling Point:                     | : Insol  |   |                                 |                                   |  |
| Melting point/range<br>Boiling Point:                     |  | STABILITY AND REAC  | ΓΙVITY                          |                                   |  |
| Melting point/range<br>Boiling Point:                     | 10. 5  |   | ΓΙVITY                          |                                   |  |
| Melting point/range<br>Boiling Point:<br>Water solubility | <b>10.</b> S   | STABILITY AND REAC  | ΓΙVITY                          |                                   |  |

PolyOne.

# MATERIAL SAFETY DATA SHEET **#364212 GRAPE**

| xidizing agents.<br>xide (CO), oxides<br>d smoke are all po<br><b>N</b><br>ure effects listed ar<br>have the following<br><u>Target</u><br>Respiratory syst<br>, have the followin<br><u>IARC</u><br>2B  | e based on exist<br>g characteristics<br>Organ<br>em.                    |  |  |  |  |
|--|--|--|--|--|--|
| In the second se | e based on exist<br>g characteristics<br>Organ<br>em.<br>ng carcinogenic |  |  |  |  |
| are effects listed ar<br>have the following<br>Target<br>Respiratory syst<br>, have the followin<br>IARC   | g characteristics<br>Organ<br>em.<br>ng carcinogenic<br>NTP              |  |  |  |  |
| have the following<br>Target<br>Respiratory syst<br>, have the followin<br>IARC  | g characteristics<br>Organ<br>em.<br>ng carcinogenic<br>NTP              |  |  |  |  |
| Target<br>Respiratory syst<br>, have the followin  | Organ<br>em.<br>ng carcinogenic<br>NTP                                   |  |  |  |  |
| Respiratory syst , have the followin IARC  | em.<br>ng carcinogenic   |  |  |  |  |
| , have the followin  | ng carcinogenic  |  |  |  |  |
| IARC   | NTP  |  |  |  |  |
| 2B   | no   |  |  |  |  |
| 2B   | no   |  |  |  |  |
|  |  |  |  |  |  |
| <ul> <li>2B - The component is possibly carcinogenic to humans.</li> <li>NTP Carcinogen Classifications:</li> <li>1 - The component is known to be a human carcinogen.</li> <li>2 - The component is reasonably anticipated to be a human carcinogen.</li> </ul>   |  |  |  |  |  |
| 12. ECOLOGICAL INFORMATION   |  |  |  |  |  |
| Persistence and degradability : Not readily biodegradable.   |  |  |  |  |  |
| : Chemicals are not readily available as they are bound within the polymer matrix.   |  |  |  |  |  |
| : Chemicals are not readily available as they are bound within the polymer matrix.   |  |  |  |  |  |
| : No data available  |  |  |  |  |  |
|  |  |  |  |  |  |
|  |  |  |  |  |  |
| S  | e product can be rec<br>sposal or incineration                           |  |  |  |  |



#### MATERIAL SAFETY DATA SHEET #364212 GRAPE

| evision Date 10/25/2006          |   | Page 5 of 6<br>Print Date 11/25/2011   |  |  |
|----------------------------------|---|--|--|--|
|                                  |   | applicable federal, state/provincial and local regulations.  |  |  |
| Contaminated packaging           | :   | Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. |  |  |
|                                  | 1   | 4. TRANSPORT INFORMATION   |  |  |
|                                  |   |  |  |  |
| U.S. DOT Classification          | :   | Not regulated for transportation.  |  |  |
| ICAO/IATA (air)                  | :   | Refer to specific regulation.  |  |  |
| IMO / IMDG (maritime)            | :   | Refer to specific regulation.  |  |  |
|                                  | 15  | . REGULATORY INFORMATION   |  |  |
| US Regulations:                  |   |  |  |  |
| OSHA Status                      | :   | Classified as hazardous based on components.   |  |  |
| TSCA Status                      | :   | All components of this product are listed on or exempt from the TSCA Inventory.  |  |  |
| US. EPA CERCLA Hazardous         | Subs  | stances (40 CFR 302)   |  |  |
| Not applicable                   |   |  |  |  |
|                                  |   |  |  |  |
| California Proposition<br>65     | :   | Not applicable   |  |  |
| SARA Title III Section 302 Ext   | rem   | ely Hazardous Substance  |  |  |
| Unless specific chemicals are in | Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation |  |  |  |
| SARA Title III Section 313 To:   | kic C   | Chemicals:   |  |  |
| Unless specific chemicals are id | lenti   | fied under this section, this product is Not Applicable under this regulation  |  |  |
| Canadian Regulations:            |   |  |  |  |
| National Pollutant Relea         | se Ir   | iventory (NPRI)  |  |  |
| Tutona Tonuunt Kold              | II  |  |  |  |
|                                  |   |  |  |  |

P<u>olyOne</u>

#### MATERIAL SAFETY DATA SHEET #364212 GRAPE

| Version Number 1.0<br>Revision Date 10/25/2006 |   | Page 6 of 6<br>Print Date <i>11/25/2011</i>   |
|--|---|---|
|  |   |   |
| Not applicable                                 |   |   |
| WHMIS Classification                           | : | Not controlled.   |
| DSL  | : | All components of this product are on the Canadian Domestic<br>Substances List (DSL) or are exempt. |
| National Inventories:                          |   |   |
| Australia AICS                                 | : | Listed  |
| China IECS                                     | : | Listed  |
| Europe EINECS                                  | : | Listed  |
| Japan ENCS                                     | : | Listed  |
| Korea KECI                                     | : | Listed  |
| Philippines PICCS                              | : | Listed  |
|  |   | 16. OTHER INFORMATION   |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.