PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET

707 Raisin

Version Number 1.0 Revision Date 11/08/2006 Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	707 Raisin
Product code	:	CC10093499
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
14H-Benz[4,5]isoquino[2,1-a]perimidin-14-	6829-22-7	5 - 10
one		
Titanium dioxide	13463-67-7	5 - 10

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Particulates, like other inert materials can be mechanically irritating. Excessive inhalation of product vapors, especially during heating or processing, may be irritating to respiratory system.
Ingestion	: May be harmful if swallowed.
Eyes	: Particulates, like other inert materials can be mechanically irritating.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.



MATERIAL SAFETY DATA SHEET

707 Raisin

Version Number 1.0 Revision Date 11/08/2006 Page 2 of 6 Print Date 11/25/2011

Aggravated by Exposure:	
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	 Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible. May emit Hydrogen Chloride (HCl) or Carbon Monoxide (CO) under fire conditions.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE



MATERIAL SAFETY DATA SHEET 707 Raisin

			Print	Page 3 Date 11/25/	
Handling		ake measures to prevent the bunch of a constraint of the bunch of the		charge. Heat	
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.				
8. E	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: N	lo personal respiratory protecti	ve equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields			
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		landle in accordance with good Vash hands before breaks and a		safety practic	
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Exposure limit(s) Components	Value	Exposure time	Exposure type	List:	
	Value 10 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type	List: ACGIH	
Components		Time Weighted Average	Exposure type Total dust.	ACGIH	
Components	10 mg/m3	Time Weighted Average (TWA):		ACGIH OSHA Z	
Components	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Short Term Exposure Limit	Total dust. as Ti	ACGIH OSHA Z	
Components Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL):	Total dust. as Ti PPERTIES	ACGIH OSHA Z MX OEL	
Components Titanium dioxide	10 mg/m3 15 mg/m3 20 mg/m3	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Total dust. as Ti PPERTIES ration rate : No	ACGIH OSHA Z	
Components Titanium dioxide Form Appearance	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor ets Specifi	Total dust. as Ti PERTIES ration rate : No c Gravity: : No	ACGIH OSHA Z MX OEL	
Components Titanium dioxide Form Appearance Color	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor ets Specific Bulk d	Total dust. as Ti PERTIES ration rate : No c Gravity: : No ensity : No	ACGIH OSHA Z MX OEL	
Components Titanium dioxide Form Appearance Color Odor	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO the Evapor ets Specifie Bulk dy faint Vapor	Total dust. as Ti PPERTIES ration rate : No c Gravity: : No ensity : No pressure : No	ACGIH OSHA Z MX OEI	
Components Titanium dioxide Form Appearance Color Odor Melting point/range	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not of	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor ets Specific b Bulk d faint Vapor determined Vapou	Total dust. as Ti PPERTIES ration rate : No c Gravity: : No ensity : No pressure : No r density : No	ACGIH OSHA Z MX OEI	
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not of	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor ets Specifie b Bulk d v faint Vapor determined Vapou applicable pH	Total dust. as Ti PPERTIES ration rate : No c Gravity: : No ensity : No pressure : No r density : No	ACGIH OSHA Z MX OEI	
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point:	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not c : Insol	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor ets Specifie b Bulk d v faint Vapor determined Vapou applicable pH	Total dust. as Ti PERTIES ration rate : No c Gravity: : No ensity : No r density : No : No : No	ACGIH OSHA Z MX OEI	
Components Titanium dioxide Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not c : Insol 10. §	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor ets Specific b Bulk d v faint Vapor determined Vapou applicable pH	Total dust. as Ti PERTIES ration rate : No c Gravity: : No ensity : No r density : No : No : No	ACGIH OSHA Z MX OEL	
	10 mg/m3 15 mg/m3 20 mg/m3 9. PHYSIC : Solic : Pelle : RED : Very : Not a : Insol 10. S : S	Time Weighted Average (TWA): PEL: Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO d Evapor ets Specifie y faint Vapor determined Vapou applicable pH uble STABILITY AND REACTIV	Total dust. as Ti PERTIES ration rate : No c Gravity: : No ensity : No r density : No : No : No	ACGIH OSHA Z MX OEL	



MATERIAL SAFETY DATA SHEET **707 Raisin**

Version Number 1.0 Revision Date 11/08/2006		Page 4 of 6 Print Date 11/25/2011
Conditions to avoid		Keep away from oxidizing agents and open flame. To avoid thermal
Conditions to avoid	·	decomposition, do not overheat.
Incompatible Materials	:	Avoid contact with strong oxidizers. Also, avoid contact with acetal or acetal copolymers and with amine containing materials during processing. At processing conditions, these materials are mutually destructive and involve rapid degradation. Thoroughly purge and mechanically clean processing equipment to avoid even trace quantities of these materials from coming in contact with each other. Prevent cross contamination of feedstocks.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), hydrogen chloride (HCl), other hazardous materials, and smoke are all possible. Prolonged heating (approximately 30 minutes or more) above 392 °F (200 °C) or short term heating at 482 °F (250 °C) may result in product decomposition and evolution of carbon monoxide and hydrogen chloride.

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
6829-22-7	14H-Benz[4,5]isoquino[2,	Irritant	Eyes.
	1-a]perimidin-14-one		
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

12. ECOLOGICAL INFORMATION



MATERIAL SAFETY DATA SHEET **707** *Raisin*

Page 5 Print Date 11/25/2
: Not readily biodegradable.
: Chemicals are not readily available as they are bound within the polymer matrix.
: Chemicals are not readily available as they are bound within the polymer matrix.
: No data available
13. DISPOSAL CONSIDERATIONS
: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
14. TRANSPORT INFORMATION
: Not regulated for transportation.
: Refer to specific regulation.
: Refer to specific regulation.
15. REGULATORY INFORMATION
: Classified as hazardous based on components.
: All components of this product are listed on or exempt from the TSCA Inventory.
Substances (40 CFR 302)
: Not applicable

Version Number 1.0



Page 6 of 6

MATERIAL SAFETY DATA SHEET **707 Raisin**

ision Date 11/08/2006		Print Date 11/25/
SARA Title III Section 302 Ext	rem	ely Hazardous Substance
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regul
SARA Title III Section 313 Tox	ic (Chemicals:
Unless specific chemicals are id	enti	ified under this section, this product is Not Applicable under this regul
Canadian Regulations:		
National Pollutant Release	se I	nventory (NPRI)
Not applicable		
WHMIS Classification	:	D2B
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:		
Australia AICS	:	Not determined
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Not determined
		16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.