MATERIAL SAFETY DATA SHEET **BLUE CL650**

Version Number 1.0 Revision Date 11/14/2006 Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE CL650
Product code	:	CC10093866
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON INGREDIENTS

Components	CAS-No.	Weight %
Calcium carbonate	1317-65-3	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact		
Acute exposure		
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to 	
Skin	eyes. : Experience shows no unusual dermatitis hazard from routine handling.	
Chronic exposure	: Refer to Section 11 for Toxicological Information.	
Medical Conditions Aggravated by Exposure:	: None known.	

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE CL650**

Version Number 1.0 Revision Date 11/14/2006 Page 2 of 6 Print Date 11/25/2011

	4. FIRST AID MEASURES	
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases doubt seek medical advice.	s of
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.	
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.	• at
Skin	: Wash off with soap and plenty of water. If skin irritation persists s medical attention.	eel
	5. FIRE-FIGHTING MEASURES	
Flash point	: Not applicable	
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. 	
Special Fire Fighting Procedures Unusual Fire/Explosion	 Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen 	
Hazards	(NOx), other hazardous materials, and smoke are all possible.	
	5. ACCIDENTAL RELEASE MEASURES	
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.	
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.	ıot
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material i plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.	
	7. HANDLING AND STORAGE	
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.	ıt
Storage	: Keep containers dry and tightly closed to avoid moisture absorptio	n



MATERIAL SAFETY DATA SHEET **BLUE CL650**

Version Number 1.0 Revision Date 11/14/2006 Page 3 of 6 Print Date 11/25/2011

8. F	EXPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	o personal respiratory protection	ctive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: Protective gloves.					
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: Safety shoes.					
General Hygiene Considerations		andle in accordance with go Vash hands before breaks and		safety practice.		
Engineering measures		: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Calcium carbonate	5 mg/m3	PEL:	Respirable fraction.	OSHA Z1		
	15 mg/m3	PEL:	Total dust.	OSHA Z1		
	10 mg/m3	Time Weighted Average (TWA):		MX OEL		
	20 mg/m3	Short Term Exposure Limi (STEL):	it	MX OEL		
				1		
	9. PHYSIC	CAL AND CHEMICAL PI	ROPERTIES			
Form	: Solid	l Eva	poration rate : No	t applicable		
Appearance	: Pelle			t determined		
Color	: BLU		-	t established		
Odor	: Very			t applicable		
Melting point/range				t applicable		
Boiling Point:		applicable pH	: No	t applicable		
Water solubility	: Insol	uble				
	10. 5	STABILITY AND REACT	IVITY			
Stability	: S	table.				
-	n · W	Vill not occur.				
Hazardous Polymerization						

POLYONE CORPORATION

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE CL650**

				Page 4 of 6 Print Date <i>11/25/2011</i>		
Incompatible Materials : Incompatible with strong acids and oxidizing agents.						
Hazardous decompositi products	Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
11. TOXICOLOGICAL INFORMATION						
This mixture has not be health data for the indiv				are effects listed are based on existing		
<u>Toxicity Overview</u> This product contains t	he following	components whi	ch in their pure form	have the following characteristics:		
CAS-No.	Chem	nical Name	Effect	Target Organ		
1317-65-3	Calcium ca	arbonate	Irritant	Eyes, Skin.		
			Systemic effects	Eyes, Skin, Respiratory system.		
	12	2. ECOLOGICA	L INFORMATION	1		
Persistence and degrada	ability :	Not readily bio	degradable.			
Environmental Toxicity	Environmental Toxicity : Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Poten	itial :	: Chemicals are not readily available as they are bound within the polymer matrix.				
Additional advice	Additional advice : No data available					
	1	3. DISPOSAL C	ONSIDERATIONS			
Product	:	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
Contaminated packaging		: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
	1	4. TRANSPOR	T INFORMATION			
U.S. DOT Classificatio	U.S. DOT Classification : Not regulated for transportation.					
ICAO/IATA (air)	:	Refer to specifi	c regulation.			

PolyOne.

MATERIAL SAFETY DATA SHEET **BLUE CL650**

Version Number 1.0 Revision Date 11/14/2006 Page 5 of 6 Print Date 11/25/2011

	15. REGULATO	RY INFORMAT	ION	
US Regulations:				
-				
OSHA Status	: Classified as h	nazardous based on	components.	
TSCA Status	: All componen Inventory.	nts of this product a	re listed on or exem	pt from the TSCA
US. EPA CERCLA Hazardous	Substances (40 CFI	R 302)		
Not applicable				
California Proposition 65	: Not applicable	2		
SARA Title III Section 302 Ext	remely Hazardous S	Substance		
Unless specific chemicals are id	entified under this	section this produc	t is Not Applicable	under this regulation
SARA Title III Section 313 Tox Unless specific chemicals are id Canadian Regulations:	entified under this	-	et is Not Applicable	under this regulation
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	entified under this)		
Unless specific chemicals are id Canadian Regulations: <u>National Pollutant Relea</u> Chemical Name	entified under this) CAS-No.	Weight %	NPRI ID#
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea	entified under this)		
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Chemical Name Phthalocyanine blue	entified under this) CAS-No. 147-14-8 1328-53-6	Weight % 10.00 - 30.00	NPRI ID# 71
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Chemical Name Phthalocyanine blue Phthalocyanine green	entified under this se Inventory (NPRI) CAS-No. 147-14-8 1328-53-6	Weight % 10.00 - 30.00 0.10 - 1.00	NPRI ID# 71 71
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Chemical Name Phthalocyanine blue Phthalocyanine green WHMIS Classification	entified under this se Inventory (NPRI) CAS-No. 147-14-8 1328-53-6 I. I.	Weight % 10.00 - 30.00 0.10 - 1.00	NPRI ID# 71 71
Unless specific chemicals are id Canadian Regulations: National Pollutant Relea Chemical Name Phthalocyanine blue Phthalocyanine green WHMIS Classification DSL	entified under this se Inventory (NPRI) CAS-No. 147-14-8 1328-53-6 I. I.	Weight % 10.00 - 30.00 0.10 - 1.00	NPRI ID# 71 71



MATERIAL SAFETY DATA SHEET **BLUE CL650**

Version Number 1.0
Revision Date 11/14/2006

Page 6 of 6 Print Date 11/25/2011

China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Listed
Korea KECI	:	Listed
Philippines PICCS	:	Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.