PolvOne

### MATERIAL SAFETY DATA SHEET BLUE FLECK II

Version Number 1.0 Revision Date 12/05/2006 Page 1 of 6 Print Date 11/25/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	BLUE FLECK II
Product code	:	CC10094407
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

## 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Phenol,	25973-55-1	5 - 10
2-(2H-benzotriazol-2-yl)-4,6-bis(1,1-dimeth		
ylpropyl)-		
Aluminum	7429-90-5	1 - 5

#### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLUE FLECK II**

Version Number 1.0 Revision Date 12/05/2006 Page 2 of 6 Print Date 11/25/2011

Medical Conditions       : None known.         Aggravated by Exposure:			
	4. FIRST AID MEASURES		
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases o doubt seek medical advice.		
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.		
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.		
Skin	: Wash off with soap and plenty of water. If skin irritation persists see medical attention.		
	5. FIRE-FIGHTING MEASURES		
Flash point	: Not applicable		
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>		
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.		
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>		
	6. ACCIDENTAL RELEASE MEASURES		
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.		
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.		
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 1 of this MSDS for proper disposal methods.		
	7. HANDLING AND STORAGE		
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.		



## MATERIAL SAFETY DATA SHEET **BLUE FLECK II**

Version Number 1.0				
Revision Date 12	/05/2006			

Storage

Page 3 of 6 Print Date 11/25/2011

: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory protection	: No personal respiratory protective equipment normally	required.
Eye/Face Protection	: Safety glasses with side-shields.	
Hand protection	: Protective gloves.	
Skin and body protection	: Long sleeved clothing.	
Additional Protective Measures	: Safety shoes.	
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and Wash hands before breaks and at the end of workday.	safety practice.
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. appropriate exhaust ventilation at machinery.	Provide

Exposure limit(s)

Components	Value	Exposure time	Exposure type	List:
Aluminum	10 mg/m3	Time Weighted Average	Dust.	ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust. as Al	OSHA Z1
	5 mg/m3	PEL:	Respirable dust. as Al	OSHA Z1
	10 mg/m3	Time Weighted Average	Dust.	MX OEL
		(TWA):		

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form
Appearance
Color
Odor
Melting point/range
Boiling Point:
Water solubility

Solid
Pellets
BLUE
Very faint
Not determined
Not applicable
Insoluble

Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH Not applicableNot determinedNot establishedNot applicableNot applicable

: Not applicable

**10. STABILITY AND REACTIVITY** 

Stability

: Stable.

Hazardous Polymerization

: Will not occur.



# MATERIAL SAFETY DATA SHEET **BLUE FLECK II**

ion Number 1.0 sion Date 12/05/200	06			Page / Print Date 11/25/
		n oxidizing agents an do not overheat.	d open flame. To avoid therma	
Incompatible Material	ls :	Incompatible with	ith strong acids and o	xidizing agents.
		(CO2), carbon monoxide (CO), oxides of nitrogen azardous materials, and smoke are all possible.		
	11.	TOXICOLOGIC	CAL INFORMATIC	DN
health data for the ind Toxicity Overview	lividual comp	oonents which com	prise the mixture.	re effects listed are based on ex have the following characteristi
CAS-No.	Chei	nical Name	Effect	Target Organ
25973-55-1	Phenol, 2-(2H-benzotriazol-2-yl)-4 ,6-bis(1,1-dimethylpropyl)		Systemic effects	Kidney, Liver, reproductive system.
7429-90-5	Aluminun	1	Irritant	Skin, Respiratory system.
		Systemic effects	Eyes, Skin, Respiratory system	
	1	2 ECOLOGICA	L INFORMATION	
Persistence and degrad				
Environmental Toxici	.ty :	Chemicals are n polymer matrix.		s they are bound within the
Bioaccumulation Potential : Chemicals are r polymer matrix		•	s they are bound within the	
Additional advice : No data ava		No data availab	le	
	]	13. DISPOSAL C	ONSIDERATIONS	
Product : Like most thermoplastic plastics the product can be recycled. We possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.				
		applicable feder	a, saus, provincial a	

14. TRANSPORT INFORMATION

PolyOne.

# MATERIAL SAFETY DATA SHEET **BLUE FLECK II**

nents. l on or exempt from the TSCA
d on or exempt from the TSCA
t Applicable under this regula
t Applicable under this regula Weight % 1.00 - 5.00
1 1
eight % NPRI ID#
eight %         NPRI ID#           00 - 5.00         12           0 - 1.00         161

PolyOne

# MATERIAL SAFETY DATA SHEET **BLUE FLECK II**

Version Number 1.0 Revision Date 12/05/2006		Page 6 of 6 Print Date <i>11/25/2011</i>
WHMIS Ingredient Discle	osure List	
CAS-No. 7429-90-5		
DSL	: DSL status has not been determined. Quant restricted by regulations.	ity use in Canada may be
National Inventories:		
Australia AICS	: Not determined	
China IECS	: Not determined	
Europe EINECS	: Not determined	

 Japan ENCS
 : Not determined

 Korea KECI
 : Not determined

 Philippines PICCS
 : Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.