MATERIAL SAFETY DATA SHEET OPAQUE WHITE

Version Number 1.0 Revision Date 12/13/2006

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	OPAQUE WHITE
Product code	:	CC10094835
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Silica, amorphous	7631-86-9	1 - 5
Titanium dioxide	13463-67-7	30 - 60

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **OPAQUE WHITE**

Version Number 1.0 Revision Date 12/13/2006 Page 2 of 6 Print Date 11/25/2011

		IRST AID MEASURES
Inhalation	overl	e to fresh air in case of accidental inhalation of fumes from heating or combustion. When symptoms persist or in all cases of t seek medical advice.
Ingestion		ot induce vomiting without medical advice. When symptoms st or in all cases of doubt seek medical advice.
Eyes		e immediately with plenty of water, also under the eyelids, for at 15 minutes. If eye irritation persists, seek medical attention.
Skin		n off with soap and plenty of water. If skin irritation persists seek cal attention.
	5. FIR	E-FIGHTING MEASURES
Flash point	: Not a	applicable
Elamorable I inside		
Flammable Limits	. NT-4	and include
Upper explosion limit		applicable
Lower explosion limit		pplicable
Autoignition temperature		applicable
Suitable extinguishing media	: Carb	on dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	press	ace self-contained breathing apparatus (SCBA) used in positive ure mode should be worn to prevent inhalation of airborne uninants.
Unusual Fire/Explosion Hazards	: Carb	on dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (c), other hazardous materials, and smoke are all possible.
	. ACCID	ENTAL RELEASE MEASURES
Personal precautions		appropriate personal protection during cleanup, such as rvious gloves, boots and coveralls.
Environmental precautions		ld not be released into the environment. The product should not lowed to enter drains, water courses or the soil.
Methods for cleaning up	plast	n up promptly by sweeping or vacuum. Package all material in ic, cardboard or metal containers for disposal. Refer to Section 13 is MSDS for proper disposal methods.
	7. HA	NDLING AND STORAGE
Handling		measures to prevent the build up of electrostatic charge. Heat in areas with appropriate exhaust ventilation.
Storage	: Keep	containers dry and tightly closed to avoid moisture absorption

POLYONE CORPORATION

<u>PolyOne</u>.

MATERIAL SAFETY DATA SHEET OPAQUE WHITE

Version Number 1.0 Revision Date 12/13/2006

_

Page 3 of 6 Print Date 11/25/2011

	ar	nd contamination. Keep in a c	lry, cool place.			
8. I	EXPOSURE	CONTROLS / PERSONAL	PROTECTION			
Respiratory protection	: N	o personal respiratory protect	ive equipment normally r	equired.		
Eye/Face Protection	: Sa	: Safety glasses with side-shields.				
Hand protection	: P 1	rotective gloves.				
Skin and body protection	: L	ong sleeved clothing.				
Additional Protective Measures	5					
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.					
Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.						
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Silica, amorphous	20 mppcf	PEL:	Total dust.	OSHA		
	20 mppcf	PEL:	Total dust.	Z3		
	0.8 mg/m3	Time Weighted Average (TWA):		Z3		
	10 mg/m3	Time Weighted Average (TWA):		MX OEL		
	10 mg/m	Time Weighted Average	Inhalable particulate.	MX OEL		

		(TWA):		
	10 mg/m3	Time Weighted Average	Inhalable particulate.	MX OEL
		(TWA):		
	3 mg/m3	Time Weighted Average	Respirable dust.	MX OEL
		(TWA):		
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH
		(TWA):		
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	20 mg/m3	Short Term Exposure Limit	as Ti	MX OEL
		(STEL):		

9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Color Odor Melting point/range Boiling Point: Water solubility
- Solid
 Pellets
 WHITE
 Very faint
 Not determined
 Not applicable
 Insoluble
- Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH
- Not applicable
 Not determined
 Not established
 Not applicable
 Not applicable
 Not applicable

olvOne

MATERIAL SAFETY DATA SHEET OPAQUE WHITE

Version Number 1.0 Revision Date 12/13/2006 Page 4 of 6 Print Date 11/25/2011

		1(). STABILITY AND REACTIVITY	1
Stability		:	Stable.	
Hazardou	s Polymerization	:	Will not occur.	
Condition	ns to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.	
Incompati	ible Materials	:	Incompatible with strong acids and oxidizing agents.	
Hazardou products	s decomposition	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.	

11. TOXICOLOGICAL INFORMATION

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
7631-86-9	Silica, amorphous	Irritant	Eyes, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
7631-86-9	Silica, amorphous	Oral LD50Oral LD50	15,000 mg/kg22,500 mg/kg	mouserat

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

PolyOne.

MATERIAL SAFETY DATA SHEET **OPAQUE WHITE**

Version Number 1.0 Revision Date 12/13/2006 Page 5 of 6 Print Date 11/25/2011

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
TSCA Status	: All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardous	Substances (40 CFR 302)
Not applicable	

PolvOn<u>e</u>

MATERIAL SAFETY DATA SHEET OPAQUE WHITE

Version Number 1.0 Revision Date 12/13/2006 Page 6 of 6 Print Date 11/25/2011

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

	WHMIS Classification	:	Not controlled.
	DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
Natio	nal Inventories:		
	Australia AICS	:	Not determined
	China IECS	:	Listed
	Europe EINECS	:	Listed
	Japan ENCS	:	Not determined
	Korea KECI	:	Listed
	Philippines PICCS	:	Not determined

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.