MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 01/02/2007

Page 1 of 6 Print Date 11/25/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	RED
Product code	:	CC10094864
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Iron oxide	1309-37-1	1 - 5

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes	 Resin particles, like other inert materials, can be mechanically irritating. May be harmful if swallowed. Resin particles, like other inert materials, are mechanically irritating to
Skin	eyes.Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 01/02/2007 Page 2 of 6 Print Date 11/25/2011

		4. FIRST AID MEASURES
Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature	:	Not applicable Not applicable Not applicable
Suitable extinguishing media	:	Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 01/02/2007

_

Page 3 of 6 Print Date 11/25/2011

8. E	XPOSURE	CONTROLS / PERSONA	L PROTECTION			
Respiratory protection	: N	o personal respiratory protection	ctive equipment normally	required.		
Eye/Face Protection	: S	: Safety glasses with side-shields.				
Hand protection	: P	: Protective gloves.				
Skin and body protection	: L	: Long sleeved clothing.				
Additional Protective Measures	: S	afety shoes.				
General Hygiene Considerations		andle in accordance with go Vash hands before breaks and		safety practice.		
Engineering measures	Engineering measures : Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.					
Exposure limit(s)						
Components	Value	Exposure time	Exposure type	List:		
Iron oxide	5 mg/m3	Time Weighted Average (TWA):	as Fe	MX OEL		
	10 mg/m3	Short Term Exposure Limi (STEL):	t as Fe	MX OEL		
	5 mg/m3	Time Weighted Average (TWA):	Respirable fraction.	ACGIH		
				•		
		TAT AND OTTEMPOAT DI	ODEDTIEG			
	9. PHYSIC	CAL AND CHEMICAL PH	COPERTIES			
Form				at applicable		
	: Solic	l Eva	poration rate : No	ot applicable		
Appearance	: Solic : Pelle	l Eva ts Spec	poration rate : No ific Gravity: : No	ot determined		
Appearance Color	: Solic : Pelle : RED	l Evap ets Spec Bulk	ooration rate : No sific Gravity: : No density : No	ot determined ot established		
Appearance Color Odor	: Solic : Pelle : RED : Very	l Evap ots Spec b Bulk faint Vap	boration rate : No bific Gravity: : No c density : No or pressure : No	ot determined		
Appearance Color Odor Melting point/range	: Solic : Pelle : RED : Very : Not o	l Evap ots Spec b Bulk faint Vap	boration rate : No boration rate : No bor Gravity: : No bor pressure : No bour density : No	ot determined ot established ot applicable		
Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : RED : Very : Not o	l Evap ets Spec faint Vap determined Vap applicable pH	boration rate : No boration rate : No bor Gravity: : No bor pressure : No bour density : No	ot determined ot established ot applicable ot applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : RED : Very : Not o : Not o : Insol	l Evap ets Spec faint Vap determined Vap applicable pH	boration rate : No eific Gravity: : No a density : No or pressure : No our density : No : No	ot determined ot established ot applicable ot applicable		
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : RED : Very : Not o : Not a : Insol	l Evap ets Spec b Bulk faint Vap determined Vap applicable pH uble	boration rate : No eific Gravity: : No a density : No or pressure : No our density : No : No	ot determined ot established ot applicable ot applicable		
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : RED : Very : Not c : Not a : Insol 10. S : S	l Evap ets Spec 9 Bulk 9 faint Vap determined Vap applicable pH uble STABILITY AND REACT	boration rate : No eific Gravity: : No a density : No or pressure : No our density : No : No	ot determined ot established ot applicable ot applicable		

PolyOne.

MATERIAL SAFETY DATA SHEET **RED**

rsion Number 1.0 vision Date 01/02/2007			Page 4 0 Print Date 11/25/20		
Incompatible Materials	: Incompatible v	vith strong acids and	oxidizing agents.		
Hazardous decomposition products:Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.					
	11. TOXICOLOGI	CAL INFORMATI	ON		
This mixture has not been eval health data for the individual c			ure effects listed are based on exis		
<u>Toxicity Overview</u> This product contains the follo	wing components wh	ich in their pure forn	have the following characteristics		
	Chemical Name	Effect	Target Organ		
1309-37-1 Iron o	xide	Systemic effects	Respiratory system.		
	12. ECOLOGIC	AL INFORMATIO	N		
Persistence and degradability	: Not readily bio	degradable.			
Environmental Toxicity	: Chemicals are polymer matrix		as they are bound within the		
Bioaccumulation Potential		: Chemicals are not readily available as they are bound within the polymer matrix.			
Additional advice : No data available					
	13. DISPOSAL (CONSIDERATION	8		
Product	possible recycl generator of wa classification, t	ing is preferred to dia aste material has the transportation and dis	e product can be recycled. Where sposal or incineration. The responsibility for proper waste sposal in accordance with and local regulations.		
Contaminated packaging	has the response and disposal in	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.			
	14. TRANSPOR	T INFORMATION			
U.S. DOT Classification	: Not regulated f	for transportation.			
	. Defente enerif	ic regulation.			
ICAO/IATA (air)	: Refer to specifi	e regulation.			

olvOn<u>e</u>

MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 01/02/2007

Page 5 of 6 Print Date 11/25/2011

15. REGULATORY INFORMATION

US Regulations:

OSHA Status : Classified as hazardous based on components.

TSCA Status

All components of this product are listed on or exempt from the TSCA Inventory.

US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Not applicable

California Proposition : Not applicable 65

SARA Title III Section 302 Extremely Hazardous Substance

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

SARA Title III Section 313 Toxic Chemicals:

Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation

Canadian Regulations:

National Pollutant Release Inventory (NPRI)

Not applicable

WHMIS Classification	:	Not controlled.
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.

National Inventories:

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined

POLYONE	CORPOR	ATION



MATERIAL SAFETY DATA SHEET **RED**

Version Number 1.0 Revision Date 01/02/2007

Page 6 of 6 Print Date 11/25/2011

Korea KECI : Listed

Philippines PICCS : Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.