# MATERIAL SAFETY DATA SHEET **PURPLE 247C**

Version Number 1.1 Revision Date 05/29/2007 Page 1 of 6 Print Date 11/29/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	PURPLE 247C
Product code :	CC10095415
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Mica	12001-26-2	10 - 30
Titanium dioxide	13463-67-7	10 - 30

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion Eyes Skin	<ul> <li>Resin particles, like other inert materials, can be mechanically irritating.</li> <li>May be harmful if swallowed.</li> <li>Particulates, like other inert materials can be mechanically irritating.</li> <li>Experience shows no unusual dermatitis hazard from routine handling.</li> </ul>
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.



# MATERIAL SAFETY DATA SHEET PURPLE 247C

Version Number 1.1 Revision Date 05/29/2007 Page 2 of 6 Print Date 11/29/2011

Inhalation	:	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	:	Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	:	Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
		5. FIRE-FIGHTING MEASURES
Flash point	:	Not applicable
Flammable Limits		
Upper explosion limit		Not applicable
Lower explosion limit	:	Not applicable
Autoignition temperature	:	Not relevant
Suitable extinguishing media	:	Carbon dioxide blanket, Water spray, Dry powder, Foam.
Special Fire Fighting Procedures	:	Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. A	CCIDENTAL RELEASE MEASURES
Personal precautions	:	Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	:	Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	:	Clean up promptly by scoop or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
		7. HANDLING AND STORAGE
Handling	:	Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	:	Keep containers dry and tightly closed to avoid moisture absorption



# MATERIAL SAFETY DATA SHEET **PURPLE 247C**

Version Number 1.1 Revision Date 05/29/2007 Page 3 of 6 Print Date 11/29/2011

0.1	XPOSURE	CONTROLS / PERSONAL	PROTECTION		
Respiratory protection	: No personal respiratory protective equipment normally required. If dusty conditions occur wear appropriate respiratory protection.				
Eye/Face Protection	: Safety glasses				
Hand protection	: P	Protective gloves			
Skin and body protection	: L	ong sleeved clothing			
Additional Protective Measures	: S	afety shoes			
General Hygiene Considerations	: Wash hands and face before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice for diagnostics.				
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.				
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Components Mica	Value 3 mg/m3	Exposure time Time Weighted Average (TWA):	Exposure type Respirable fraction.	List: ACGIH	
		Time Weighted Average (TWA): Time Weighted Average			
	3 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average		ACGIH	
Mica	3 mg/m3 3 mg/m3 10 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA):		ACGIH MX OEL	
Mica	3 mg/m3 3 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA):	Respirable fraction.	ACGIH MX OEL ACGIH	
Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average	Respirable fraction.	ACGIH MX OEL ACGIH OSHA Z1	
Mica	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit	Respirable fraction. Total dust. as Ti as Ti	ACGIH MX OEL ACGIH OSHA Z1 MX OEL	
Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSI	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL):	Respirable fraction. Total dust. as Ti as Ti DPERTIES	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL	
Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSI0 : Solid	Time Weighted Average (TWA): Time Weighted Average (TWA): Time Weighted Average (TWA): PEL: Time Weighted Average (TWA): Short Term Exposure Limit (STEL): CAL AND CHEMICAL PRO	Respirable fraction. Total dust. as Ti as Ti DPERTIES ration rate : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL	
Mica Titanium dioxide	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSI : Solic : flake	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapo         es       Specification	Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ic Gravity       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined	
Mica Titanium dioxide Form Appearance Color	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : PUR	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapo         es       Specific         PLE       Bulk d	Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ic Gravity       : Not         lensity       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined determined	
Mica Titanium dioxide Form Appearance Color Odour	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIC : Solic : flake : PUR : Very	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapo         es       Specific         PLE       Bulk d         / faint       Vapou	Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         ic Gravity       : Not         ensity       : Not         r pressure       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined determined	
Mica Titanium dioxide Form Appearance Color	3 mg/m3 3 mg/m3 10 mg/m3 15 mg/m3 10 mg/m3 20 mg/m3 20 mg/m3 9. PHYSIO : Solio : flake : PUR : Very : Grea	Time Weighted Average (TWA):         Time Weighted Average (TWA):         Time Weighted Average (TWA):         PEL:         Time Weighted Average (TWA):         Short Term Exposure Limit (STEL):         CAL AND CHEMICAL PRO         d       Evapo         es       Specific         PLE       Bulk d         / faint       Vapou	Respirable fraction.         Total dust.         as Ti         as Ti         OPERTIES         ration rate       : Not         lensity       : Not         r pressure       : Not         r density       : Not	ACGIH MX OEL ACGIH OSHA Z1 MX OEL MX OEL applicable determined determined	

# MATERIAL SAFETY DATA SHEET **PURPLE 247C**

Version Number 1.1 Revision Date 05/29/2007 Page 4 of 6 Print Date 11/29/2011

Stability	:	Stable.
Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke.

### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

#### **Toxicity Overview**

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
12001-26-2	Mica	Systemic effects	Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	:	Not readily biodegradable.
Environmental Toxicity	:	Chemicals are not readily available as they are bound within the polymer matrix.
<b>Bioaccumulation Potential</b>	:	Not inherently biodegradable.
Additional advice	:	Chemicals are not readily available as they are bound within the



# MATERIAL SAFETY DATA SHEET **PURPLE 247C**

Version Number 1.1 Page 5 of 6 Print Date 11/29/2011 Revision Date 05/29/2007 polymer matrix. 13. DISPOSAL CONSIDERATIONS Product Where possible recycling is preferred to disposal or incineration. The : generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. Recycling is preferred when possible. The generator of waste material Contaminated packaging : has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations. **14. TRANSPORT INFORMATION** U.S. DOT Classification : Refer to specific regulation. ICAO/IATA (air) Refer to specific regulation. : IMO / IMDG (maritime) Refer to specific regulation. : **15. REGULATORY INFORMATION** US Regulations: **OSHA** Status Classified as hazardous based on components. **TSCA Status** All components of this product are listed on or exempt from the TSCA : Inventory. US. EPA CERCLA Hazardous Substances (40 CFR 302) Not applicable California Proposition : Not applicable 65 SARA Title III Section 302 Extremely Hazardous Substance Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation SARA Title III Section 313 Toxic Chemicals:

PolyOne

Page 6 of 6

## POLYONE CORPORATION

Version Number 1.1

### MATERIAL SAFETY DATA SHEET PURPLE 247C

vision Date 05/29/2007		Page 6 01 Print Date 11/29/201
Unless specific chemicals are	identified under this section, this product is Not A	pplicable under this regulation
Canadian Regulations:		
National Pollutant Rele	ase Inventory (NPRI)	
Not applicable		
WHMIS Classification	: D2A	
WHMIS Ingredient Dis	colosure List	
CAS-No. 12001-26-2		
DSL	: All components of this product are on the Substances List (DSL) or are exempt.	Canadian Domestic
National Inventories:		
Australia AICS	: Listed	
China IECS	: Listed	
Europe EINECS	: Listed	
Japan ENCS	: Not determined	
Korea KECI	: Listed	
Philippines PICCS	: Listed	
	16. OTHER INFORMATION	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.