PolvOne

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 1 of 8 Print Date 1/8/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	FOCUS LT. TEAL CSPN
Product code :	CC10095473
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight percent
Carbon black	1333-86-4	0.1 - 1
Rutile, antimony chromium buff	68186-90-3	1 - 5
Titanium dioxide	13463-67-7	30 - 60

### 3. HAZARDS IDENTIFICATION

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.

PolyOne.

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 2 of 8 Print Date 1/8/2012

Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases or doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seek medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting Procedures Unusual Fire/Explosion Hazards	<ul> <li>not applicable</li> <li>not applicable</li> <li>not applicable</li> <li>Carbon dioxide blanket, Water spray, Dry powder, Foam.</li> <li>Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.</li> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 13 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat

PolyOne.

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009

\_\_\_\_\_

Page 3 of 8 Print Date 1/8/2012

Storage	:	only in areas with appropriate exhaust ventilation. Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.	
	11.11		-
8. EAPUS	SU1	RE CONTROLS/PERSONAL PROTECTION	
Respiratory protection	:	No personal respiratory protective equipment normally required.	
Eye/Face Protection	:	Safety glasses with side-shields	
Hand protection	:	Protective gloves	
Skin and body protection	:	Long sleeved clothing	
Additional Protective Measures	:	Safety shoes	
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.	
Engineering measures	:	Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.	
Exposure limit(s)			

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 4 of 8 Print Date 1/8/2012

Components	Value	Exposure time	Exposure type	List:
Carbon black	3.5 mg/m3	Time Weighted Average (TWA):		ACGIH
	3.5 mg/m3	Recommended exposure limit (REL):		NIOSH
	0.1 mg/m3	Recommended exposure limit (REL):		NIOSH
	3.5 mg/m3	PEL:		OSHA Z1
	3.5 mg/m3	Time Weighted Average (TWA):		OSHA Z1A
	3.5 mg/m3	Time Weighted Average (TWA):		MX OEL
	7 mg/m3	Short Term Exposure Limit (STEL):		MX OEL
Rutile, antimony chromium buff	0.5 mg/m3	Recommended exposure limit (REL):	as Cr	NIOSH
	0.5 mg/m3	PEL:	as Cr	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	ACGIH
	0.5 mg/m3	Recommended exposure limit (REL):	as Sb	NIOSH
	0.5 mg/m3	PEL:	as Sb	OSHA Z1
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	OSHA Z1A
	0.5 mg/m3	Time Weighted Average (TWA):	as Sb	MX OEL
Titanium dioxide	10 mg/m3	Time Weighted Average (TWA):		ACGIH
	15 mg/m3	PEL:	Total dust.	OSHA Z1
	10 mg/m3	Time Weighted Average (TWA):	Total dust.	OSHA Z1A
	10 mg/m3	Time Weighted Average (TWA):	as Ti	MX OEL
	20 mg/m3	Short Term Exposure Limit (STEL):	as Ti	MX OEL

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form Appearance Colour Odour Melting point/range Boiling Point: Water solubility

Stability

Evaporation rate Specific Gravity Bulk density Vapour pressure Vapour density pН

: Not applicable Not determined : : Not established : not applicable : not applicable : not applicable

: solid

: pellets

: BLUE

: very faint

: insoluble

: Not determined

: not applicable

### **10. STABILITY AND REACTIVITY**

: Stable

PolvOne

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 5 of 8 Print Date 1/8/2012

Hazardous Polymerization	:	Will not occur.
Conditions to avoid	:	Keep away from oxidizing agents and open flame. To avoid thermal decomposition, do not overheat.
Incompatible Materials	:	Incompatible with strong acids and oxidizing agents.
Hazardous decomposition products	:	Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.

#### **11. TOXICOLOGICAL INFORMATION**

This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

### Toxicity Overview

This product contains the following components which in their pure form have the following characteristics:

CAS-No.	Chemical Name	Effect	Target Organ
1333-86-4	Carbon black	Systemic effects	Eyes, Respiratory system.
68186-90-3	Rutile, antimony chromium buff	Irritant	Eyes, Skin, Respiratory system.
13463-67-7	Titanium dioxide	Systemic effects	Respiratory system.

#### LC50 / LD50

This product contains the following components which, in their pure form, have the following toxicity data:

CAS-No.	Chemical Name	Route	Value	Species
1333-86-4	Carbon black	Oral LD50	>15,400 mg/kg	rat
		Dermal LD50	> 3 gm/kg	rabbit

Carcinogenicity

This product contains the following components which, in their pure form, have the following carcinogenicity data:

CAS-No.	Chemical Name	OSHA	IARC	NTP
1333-86-4	Carbon black	no	2B	no
13463-67-7	Titanium dioxide	no	2B	no

IARC Carcinogen Classifications:

1 - The component is carcinogenic to humans.

2A - The component is probably carcinogenic to humans.

2B - The component is possibly carcinogenic to humans.

NTP Carcinogen Classifications:

1 - The component is known to be a human carcinogen.

2 - The component is reasonably anticipated to be a human carcinogen.

### Additional Health Hazard Information:

PolvOn<u>e</u>

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 6 of 8 Print Date 1/8/2012

Carbon black 1333-86-4 Carcinogenicity: Many inhalation toxicologists believe that the tumor response observed in the referenced rat studies is species specific and does not correlate to human exposure. However, the IARC evaluation in Monograph Volume 65, issued in April 1996 concluded that, "There is sufficient evidence in experimental animals for the carcinogenicity of carbon black". Based on this evaluation, along with their evaluation of inadequate evidence of carcinogenicity in humans, IARC's overall evaluation is that "Carbon Black is possibly carcinogenic to humans (Group 2B). The IARC 2B listing only pertains to airborne, unbound carbon black particles of respirable size. Carbon Black has not been listed as a carcinogen by the National Toxicology Program (NTP) or the Occupational Safety and Health Administration (OSHA). The National Institute of Occupational Safety and Health (NIOSH) criteria document on carbon black recommends that only carbon black with PAH (polynuclear aromatic hydrocarbon) levels greater than 0.1% be considered suspect carcinogens.

#### **12. ECOLOGICAL INFORMATION**

Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: no data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
OSHA Status	: Classified as hazardous based on components.
OSTA Status	. Chassing as nazardous based on components.

PolyOne.

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 7 of 8 Print Date 1/8/2012

TSCA Status	: All compone TSCA Invent		broduct ar	e listed of		I	0
US. EPA CERCLA Hazardous	Substances (40 CF	FR 302)					
not applicable							
California Proposition 65	: WARNING! California to			ns a chem	ical kno	wn to the St	ate of
SARA Title III Section 302 Ext	tremely Hazardous	Substance					
Unless specific chemicals are id	lentified under this	section, this	s product	is Not Ar	oplicable	e under this	regulati
		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~ F		· · · · · ·		
	via Chamicala						
SARA Title III Section 313 To:	xic Chemicals.						
SARA Title III Section 313 To:	xic Chemicals.						
		s section, this	s product	is Not Ap	oplicable	e under this	regulati
		section, this	s product CAS-N		-	e under this	regulati
Unless specific chemicals are id	dentified under this			ío.	-	t percent	regulati
Unless specific chemicals are id Chemical Name	dentified under this		CAS-N	ío.	Weigh	t percent	regulati
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN	dentified under this		CAS-N	ío.	Weigh	t percent	regulati
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY	dentified under this		CAS-N	ío.	Weigh	t percent	regulati
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY	dentified under this		CAS-N	ío.	Weigh	t percent	regulati
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea	dentified under this NDSCHROMIUM COMPOUNDS	III	CAS-N	ío.	Weigh	t percent	regulati
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations:	dentified under this NDSCHROMIUM COMPOUNDS	III	CAS-N 68186-9	ío.	Weigh 1.00 -	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea	dentified under this NDSCHROMIUM COMPOUNDS	III LI)	CAS-N 68186-9	lo. 00-3	Weigh 1.00 -	t percent	_
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea	dentified under this NDSCHROMIUM COMPOUNDS	III LI)	CAS-N 68186-9	lo. 10-3 Weigh	Weigh 1.00 -	t percent	_
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name	dentified under this NDSCHROMIUM COMPOUNDS	III CAS-N	CAS-N 68186-9 Io. 8-1	lo. 10-3 Weigh percen	Weigh 1.00 - t t 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	dentified under this NDSCHROMIUM COMPOUNDS	III RI) CAS-N 1344-2	CAS-N 68186-9 Io. 8-1 -8	Veigh percen 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide	dentified under this NDSCHROMIUM COMPOUNDS	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	dentified under this NDSCHROMIUM COMPOUNDS	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	_
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	dentified under this NDSCHROMIUM COMPOUNDS	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	_
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue	dentified under this NDSCHROMIUM COMPOUNDS	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	_
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium b	dentified under this NDSCHROMIUM COMPOUNDS ase Inventory (NPR buff	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium b	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium to WHMIS Classification	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium b	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium to WHMIS Classification WHMIS Ingredient Disc	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium to WHMIS Classification WHMIS Ingredient Disc	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14	CAS-N 68186-9 Io. 8-1 -8	0-3 Weigh percen 0.10 - 0.10 -	Weigh 1.00 - t t 1.00 1.00	t percent	
Unless specific chemicals are id Chemical Name CHROMIUM III COMPOUN COMPOUNDSANTIMONY Canadian Regulations: National Pollutant Relea Chemical Name Aluminum oxide Phthalocyanine blue Rutile, antimony chromium to WHMIS Classification WHMIS Ingredient Disc	dentified under this NDSCHROMIUM COMPOUNDS Use Inventory (NPR Duff : D2A	III CAS-N 1344-2 147-14 68186-	CAS-N 68186-9 Io. 8-1 8 90-3	Weigh           0-3           Weigh           percen           0.10 -           1.00 -	Weigh 1.00 - tt 1.00 1.00 5.00	NPRI ID	

PolyOne

# MATERIAL SAFETY DATA SHEET FOCUS LT. TEAL CSPN

Version Number 1.0 Revision Date 07/29/2009 Page 8 of 8 Print Date 1/8/2012

Australia AICS	:	Listed
China IECS	:	Listed
Europe EINECS	:	Listed
Japan ENCS	:	Not determined
Korea KECI	:	Listed
Philippines PICCS	:	Listed

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.