#### MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

Version Number 1.0 Revision Date 02/02/2007 Page 1 of 6 Print Date 11/26/2011

#### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
:	VIVE BRIGHT PINK INNER UV V2
:	CC10096288
:	Mixture
:	Mixture
:	Industrial Applications
	: :

#### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

Components	CAS-No.	Weight %
Titanium dioxide	13463-67-7	5 - 10

#### **3. HAZARDS IDENTIFICATION**

#### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

#### POTENTIAL HEALTH EFFECTS

<b>Routes of Exposure:</b>	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation Ingestion	<ul><li>Resin particles, like other inert materials, can be mechanically irritating.</li><li>May be harmful if swallowed.</li></ul>
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.

PolyOne

## MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

Version Number 1.0 Revision Date 02/02/2007 Page 2 of 6 Print Date 11/26/2011

	4. FIRST AID MEASURES
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists seel medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits	
Upper explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Autoignition temperature	: Not applicable
Suitable extinguishing media	: Carbon dioxide blanket, water spray, dry powder, foamnone.
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positive pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	: Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section 12 of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption

PolyOne

## MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

Version Number 1.0 Revision Date 02/02/2007 Page 3 of 6 Print Date 11/26/2011

8. F	XPOSURE	<b>CONTROLS / PERSONAL</b>	PROTECTION		
Respiratory protection	: N	o personal respiratory protect	ive equipment normally	required.	
Eye/Face Protection	: S	afety glasses with side-shields	5.		
Hand protection	: P	rotective gloves.			
Skin and body protection	: L	ong sleeved clothing.			
Additional Protective Measures	: S	afety shoes.			
General Hygiene Considerations		: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.			
Engineering measures		leat only in areas with appropriate exhaust ventilation		Provide	
Exposure limit(s)					
Components	Value	Exposure time	Exposure type	List:	
Titanium dioxide	10 mg/m3	Time Weighted Average		ACGIH	
		(TWA):			
	15 mg/m3 20 mg/m3	PEL: Short Term Exposure Limit	Total dust. as Ti	OSHA Z1 MX OEL	
		(STEL):			
	0 DUVSI	CAL AND CHEMICAL PRO	OPERTIES		
	9. ГПІЗК				
Form		l Evanc	oration rate · Not	t applicable	
Form	: Solic			t applicable t determined	
Form Appearance Color		ets Specif	fic Gravity: : Not	t applicable t determined t established	
Appearance Color Odor	: Solic : Pelle	ts Specif K Bulk o faint Vapor	fic Gravity: : Not density : Not pressure : Not	t determined	
Appearance Color Odor Melting point/range	: Solic : Pelle : PINI : Very : Not o	ts Specif K Bulk of faint Vapor determined Vapor	fic Gravity:: Notdensity: Notpressure: Notur density: Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : PINI : Very : Not c : Not a	ts Specif K Bulk of faint Vapor determined Vapor applicable pH	fic Gravity:: Notdensity: Notpressure: Notur density: Not	t determined t established t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : PINI : Very : Not o	ts Specif K Bulk of faint Vapor determined Vapor applicable pH	fic Gravity:: Notdensity: Notpressure: Notur density: Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range	: Solic : Pelle : PINI : Very : Not o : Not o : Insol	ts Specif K Bulk of faint Vapor determined Vapor applicable pH	fic Gravity: : Not density : Not pressure : Not ur density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point:	: Solic : Pelle : PINI : Very : Not o : Not a : Insol	ts Specif K Bulk of faint Vapor determined Vapor applicable pH uble	fic Gravity: : Not density : Not pressure : Not ur density : Not : Not	t determined t established t applicable t applicable	
Appearance Color Odor Melting point/range Boiling Point: Water solubility	: Solic : Pelle : PINI : Very : Not c : Not a : Insol <b>10. S</b> : S	tts Specif X Bulk o faint Vapor determined Vapor applicable pH uble STABILITY AND REACTIV	fic Gravity: : Not density : Not pressure : Not ur density : Not : Not	t determined t established t applicable t applicable	

PolyOne.

## MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

sion Number 1.0 ision Date 02/02/2	007				Print [	Page 4 Date <i>11/26/2</i>	
Incompatible Mater	ials	: Incompatible	with strong acid	s and c	oxidizing agents.		
					oxide (CO), oxides nd smoke are all po		
	11	. TOXICOLOG	ICAL INFORM	/ATIC	DN		
This mixture has no health data for the in					are effects listed ar	e based on exis	
Toxicity Overview This product contain	ns the following	ng components w	hich in their pur	e form	have the following	g characteristics	
CAS-No.	Che	emical Name	Effect		Target Organ		
13463-67-7	Titanium	dioxide	Systemic eff	ects	Respiratory syst	em.	
CAS-No. 13463-67-7	C Titanium	hemical Name dioxide	OSH no	A	IARC 2B	NTP no	
<ul><li>2A - The componen</li><li>2B - The componen</li><li>NTP Carcinogen Cl.</li><li>1 - The component in</li><li>2 - The component in</li></ul>	t is possibly c assifications: is known to be	arcinogenic to hu	ogen.	gen.			
		12. ECOLOGIO	CAL INFORMA	TION	I		
Persistence and degr	radability	: Not readily bi	odegradable.				
Environmental Toxicity		: Chemicals are not readily available as they are bound within the polymer matrix.					
Bioaccumulation Potential :		: Chemicals are not readily available as they are bound within the polymer matrix.					
Additional advice :		: No data available					
		13. DISPOSAL	CONSIDERAT	TIONS			
Product		possible recyc generator of v	cling is preferred vaste material ha	l to disj is the r	product can be rec posal or incineration esponsibility for proposal in accordance	on. The coper waste	

PolyOne.

# MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

ersion Number 1.0 evision Date 02/02/2007		Page 5 of 6 Print Date 11/26/2011
		applicable federal, state/provincial and local regulations.
Contaminated packaging	:	Recycling is preferred when possible. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	1	4. TRANSPORT INFORMATION
U.S. DOT Classification	:	Not regulated for transportation.
ICAO/IATA (air)	:	Refer to specific regulation.
IMO / IMDG (maritime)	:	Refer to specific regulation.
	15	. REGULATORY INFORMATION
US Regulations:		
OSHA Status	:	Classified as hazardous based on components.
TSCA Status	:	All components of this product are listed on or exempt from the TSCA Inventory.
US. EPA CERCLA Hazardou	is Subs	stances (40 CFR 302)
Not applicable		
California Proposition 65	ı :	Not applicable
SARA Title III Section 302 E	xtreme	ely Hazardous Substance
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 T	`oxic C	'hemicals:
Unless specific chemicals are	identi	fied under this section, this product is Not Applicable under this regulation
Canadian Regulations:		
National Pollutant Rel	ease Ir	ventory (NPRI)

PolyOne

#### MATERIAL SAFETY DATA SHEET VIVE BRIGHT PINK INNER UV V2

Version Number 1.0 Revision Date 02/02/2007 Page 6 of 6 Print Date 11/26/2011

Not applicable

WHMIS Classification	:	Not controlled.	
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.	
National Inventories:			
Australia AICS	:	Listed	
China IECS	:	Listed	
Europe EINECS	:	Not determined	
Japan ENCS	:	Not determined	
Korea KECI	:	Listed	
Philippines PICCS	:	Not determined	
16. OTHER INFORMATION			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.