MATERIAL SAFETY DATA SHEET

Transl. Gold 125c

Version Number 1.0 Revision Date 02/07/2007 Page 1 of 5 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone:Emergency telephone:number	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name :	Transl. Gold 125c
Product code :	CC10096440
Chemical Name :	Mixture
CAS-No. :	Mixture
Product Use :	Industrial Applications

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

Routes of Exposure:	: Inhalation, Ingestion, Skin contact
Acute exposure	
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.
Ingestion	: May be harmful if swallowed.
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.
Skin	: Experience shows no unusual dermatitis hazard from routine handling.
Chronic exposure	: Refer to Section 11 for Toxicological Information.
Medical Conditions Aggravated by Exposure:	: None known.
	4. FIRST AID MEASURES



MATERIAL SAFETY DATA SHEET *Transl. Gold 125c*

ision Date 02/07/2007	Page 2 /Print Date 11/26
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all cases of doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for a least 15 minutes. If eye irritation persists, seek medical attention.
Skin : Wash off with soap and plenty of water. If skin irritation persist medical attention.	
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media Special Fire Fighting	 Not applicable Not applicable Not applicable Carbon dioxide blanket, water spray, dry powder, foamnone. Fullface self-contained breathing apparatus (SCBA) used in positive
Procedures Unusual Fire/Explosion Hazards	 pressure mode should be worn to prevent inhalation of airborne contaminants. Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should not be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material in plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

MATERIAL SAFETY DATA SHEET *Transl. Gold 125c*

Version Number 1.0 Revision Date 02/07/2007 Page 3 of 5 Print Date 11/26/2011

	OSUF	E CONTROLS / 	PERSONAL PROTECTIO	DN
Respiratory protection	:	No personal respin	ratory protective equipment	normally required.
Eye/Face Protection	:	Safety glasses wit	h side-shields.	
Hand protection	:	Protective gloves.		
Skin and body protection	:	Long sleeved clot	ning.	
Additional Protective Measures	:	Safety shoes.		
General Hygiene Considerations	:	Handle in accordance with good industrial hygiene and safety practic Wash hands before breaks and at the end of workday.		
Engineering measures	:	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		
Exposure limit(s)				
There are no known hazardou	is com	ponents above regu	latory thresholds in this prod	duct.
			j i i i i i i i i i i i i i i i i i i i	
9.	PHYS	SICAL AND CHE	MICAL PROPERTIES	
Form	: So	lid	Evaporation rate	: Not applicable
Appearance	: Pe	llets	Specific Gravity:	: Not determined
	: YELLOW			
Color	: Y	ELLOW	Bulk density	: Not established
		ELLOW ery faint		Not establishedNot applicable
Color	: V		Bulk density	
Color Odor	: V : N	ery faint	Bulk density Vapor pressure	: Not applicable
Color Odor Melting point/range Boiling Point:	: V : N : N	ery faint ot determined	Bulk density Vapor pressure Vapour density	Not applicableNot applicable
Color Odor Melting point/range	: Vo : No : No : In	ery faint ot determined ot applicable	Bulk density Vapor pressure Vapour density pH	Not applicableNot applicable
Color Odor Melting point/range Boiling Point:	: Vo : No : No : In	ery faint ot determined ot applicable soluble	Bulk density Vapor pressure Vapour density pH	Not applicableNot applicable
Color Odor Melting point/range Boiling Point: Water solubility	: Vo : No : No : In	ery faint ot determined ot applicable soluble D. STABILITY AN	Bulk density Vapor pressure Vapour density pH	Not applicableNot applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability	: Vo : No : No : In	ery faint of determined of applicable soluble D. STABILITY AN Stable. Will not occur.	Bulk density Vapor pressure Vapour density pH DREACTIVITY	Not applicableNot applicableNot applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	: Vo : No : No : In	ery faint ot determined ot applicable soluble D. STABILITY AN Stable. Will not occur. Keep away from o decomposition, do	Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not applicable Not applicable
Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization Conditions to avoid	: Vo : No : No : In	ery faint of determined of applicable soluble D. STABILITY AN Stable. Will not occur. Keep away from of decomposition, do Incompatible with Carbon dioxide (O	Bulk density Vapor pressure Vapour density pH DREACTIVITY	 Not applicable Not applicable Not applicable Not applicable

PolyOne

MATERIAL SAFETY DATA SHEET *Transl. Gold 125c*

Version Number 1.0 Revision Date 02/07/2007 Page 4 of 5 Print Date 11/26/2011

There are no known hazardous components above regulatory thresholds in this product.

	12. ECOLOGICAL INFORMATION
Persistence and degradability	: Not readily biodegradable.
Environmental Toxicity	: Chemicals are not readily available as they are bound within the polymer matrix.
Bioaccumulation Potential	: Chemicals are not readily available as they are bound within the polymer matrix.
Additional advice	: No data available
	13. DISPOSAL CONSIDERATIONS
Product	: Like most thermoplastic plastics the product can be recycled. Where possible recycling is preferred to disposal or incineration. The generator of waste material has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
Contaminated packaging	: Recycling is preferred when possible. The generator of waste materia has the responsibility for proper waste classification, transportation and disposal in accordance with applicable federal, state/provincial and local regulations.
	14. TRANSPORT INFORMATION
U.S. DOT Classification	: Not regulated for transportation.
ICAO/IATA (air)	: Refer to specific regulation.
IMO / IMDG (maritime)	: Refer to specific regulation.
	15. REGULATORY INFORMATION
US Regulations:	
US Regulations: OSHA Status	: There are no known hazardous components above regulatory thresholds in this product.
-	thresholds in this product.
OSHA Status	thresholds in this product.All components of this product are listed on or exempt from the TSCA Inventory.
OSHA Status TSCA Status	thresholds in this product.All components of this product are listed on or exempt from the TSCA Inventory.

<u>PolyOne</u>

MATERIAL SAFETY DATA SHEET *Transl. Gold 125c*

Version Number 1.0 Revision Date 02/07/2007 Page 5 of 5 Print Date 11/26/2011

California Proposition 65	:	Not applicable				
SARA Title III Section 302 Extremely Hazardous Substance						
Unless specific chemicals are identified under this section, this product is Not Applicable under this regulation						
SARA Title III Section 313 Tox	tic C	Chemicals:				
Unless specific chemicals are id	lenti	fied under this section, this product is Not Applicable under this regulation				
Canadian Regulations:						
National Pollutant Release	se Iı	nventory (NPRI)				
Not applicable						
WHMIS Classification	:	Not controlled.				
DSL	:	All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.				
National Inventories:						
Australia AICS	:	Listed				
China IECS	:	Listed				
Europe EINECS	:	Not determined				
Japan ENCS	:	Not determined				
Korea KECI	:	Listed				
Philippines PICCS	:	Not determined				

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.