### MATERIAL SAFETY DATA SHEET

### Transl. Bark 4485c

Version Number 1.0 Revision Date 02/07/2007 Page 1 of 5 Print Date 11/26/2011

### 1. PRODUCT AND COMPANY IDENTIFICATION

#### POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

Telephone Emergency telephone number	:	Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).
Product name	:	Transl. Bark 4485c
Product code	:	CC10096441
Chemical Name	:	Mixture
CAS-No.	:	Mixture
Product Use	:	Industrial Applications

### 2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

There are no known hazardous components above regulatory thresholds in this product.

### 3. HAZARDS IDENTIFICATION

### **EMERGENCY OVERVIEW**

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

### POTENTIAL HEALTH EFFECTS

Routes of Exposure: : Inhalation, Ingestion, Skin contact			
Acute exposure			
Inhalation	: Resin particles, like other inert materials, can be mechanically irritating.		
Ingestion	: May be harmful if swallowed.		
Eyes	: Resin particles, like other inert materials, are mechanically irritating to eyes.		
Skin	: Experience shows no unusual dermatitis hazard from routine handling.		
Chronic exposure	: Refer to Section 11 for Toxicological Information.		
Medical Conditions Aggravated by Exposure:	: None known.		
4. FIRST AID MEASURES			



# MATERIAL SAFETY DATA SHEET

# Transl. Bark 4485c

sion Date 02/07/2007	Page Print Date 11/2
Inhalation	: Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. When symptoms persist or in all case doubt seek medical advice.
Ingestion	: Do not induce vomiting without medical advice. When symptoms persist or in all cases of doubt seek medical advice.
Eyes	: Rinse immediately with plenty of water, also under the eyelids, for least 15 minutes. If eye irritation persists, seek medical attention.
Skin	: Wash off with soap and plenty of water. If skin irritation persists a medical attention.
	5. FIRE-FIGHTING MEASURES
Flash point	: Not applicable
Flammable Limits Upper explosion limit Lower explosion limit Autoignition temperature Suitable extinguishing media	<ul> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> <li>Carbon dioxide blanket, water spray, dry powder, foamnone.</li> </ul>
Special Fire Fighting Procedures	: Fullface self-contained breathing apparatus (SCBA) used in positi pressure mode should be worn to prevent inhalation of airborne contaminants.
Unusual Fire/Explosion Hazards	<ul> <li>Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), other hazardous materials, and smoke are all possible.</li> </ul>
	ACCIDENTAL RELEASE MEASURES
Personal precautions	: Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls.
Environmental precautions	: Should not be released into the environment. The product should be allowed to enter drains, water courses or the soil.
Methods for cleaning up	: Clean up promptly by sweeping or vacuum. Package all material plastic, cardboard or metal containers for disposal. Refer to Section of this MSDS for proper disposal methods.
	7. HANDLING AND STORAGE
Handling	: Take measures to prevent the build up of electrostatic charge. Heat only in areas with appropriate exhaust ventilation.
Storage	: Keep containers dry and tightly closed to avoid moisture absorption and contamination. Keep in a dry, cool place.

PolyOne.

# MATERIAL SAFETY DATA SHEET

# Transl. Bark 4485c

Version Number 1.0 Revision Date 02/07/2007 Page 3 of 5 Print Date 11/26/2011

		ERSONAL PROTECTIO	
Respiratory protection	: No personal respirat	ory protective equipment	normally required.
Eye/Face Protection	: Safety glasses with side-shields.		
Hand protection	: Protective gloves.		
Skin and body protection	: Long sleeved clothing.		
Additional Protective Measures	: Safety shoes.		
General Hygiene Considerations	: Handle in accordance with good industrial hygiene and safety prac Wash hands before breaks and at the end of workday.		
Engineering measures	: Heat only in areas with appropriate exhaust ventilation. Provide appropriate exhaust ventilation at machinery.		entilation. Provide
Exposure limit(s)			
There are no known hazardou	us components above regulat	tory thresholds in this proc	duct.
There are no known hazardou	us components above regulat	tory thresholds in this proc	duct.
	us components above regulat		duct.
There are no known hazardou 9. Form		ICAL PROPERTIES	
9.	. PHYSICAL AND CHEM		<ul> <li>duct.</li> <li>Not applicable</li> <li>Not determined</li> </ul>
9. Form	• PHYSICAL AND CHEM : Solid	ICAL PROPERTIES Evaporation rate	: Not applicable
9. Form Appearance	PHYSICAL AND CHEM     Solid     Pellets	ICAL PROPERTIES Evaporation rate Specific Gravity:	: Not applicable : Not determined
9. Form Appearance Color	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density	<ul><li>Not applicable</li><li>Not determined</li><li>Not established</li></ul>
9. Form Appearance Color Odor	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point:	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li><b>PHYSICAL AND CHEM</b></li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> <b>10. STABILITY AND</b> <ul> <li>Stable.</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li><b>PHYSICAL AND CHEM</b> <ul> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> </li> <li><b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul> </li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability	<ul> <li><b>PHYSICAL AND CHEM</b> <ul> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> </li> <li><b>10. STABILITY AND</b> <ul> <li>Stable.</li> <li>Will not occur.</li> </ul> </li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>
9. Form Appearance Color Odor Melting point/range Boiling Point: Water solubility Stability Hazardous Polymerization	<ul> <li>PHYSICAL AND CHEM</li> <li>Solid</li> <li>Pellets</li> <li>BROWN</li> <li>Very faint</li> <li>Not determined</li> <li>Not applicable</li> <li>Insoluble</li> </ul> 10. STABILITY AND <ul> <li>Stable.</li> <li>Will not occur.</li> <li>Keep away from oxidecomposition, do not applicable and applicable.</li> </ul>	ICAL PROPERTIES Evaporation rate Specific Gravity: Bulk density Vapor pressure Vapour density pH REACTIVITY	<ul> <li>Not applicable</li> <li>Not determined</li> <li>Not established</li> <li>Not applicable</li> <li>Not applicable</li> <li>Not applicable</li> </ul>

<u>PolyOne</u>

# MATERIAL SAFETY DATA SHEET *Transl. Bark 4485c*

Version Number 1.0 Revision Date 02/07/2007 Page 4 of 5 Print Date 11/26/2011

There are no known hazardous components above regulatory thresholds in this product.

polymer matrix.         Bioaccumulation Potential       : Chemicals are not readil polymer matrix.         Additional advice       : No data available         13. DISPOSAL CONSIDI         Product       : Like most thermoplastic possible recycling is pre generator of waste mate classification, transporta applicable federal, state/         Contaminated packaging       : Recycling is preferred w has the responsibility for	ly available as they are bound within the ly available as they are bound within the <b>ERATIONS</b> e plastics the product can be recycled. Where ferred to disposal or incineration. The rial has the responsibility for proper waste tion and disposal in accordance with /provincial and local regulations.
polymer matrix.         Bioaccumulation Potential       : Chemicals are not readil polymer matrix.         Additional advice       : No data available         13. DISPOSAL CONSIDI         Product       : Like most thermoplastic possible recycling is pre generator of waste mate classification, transporta applicable federal, state/         Contaminated packaging       : Recycling is preferred w has the responsibility for	ERATIONS Plastics the product can be recycled. Where ferred to disposal or incineration. The rial has the responsibility for proper waste tion and disposal in accordance with
polymer matrix.         Additional advice       : No data available         13. DISPOSAL CONSIDI         Product       : Like most thermoplastic possible recycling is pregenerator of waste mate classification, transporta applicable federal, state/         Contaminated packaging       : Recycling is preferred w has the responsibility for	ERATIONS plastics the product can be recycled. Where ferred to disposal or incineration. The rial has the responsibility for proper waste ation and disposal in accordance with /provincial and local regulations.
<b>13. DISPOSAL CONSID</b> Product       : Like most thermoplastic possible recycling is pre generator of waste mate classification, transporta applicable federal, state/         Contaminated packaging       : Recycling is preferred w has the responsibility for	plastics the product can be recycled. Where ferred to disposal or incineration. The rial has the responsibility for proper waste ation and disposal in accordance with provincial and local regulations.
Product : Like most thermoplastic possible recycling is pre generator of waste mate classification, transporta applicable federal, state/ Contaminated packaging : Recycling is preferred w has the responsibility fo	plastics the product can be recycled. Where ferred to disposal or incineration. The rial has the responsibility for proper waste ation and disposal in accordance with provincial and local regulations.
Contaminated packaging : Recycling is preferred w has the responsibility fo	ferred to disposal or incineration. The rial has the responsibility for proper waste ation and disposal in accordance with provincial and local regulations.
has the responsibility fo	then possible. The generator of waste materia
and local regulations.	r proper waste classification, transportation ace with applicable federal, state/provincial
14. TRANSPORT INFO	RMATION
U.S. DOT Charles in the Net of such that for the second	
U.S. DOT Classification : Not regulated for transp	
ICAO/IATA (air) : Refer to specific regulat	
IMO / IMDG (maritime) : Refer to specific regulat	ion.
15. REGULATORY INFO	ORMATION
US Regulations:	
OSHA Status : There are no known haz thresholds in this produc	ardous components above regulatory ct.
TSCA Status : All components of this j Inventory.	product are listed on or exempt from the TSCA
US. EPA CERCLA Hazardous Substances (40 CFR 302)	
Not applicable	

<u>PolyOne</u>

### MATERIAL SAFETY DATA SHEET Transl. Bark 4485c

Version Number 1.0 Revision Date 02/07/2007

Page 5 of 5 Print Date 11/26/2011

California Proposition 65	: Not applicable
SARA Title III Section 302 Ex	remely Hazardous Substance
Unless specific chemicals are id	lentified under this section, this product is Not Applicable under this regulation
SARA Title III Section 313 To	xic Chemicals:
Unless specific chemicals are is	lentified under this section, this product is Not Applicable under this regulation
Canadian Regulations:	
National Pollutant Relea	se Inventory (NPRI)
Not applicable	
WHMIS Classification	: Not controlled.
DSL	: All components of this product are on the Canadian Domestic Substances List (DSL) or are exempt.
National Inventories:	
Australia AICS	: Listed
China IECS	: Listed
Europe EINECS	: Not determined
Japan ENCS	: Not determined
Korea KECI	: Listed
Philippines PICCS	: Not determined

### **16. OTHER INFORMATION**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.