MATERIAL SAFETY DATA SHEET GREEN PEARL UV

Version Number 1.0 Revision Date 02/07/2007

Page 1 of 6 Print Date 11/26/2011

1. PRODUCT AND COMPANY IDENTIFICATION

POLYONE CORPORATION 33587 Walker Road, Avon Lake, OH 44012

| Telephone:Emergency telephone:number | : | Product Stewardship (770) 271-5902 CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident). |
|--------------------------------------|---|---|
| Product name | : | GREEN PEARL UV |
| Product code | : | CC10096569 |
| Chemical Name | : | Mixture |
| CAS-No. | : | Mixture |
| Product Use | : | Industrial Applications |

2. COMPOSITION/INFORMATION ON REGULATED INGREDIENTS

| Components | CAS-No. | Weight % |
|-------------------|-----------|----------|
| Calcium carbonate | 1317-65-3 | 1 - 5 |

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

This mixture has not been evaluated as a whole. Information provided on the health effects of this product is based on individual components. All ingredients are bound and potential for hazardous exposure as shipped is minimal. However, some vapors may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure.

POTENTIAL HEALTH EFFECTS

| Routes of Exposure: | : Inhalation, Ingestion, Skin contact |
|---|---|
| Acute exposure | |
| Inhalation Ingestion | Resin particles, like other inert materials, can be mechanically irritating.May be harmful if swallowed. |
| Eyes | : Resin particles, like other inert materials, are mechanically irritating to eyes. |
| Skin | : Experience shows no unusual dermatitis hazard from routine handling. |
| Chronic exposure | : Refer to Section 11 for Toxicological Information. |
| Medical Conditions Aggravated by Exposure: | : None known. |



MATERIAL SAFETY DATA SHEET **GREEN PEARL UV**

Version Number 1.0 Revision Date 02/07/2007 Page 2 of 6 Print Date 11/26/2011

| | 4. FIRST AID MEASURES | |
|-------------------------------------|--|------------|
| Inhalation | : Move to fresh air in case of accidental inhalation of fumes fr overheating or combustion. When symptoms persist or in all doubt seek medical advice. | |
| Ingestion | : Do not induce vomiting without medical advice. When sympersist or in all cases of doubt seek medical advice. | ptoms |
| Eyes | : Rinse immediately with plenty of water, also under the eyelic least 15 minutes. If eye irritation persists, seek medical atter | |
| Skin | : Wash off with soap and plenty of water. If skin irritation per medical attention. | sists seel |
| | 5. FIRE-FIGHTING MEASURES | |
| Flash point | : Not applicable | |
| Flammable Limits | | |
| Upper explosion limit | : Not applicable | |
| Lower explosion limit | : Not applicable | |
| Autoignition temperature | : Not applicable | |
| Suitable extinguishing media | : Carbon dioxide blanket, water spray, dry powder, foamnone. | |
| Special Fire Fighting Procedures | : Fullface self-contained breathing apparatus (SCBA) used in pressure mode should be worn to prevent inhalation of airbor contaminants. | |
| Unusual Fire/Explosion Hazards | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nit (NOx), other hazardous materials, and smoke are all possible | |
| | ACCIDENTAL RELEASE MEASURES | |
| Personal precautions | : Wear appropriate personal protection during cleanup, such as impervious gloves, boots and coveralls. | S |
| Environmental precautions | : Should not be released into the environment. The product she be allowed to enter drains, water courses or the soil. | ould not |
| Methods for cleaning up | : Clean up promptly by sweeping or vacuum. Package all mat plastic, cardboard or metal containers for disposal. Refer to S of this MSDS for proper disposal methods. | |
| | 7. HANDLING AND STORAGE | |
| Handling | : Take measures to prevent the build up of electrostatic charge only in areas with appropriate exhaust ventilation. | . Heat |
| Storage | : Keep containers dry and tightly closed to avoid moisture abs | orption |

2/6

PolyOne.

MATERIAL SAFETY DATA SHEET **GREEN PEARL UV**

Version Number 1.0 Revision Date 02/07/2007 Page 3 of 6 Print Date 11/26/2011

| 8. E | EXPOSURE | CONTROLS / PERSONA | AL PROTECTION | |
|-----------------------------------|-----------------|---|---------------------------|------------------------------|
| Respiratory protection | : N | lo personal respiratory prote | ective equipment normally | required. |
| Eye/Face Protection | : S | afety glasses with side-shie | lds. | |
| Hand protection | : P | rotective gloves. | | |
| Skin and body protection | : L | ong sleeved clothing. | | |
| Additional Protective Measures | : S | afety shoes. | | |
| General Hygiene Considerations | | landle in accordance with go Vash hands before breaks ar | | safety practice |
| Engineering measures | | leat only in areas with appropriate exhaust ventilation | | . Provide |
| Exposure limit(s) | | | | |
| Components | Value | Exposure time | Exposure type | List: |
| Calcium carbonate | 5 mg/m3 | PEL: | Respirable fraction. | OSHA Z1 |
| | 15 mg/m3 | PEL: | Total dust. | OSHA Z1 |
| | 10 mg/m3 | Time Weighted Average (TWA): | | MX OEL |
| | 20 mg/m3 | Short Term Exposure Lim (STEL): | hit | MX OEL |
| | 9. PHYSIO | CAL AND CHEMICAL P | ROPERTIES | |
| | | | | |
| Form | : Solic | | | t applicable |
| Appearance | : Pelle | | 5 | t determined |
| Color Odor | : GRE : Very | | 5 | t established |
| Melting point/range | | | | t applicable t applicable |
| Boiling Point: | | applicable pH | | t applicable |
| Water solubility | : Insol | | . 100 | Pricuble |
| 2 | | | | |
| | 10. 5 | STABILITY AND REACT | ΓΙVITY | |
| Stability | : S | table. | | |
| Hazardous Polymerization | n : V | Vill not occur. | | |
| | | | | avoid thermal |

PolyOne.

MATERIAL SAFETY DATA SHEET **GREEN PEARL UV**

| /ersion Number 1.0 Revision Date 02/07/2007 | 7 | | | Page 4 of 6 Print Date <i>11/26/2011</i> |
|--|--------------|---|--|---|
| | | | | |
| Incompatible Materials | : | Incompatible v | vith strong acids and o | xidizing agents. |
| Hazardous decompositi products | ion : | | | xide (CO), oxides of nitrogen d smoke are all possible. |
| | 11. ' | IOXICOLOGI | CAL INFORMATIC |)N |
| This mixture has not be health data for the indiv | | | | re effects listed are based on existing |
| <u>Toxicity Overview</u> This product contains t | he following | components wh | ich in their pure form | have the following characteristics: |
| CAS-No. | Chem | ical Name | Effect | Target Organ |
| 1317-65-3 | Calcium ca | rbonate | Irritant | Eyes, Skin. |
| | | | Systemic effects | Eyes, Skin, Respiratory system. |
| | 12 | 2. ECOLOGICA | AL INFORMATION | |
| | | | | |
| Persistence and degrada | ability : | Not readily bio | odegradable. | |
| Environmental Toxicity | y : | Chemicals are polymer matrix | | s they are bound within the |
| Bioaccumulation Poten | itial : | Chemicals are polymer matrix | | s they are bound within the |
| Additional advice | : | No data availal | ble | |
| | 1. | 3. DISPOSAL (| CONSIDERATIONS | |
| Product | : | possible recycl generator of wa classification, t | ing is preferred to disp aste material has the re | product can be recycled. Where posal or incineration. The esponsibility for proper waste posal in accordance with nd local regulations. |
| Contaminated packagir | ng : | has the response | sibility for proper wast accordance with appl | . The generator of waste material te classification, transportation icable federal, state/provincial |
| | 1 | 4. TRANSPOR | T INFORMATION | |
| | | | | |
| U.S. DOT Classificatio | on : | Not regulated f | for transportation. | |
| ICAO/IATA (air) | : | Refer to specif | ic regulation. | |
| | | | | |

PolyOne.

MATERIAL SAFETY DATA SHEET **GREEN PEARL UV**

Version Number 1.0 Revision Date 02/07/2007 Page 5 of 6 Print Date 11/26/2011

| | 15 | . REGULATORY I | NFORMAT | ION | |
|---|----------------------------|--|--|---|---|
| US Regulations: | | | | | |
| OSHA Status | : | Classified as hazard | ous based or | components. | |
| TSCA Status | : | All components of t Inventory. | his product a | re listed on or exer | npt from the TSC |
| US. EPA CERCLA Hazardous | s Sub | stances (40 CFR 302) | | | |
| Not applicable | | | | | |
| California Proposition 65 | : | Not applicable | | | |
| | | | | | |
| SARA Title III Section 302 Fx | trem | elv Hazardous Substa | nce | | |
| SARA Title III Section 302 Ex | | | | | |
| SARA Title III Section 302 Ex Unless specific chemicals are i | | | | ct is Not Applicabl | e under this regu |
| | | | | ct is Not Applicabl | e under this regu |
| | | | | ct is Not Applicabl | e under this regu |
| Unless specific chemicals are i | denti | fied under this section | | ct is Not Applicabl | e under this regu |
| | denti | fied under this section | | ct is Not Applicabl | e under this regu |
| Unless specific chemicals are i SARA Title III Section 313 To | denti oxic C | fied under this section | n, this produc | | - |
| Unless specific chemicals are i | denti oxic C | fied under this section | n, this produc | | - |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i | denti oxic C | fied under this section | n, this produc | | - |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: | denti oxic C | fied under this section Chemicals: fied under this section | n, this produc | | - |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele | denti oxic C | fied under this section Chemicals: fied under this section iventory (NPRI) | n, this produc | et is Not Applicabl | e under this regu |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> | denti oxic C | fied under this section Chemicals: fied under this section <u>iventory (NPRI)</u> | n, this produc n, this produc AS-No. | ct is Not Applicabl | e under this regu |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum | denti oxic C | fied under this section Chemicals: fied under this section iventory (NPRI) C4 74 | n, this produc n, this produc AS-No. 129-90-5 | t is Not Applicabl Weight % 0.10 - 1.00 | e under this regu NPRI ID# 12 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: <u>National Pollutant Rele</u> <u>Chemical Name</u> | denti oxic C | fied under this section Chemicals: fied under this section iventory (NPRI) C4 74 | n, this produc n, this produc AS-No. | ct is Not Applicabl | e under this regu |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum | denti oxic C | fied under this section Chemicals: fied under this section iventory (NPRI) C4 74 | n, this produc n, this produc AS-No. 129-90-5 | t is Not Applicabl Weight % 0.10 - 1.00 | e under this regu NPRI ID# 12 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum | denti oxic C | fied under this section Chemicals: fied under this section iventory (NPRI) C4 74 | n, this produc n, this produc AS-No. 129-90-5 | t is Not Applicabl Weight % 0.10 - 1.00 | e under this regu NPRI ID# 12 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum Phthalocyanine green | identi oxic C identi | fied under this section Chemicals: fied under this section iventory (NPRI) CA 74 13 | n, this produc n, this produc AS-No. 129-90-5 | t is Not Applicabl Weight % 0.10 - 1.00 | e under this regu NPRI ID# 12 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum | identi oxic C identi | fied under this section Chemicals: fied under this section iventory (NPRI) C4 74 | n, this produc n, this produc AS-No. 129-90-5 | t is Not Applicabl Weight % 0.10 - 1.00 | e under this regu NPRI ID# 12 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum Phthalocyanine green | identi oxic C identi | fied under this section Chemicals: fied under this section iventory (NPRI) CA 74 13 | n, this product n, this product AS-No. 129-90-5 328-53-6 this product a | Weight % 0.10 - 1.00 0.10 - 1.00 | e under this regu NPRI ID# 12 71 |
| Unless specific chemicals are in SARA Title III Section 313 To Unless specific chemicals are in Canadian Regulations: National Pollutant Rele Chemical Name Aluminum Phthalocyanine green WHMIS Classification | identi oxic C identi | fied under this section Chemicals: fied under this section <u>nventory (NPRI)</u> CA 74 13 Not controlled. All components of the section | n, this product n, this product AS-No. 129-90-5 328-53-6 this product a | Weight % 0.10 - 1.00 0.10 - 1.00 | e under this regu NPRI ID# 12 71 |
| Unless specific chemicals are i SARA Title III Section 313 To Unless specific chemicals are i Canadian Regulations: National Pollutant Rele Chemical Name Aluminum Phthalocyanine green WHMIS Classification DSL | identi oxic C identi | fied under this section Chemicals: fied under this section <u>nventory (NPRI)</u> CA 74 13 Not controlled. All components of the section | n, this product n, this product AS-No. 129-90-5 328-53-6 this product a | Weight % 0.10 - 1.00 0.10 - 1.00 | e under this regu NPRI ID# 12 71 |

PolvOne

MATERIAL SAFETY DATA SHEET GREEN PEARL UV

Version Number 1.0 Revision Date 02/07/2007 Page 6 of 6 Print Date 11/26/2011

China IECS:ListedEurope EINECS:ListedJapan ENCS:Not determinedKorea KECI:ListedPhilippines PICCS:Listed

16. OTHER INFORMATION

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.